



Ministry of Education, Science and Technology

Lesson plans for TSS Mathematics

JSS 3

TERM

Foreword

Our country's future lies in the education of our children. The Government of Sierra Leone is committed to doing whatever it takes to secure this future.

As Minister of Education, Science and Technology since 2007, I have worked every day to improve our country's education. We have faced challenges, not least the Ebola epidemic which as we all know hit our sector hard. The Government's response to this crisis – led by our President – showed first-hand how we acted decisively in the face of those challenges, to make things better than they were in the first place.

One great success in our response was the publication of the Accelerated Teaching Syllabi in August 2015. This gave teachers the tools they needed to make up for lost time whilst ensuring pupils received an adequate level of knowledge across each part of the curriculum. The Accelerated Teaching syllabi also provided the pedagogical resource and impetus for the successful national radio and TV teaching programs during the Ebola epidemic.

It is now time to build on this success. I am pleased to issue new lesson plans across all primary and JSS school grades in Language Arts and Mathematics. These plans give teachers the support they need to cover each element of the national curriculum. In total, we are producing 2,700 lesson plans – one for each lesson, in each term, in each year for each class. This is a remarkable achievement in a matter of months.

These plans have been written by experienced Sierra Leonean educators together with international experts. They have been reviewed by officials of my Ministry to ensure they meet the specific needs of the Sierra Leonean population. They provide step-by-step guidance for each learning outcome, using a range of recognised techniques to deliver the best teaching.

I call on all teachers and heads of schools across the country to make best use of these materials. We are supporting our teachers through a detailed training programme designed specifically for these new plans. It is really important that these Lesson Plans are used, together with any other materials you may have.

This is just the start of education transformation in Sierra Leone. I am committed to continue to strive for the changes that will make our country stronger.

I want to thank our partners for their continued support. Finally, I also want to thank you – the teachers of our country – for your hard work in securing our future.

Dr. Minkailu Bah

Minister of Education, Science and Technology

Table of Contents

Lesson 106: Review of the Number Line	2
Lesson 107: Introduction to Inequality	5
Lesson 108: Linear Inequality	8
Lesson 109: Solving Linear Inequalities in One Variable I	11
Lesson 110: Solving Linear Inequalities in One Variable II	14
Lesson 111: Solving Linear Inequalities in One Variable III	18
Lesson 112: Creating Inequalities from Story Problems	22
Lesson 113: Solving Inequality Story Problems I	26
Lesson 114: Solving Inequality Story Problems II	30
Lesson 115: Practice with Inequalities	33
Lesson 116: Data Collection	36
Lesson 117: Frequency Tables	39
Lesson 118: Bar Charts	43
Lesson 119: Line Graphs	46
Lesson 120: Interpreting Charts and Graphs	50
Lesson 121: Interpreting Pie Charts	54
Lesson 122: Creating Pie Charts	57
Lesson 123: Choosing a Graph or Chart	62
Lesson 124: Mean	65
Lesson 125: Median	68
Lesson 126: Mode and Range	71
Lesson 127: Introduction to Grouped Data	74
Lesson 128: Mean of Grouped Data	77
Lesson 129: Median and Modal Class of Grouped Data	80
Lesson 130: Practice with Grouped Data	83
Lesson 131: Probability	86

Lesson 132: Probability Experiments with 1 Event	89
Lesson 133: Expressing Probability with Numbers	92
Lesson 134: Likelihood of Events	96
Lesson 135: Probability Experiments with 2 Independent Events	99
Lesson 136: Probability Experiments Independent Events I	102
Lesson 137: Probability Experiments Independent Events II	105
Lesson 138: Sample Space	108
Lesson 139: Probability Trees	111
Lesson 140: Probability Story Problems	114
Lesson 141: Perimeter of Triangles and Quadrilaterals	116
Lesson 142: Area of Triangles	120
Lesson 143: Area of Quadrilaterals	123
Lesson 144: Area and Circumference of Circles	127
Lesson 145 : Practical Problems with Area and Perimeter	130
Lesson 146: Volume of Prisms	134
Lesson 147: Volume of Cylinders	137
Lesson 148 : Surface Area of Prisms	139
Lesson 149: Surface Area of Cylinders	143
Lesson 150 : Practical Problems with Volume and Surface Area	146
Appendix I: Squares of Numbers 10-100	150
Appendix II: Sines of Angles	151
Appendix III: Cosines of Angles	152
Appendix IV: Tangents of Angles	153
Appendix V: Square Roots of Numbers, 1-10	154
Appendix VI: Square Roots of Numbers, 10-100	155
Appendix VII: Reciprocals of Numbers	156

Introduction

Mathematics

to the Lesson Plan Manual

These lesson plans are based on the National Curriculum and meet the requirements established by the Ministry of Education, Science and Technology.

1 (



The lesson plans will not take the whole term, so use spare time to review material or prepare for exams

2



Teachers can use other textbooks alongside or instead of these lesson plans.

3



Read the lesson plan before you start the lesson. Look ahead to the next lesson, and see if you need to tell pupils to bring materials for next time.



Learning outcomes





Make sure you understand the learning outcomes, and have teaching aids and other preparation ready – each lesson plan shows these using the symbols on the right.



Teaching aids

5



Quickly review what you taught last time before starting each lesson.



Preparation

6



Follow the suggested time allocations for each part of the lesson. If time permits, extend practice with additional work.

7



Lesson plans have a mix of activities for the whole class and for individuals or in pairs.

8



Use the board and other visual aids as you teach.

9



Interact with all pupils in the class – including the quiet ones.

10



Congratulate pupils when they get questions right! Offer solutions when they don't, and thank them for trying.

Lesson Title: Review of the Number Line	Theme: Algebra	
Lesson Number: M-09-106	Class/Level: JSS 3	Time: 35 minutes


Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None None	1. 1. Draw 6 number lines
pupils will be able to:	Wolle	from $-7 to + 7$, spaced
1. Locate positive and negative		apart in the centre of the board
numbers on the number line.		(see end of Lesson Plan).
2. Compare and order numbers on		2. Write the questions from
the number line.		Independent Practice on the board.

- 1. Ask: Who can remind the class of what numbers make up the rational numbers?
- 2. Guide a pupil to answer: Positive and negative whole numbers, fractions, decimals and zero.
- 3. Point to the number line drawn on the board.
- 4. Ask: Who can identify what this is?
- 5. Have a pupil volunteer to answer. Guide the pupil to answer: A number line.
- 6. **Say**: Today we are going to locate positive and negative numbers on the number line. We will also compare and order numbers on the number line.

Introduction to the New Material (10 minutes)

Wait a few moments after each question, before having pupils volunteer to answer.

- 1. **Say**: We looked at rational numbers at the beginning of the academic year. Let us see how much of it we remember.
- 2. Write this set of numbers on the board: $\{3, -3, 0\}$
- 3. **Say**: Can someone show the class where the numbers 0, 3 and -3 fit on the first number line?
- 4. Have a volunteer pupil show these on the number line on the board.



- 5. **Ask**: What do you notice about the positions of the *3* and *-3* in relation to *0?* (Answer: They are the same distance away from 0.)
- 6. **Say**: Every rational number has positive and negative counterparts. They are the same distance away from zero. They always equal to 0 when we add them together.

$$3 + (-3) = 0$$
 3 plus negative 3 equals zero
 $\frac{1}{2} + \left(-\frac{1}{2}\right) = 0$ half plus negative half equals zero

We used this fact before to balance our equations when we solved for the variables in linear equations. We will use this fact again later when we solve for variables in inequalities.


2

- 7. **Ask**: Imagine we have a giant number line marked on the floor. We are standing at *0*. Will the numbers get bigger or smaller if we start to walk right?
- 8. Allow pupils a few moments to think about this. Have a pupil volunteer to answer. (Answer: Numbers will get bigger)

- 9. Ask: Now imagine we are back at 0 on our giant number line. We start to walk left. Will our numbers get bigger or smaller? (Answer: Smaller)
- 10. Say: Draw and mark a number line in your exercise books from -7 to +7.
- 11. While the pupils are doing so, write this set of numbers on the board:

$$\{-2\frac{3}{5}, -5, -2.6, -6.4, 5, -\frac{13}{5}\}$$

- 12. Say: Work in pairs to locate these numbers on your number lines. Mark the number line with a ● and write the number above the mark.
- 13. Allow time for pupils to mark the numbers on their number lines.
- 14. Have pupils from around the classroom volunteer to mark 2 numbers each on one of the



number lines on the board.

- 15. **Ask**: What do you notice about $-2\frac{3}{5}$, -2.6 and $-\frac{13}{5}$? (Answer: They represent the same number.)
- 16. Ask: What do you notice about -5 and 5? (Answer: They are an equal distance away from 0).
- 17. **Ask**: Let us compare 2 of the numbers on our number line. Look at -6.4 and 5. How do we know which one is bigger? (Answer: Since the bigger number is on the right of the other number, 5 is bigger than -6.4.)
- 18. Write this set of numbers on the board: $\{5.9, -3\frac{1}{3}, -1.5, 5\frac{4}{5}, -1\frac{1}{5}\}$
- 19. Say: Use the number line on the board to help you put these numbers in ascending order. You can change the fractions to decimal numbers. Check with your neighbour when you finish.
- 20. Allow pupils time to do this. Have a pupil volunteer to answer.

(Answer:
$$\{-3\frac{1}{3}, -1.5, -1\frac{1}{5}, 5\frac{4}{5}, 5.9\}$$
)

Guided Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs.
- 2. Write on the board:

Put a circle around the smaller of the 2 numbers shown below.

$$i_{c}$$
 -12.7. -5.8

i.
$$-12.7$$
, -5.8 ii. $6\frac{2}{5}$, 6.25

iii.
$$-8.7$$
, -7.8

Put these numbers in ascending order

iv.
$$\{3, -5, 1, -3\}$$

$$v. \left\{ \frac{3}{5}, \frac{2}{5}, \frac{1}{2}, \frac{4}{7} \right\}$$

iv.
$$\{3, -5, 1, -3\}$$
 v. $\{\frac{3}{5}, \frac{2}{5}, \frac{1}{2}, \frac{4}{7}\}$ vi. $\{3.4, -3.4, 3.04, 0.34\}$

- 3. Walk around, if possible, to check answers and clear misconceptions.
- 4. Have pupils from around the classroom volunteer to give their answers to the questions.
- 5. Correct any errors in the answers on the board. Ask all pupils to check their work. (Answers: i. -12.7; ii. 6.25, iii. -8.7;


3

iv.
$$\{-5, -3, 1, 3\}$$
; vi. $\{\frac{2}{5}, \frac{4}{7}, \frac{1}{2}, \frac{3}{5}\}$; vi. $\{-3.4, 0.34, 3.04, 3.4\}$)


Independent Practice (10 minutes)

- 1. Ask the pupils to work independently.
- 2. Point to these guestions on the board:


i. Which letter best shows 6.5? Write the number for the other letter.



ii. Which letter best shows 4.2? Write the number for the other letter.




iii. Which letter best shows -6.5? Write the number for the other letter.




- 3. Walk around, if possible, to check answers and clear up any misconceptions.
- 4. Have pupils from around the classroom volunteer to give their answers to the questions.
- 5. Correct any errors and write the answers on the board. Ask pupils to check their work. (Answers: i. B, -4; ii. B, accept -1.7 or -1.8; iii. A, accept -0.7 or -0.8)

Closing (2 minutes)

- 1. **Ask**: Look for the number 4.5 on the number line. What number is an equal distance away from 0 as 4.5? (Answer: -4.5)
- 2. **Ask**: Which of these 2 numbers is bigger: -3.34 or $-3\frac{3}{4}$? Give a reason for your answer.
- 3. Have a pupil volunteer to give their reason for their choice. Ask the class if they agree. (Example answers:
 - -3.34 is bigger; it is closer to 0 than $-3\frac{3}{4}$,
 - $-3\frac{3}{4} = -3.75$ so it is smaller than -3.34;
 - -3.34 is on the right of $-3\frac{3}{4}$ so it is bigger.
 - Accept all reasonable answers.)
- 4. Ask pupils to confirm this by locating the 2 numbers on a number line in their exercise books.
- 5. Have a pupil volunteer to show the numbers on a number line on the board. (Answer: Shown below)





Lesson Title: Introduction to Inequality	Theme: Algebra	
Lesson Number: M-09-107	Class/Level: JSS 3	Time: 35 minutes

Lesson Number: Wi-05-107		21033/ LEVEL. 133 3	Time. 33 minutes
Learning Outcomes	Teaching Aid	s Pre	paration
By the end of the	None	(3) 1. V	Vrite on the top centre
lesson, pupils will be able		of t	he board: =, ≠, <, >
to:		2. Draw 4	number lines from
1. Identify the 'greater than'		-7 to + 7	7 underneath in the
and 'less than' symbols and use		centre of t	the board.
them to compare positive and		3. Write th	ne question for the
negative numbers.		different s	ections of this lesson on
2. Show 'greater than' and		the right (or left) hand side of the
'less than' on the number line.		board (see	the end of the lesson
		nlan)	

- 1. Ask: Who can remind the class of what we did last lesson?
- 2. Have a pupil volunteer to answer. (Answer: Located numbers on a number line; ordered and compared numbers. Accept all reasonable answers.)
- 3. Write this set of numbers on the board: $\{-\frac{14}{3}, \frac{19}{5}, -0.5, 1.62\}$
- 4. Say: Put these numbers in descending order. Raise your hand when you finish.
- 5. Allow pupils time to do this. Have a pupil volunteer to answer. (Answer: $\frac{19}{5}$, 1.62, -0.5, $-\frac{14}{3}$)
- 6. **Say**: Today, we are going to identify the 'greater than' and 'less than' symbols and use them to compare positive and negative numbers. We will also show 'greater than' and 'less than' on the number line.

Introduction to the New Material (10 minutes)

- 1. Point to the symbols on the board.
- 2. Ask: Who can remind the class of what the symbols on the board mean?
- 3. Allow a few moments for pupils to discuss and share ideas.

Point to each symbol and guide different pupils to say:

- = is equal to
- ≠ is not equal to
- < is less than
- > is greater than
- 4. Say: The first symbol shows equality between 2 expressions or numbers.

The other 3 symbols are called inequality symbols.


- 5. **Ask:** What do you think these 3 symbols show?
- 6. Guide a volunteer pupil to give the answer to what the symbols show. (Answer: They show that 2 expressions or numbers are not equal; they show inequality. Accept all reasonable answers.)
- 7. **Write**: $4 \neq 3$
- 8. **Say**: It is quite easy to see that 4 is not equal to 3, and we write it as shown. Let us see how the other 2 symbols are used. We will also show the result on a number line. Look at Question a. on the board.

5


- 9. **Ask**: Which of these symbols can we put between the 2 numbers to make the statement true? Show this on a number line.
- 10. Allow time for pupils to answer. They can work in pairs to discuss and share ideas.
- 11. Have pupils volunteer to show their answers on a number line.

(Answer: shown below)


iv. 6 > -4



v. $0.4 = \frac{4}{10}$



vi. -1 < 0



- 12. **Ask**: How do we know which is the smaller of 2 numbers? (Answer: The smaller number is on the left of the other number.)
- 13. **Say**: It is sometimes difficult to know which symbol to use for less than and which one for greater than. The point on the symbol always points to the smaller number. Check the numbers on the board and verify it for yourself.
- 14. Allow a few moments for pupils to check and discuss this amongst themselves.

Guided Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs to answer the questions for Guided Practice.
- 2. Walk around, if possible, to check answers and correct any misconceptions.
- 3. Select volunteer pupils from around the classroom to give their answers to the questions.
- 4. Correct any errors and write the answers on the board. Have pupils check their work. (Answers: Shown below the questions at the end of this lesson plan)

Independent Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs.
- 2. **Say**: Write 3 questions similar to the ones you have just answered. You must first solve the questions yourselves. Then ask your partner to solve the questions as well.
- 3. Allow time for pupils to write and solve questions, and to swap for their partners to solve.
- 4. Walk around, if possible, to check answers and clear up any misconceptions.
- 5. **Say**: Check each other's answers and make any corrections.
- 6. Have pairs from around the classroom volunteer to present their questions and answers to the class.

7. Correct any errors and write the answers on the board. Ask pupils to check their work. (Answers: Various, depending on pupils' questions)

Closing (2 minutes)

- 1. Say: Write down in your pairs 2 different things you learnt today.
- 2. Allow pupils time to discuss and share ideas.
- 3. Have 2 pupils volunteer to share their answers. (Example answers: Learnt to show 'greater than' and 'less than' on a number line; Wrote questions for self and others to solve. Accept all reasonable answers.)

[QUESTIONS FOR INTRODUCTION TO THE NEW MATERIALS]


- 1. Use one of the symbols <, > or = to make the statement true:
- a. 6 \square -4 b. 0.1 \square $\frac{1}{10}$ c. -1 \square 0

[QUESTIONS FOR GUIDED PRACTICE]

- 2. Use one of the symbols <, > or = to make the statement true:

- g. Show your answer for f. on a number line.


Answers: a. 20 > 4; b. 2.5 = 2.5; c. -2 < 0; d. 6 > 5.5; e. 8 = 8; f. -6 < -1



Lesson Title: Linear Inequality	Theme: Algebra	
Lesson Number: M-09-108	Class/Level: JSS 3	Time: 35 minutes

	T A	
Learning Outcomes	Teaching Aids	Preparation
By the end of the	None None	1. Draw 4 number lines from
lesson, pupils will be able	None	-7 to + 7 in the centre of
to:		the board.
1. Interpret simple linear		2. Write the question for the
inequalities.		different sections of this lesson on
2. Represent simple linear		the right (or left) hand side of the
inequalities on the number line.		board (see the end of the lesson
		plan).

- 1. Write on the board: Show the numbers 4, -4 and -2 on a number line.
- 2. Allow pupils time to do this. Have a pupil volunteer to show the answer on the board. (Answer: shown below).



3. Say: Today we are going interpret simple linear inequalities. We will also represent simple linear inequalities on the number line.

Introduction to the New Material (10 minutes)

- 1. Ask: Last lesson, we used 3 symbols to show the relationship between 2 numbers. Who can remind the class of what they were?
- 2. Have a pupil volunteer to answer. Write the symbols on the board as they answer (Answer: <, less than; >, greater than; =, equal to)
- 3. **Ask**: What are the symbols called? (Answer: *Inequality* symbols)
- 4. The next 2 questions can be answered in any order by the pupils.
- 5. Ask: How can we show the relationship between 4 and -2 using one of the symbols on the board? (Answer: 4 > -2)
- 6. **Ask:** Is there any other way we can show this relationship? (Answer: -2 < 4)
- 7. Point to the number line which shows the relationship.
- 8. **Say:** We have shown here how we represent this relationship on a number line.
- x = 4(2) x < 4

$$x > 4 \tag{3}$$

(1)


- 10. Ask: Who can tell the class what the equal sign denote in line (1)?
- 11. Guide a volunteer pupil to say: equality (or a linear equation).
- 12. **Ask**: Who can tell the class what the symbols denote in lines (2) and (3)?
- 13. Guide a volunteer pupil to say: inequality.

9. Write on the board:


- 14. **Say**: x < 4 and x > 4 are called linear inequalities denoted by the 'less than' and 'greater than' symbols. We read them as 'x is less than 4' and 'x is greater than 4'. There is only one answer for x = 4 as shown on the number line.
- 15. **Ask**: What answers do we have for x < 4?
- 16. Have pupils from around the classroom volunteer to give answers.
- 17. Keep asking for answers until hopefully they realise that there is an infinite number of answers. (Example answers: $3, 2, 1, 0, 1.5, -1, -2.5, -3\frac{3}{4}$...).
- 18. If they do not realise that there is an infinite number of answers, **say**: We can keep giving answers for x < 4 for ever and we will not reach a final answer. We can show this relationship on a number line.



- 19. (An alternative way of showing the linear inequality is shown below. Choose the method with which you are familiar.)
- 20. **Say:** Note that the open circle means that x=4 is not a possible solution to the linear inequality x<4. The arrow shows that all numbers to the left of 4 going to negative infinity are answers or solutions to the linear inequality x<4. x=4 is called a boundary point for the inequality.



- 21. **Ask**: Work with the pupil beside you to show the relationship for x > 4 on a number line.
- 22. Say: Start by drawing a number line with a suitable scale.
- 23. Allow time for pupils to discuss and share ideas.
- 24. Have a pupil volunteer to show their answer on the board. (Answer: Shown below, allow flexibility in choice of scale)



25. **Say:** Note again that the open circle means that x=4 is not a possible solution to the linear inequality x>4. The arrow shows that all numbers to the right of 4 going to infinity are answers or solutions to the linear inequality x>4. x=4 is the boundary point for the inequality.

Guided Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs to answer the questions for Guided Practice.
- 2. Walk around, if possible, to check answers and correct any misconceptions. For example, make sure pupils are not shading or filling in the circles for either < or >.
- 3. Have pupils from around the classroom volunteer to draw their linear inequality on the board.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the guestions at the end of this lesson plan)

Independent Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs to answer the questions for Independent Practice.
- 2. Walk around, if possible, to check answers and clear misconceptions.
- 3. **Say**: Check each other's answers and make any corrections.

4. Have pupils from around the classroom volunteer to draw their linear inequality on the board. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the questions at the end of this lesson plan)


Closing (2 minutes)

- 1. **Say:** Write in your exercise books how you would explain to a friend who did not understand how to draw the linear inequality for x < 5 on a number line.
- 2. Allow pupils time to write an explanation in their exercise books.
- 3. Select a volunteer pupil to read out their explanation. They can get help from the class. (Example answer:
 - Draw a number line; mark an appropriate scale on the number line
 - Draw an open circle at 5 to show the point.
 - Start at 5, draw an arrow pointing to the left. This shows that the values for x are less than but not equal to 5.

Accept all reasonable answers.)

[QUESTIONS FOR GUIDED PRACTICE]

Write down the linear inequality shown by the number lines below:



Answers: Note that the scales on the number lines may be different. The important thing is that the point is at the correct place and the arrow points in the correct direction.


1.
$$x < -4$$
; 2. $x > 2$; 3. $x < 1$; 4. $x > -6$; 5. $x < 7$; 6. $x > 0$

[QUESTIONS FOR INDEPENDENT PRACTICE]

Show the inequalities below on a number line:

- 1. x > 3
- 2. x < -2
- 3. x > -1
- $4. \qquad x < 0$


Answers:



Lesson Title : Solving Linear Inequalities in One Variable I	Theme: Algebra	
Lesson Number: M-09-109	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	√ Teaching Aids	Preparation
By the end of the	None	1. Draw 4 number lines from
lesson, pupils will be able	Wone	-7 to + 7 in the centre of the
to solve linear inequalities in		board.
one variable using addition and		2. Write the equations from
subtraction.		Introduction to the New Material on the
		board.

- 1. **Write** on the board: Show on a number line the linear inequality x > -7.
- 2. Allow pupils time to do this. Select a volunteer pupil to show the answer on the board. (Answer: Shown below)



3. **Say**: Today we are going to solve linear inequalities in one variable using addition and subtraction.

Introduction to the New Material (10 minutes)

1. Point to these equations on the board:

$$x + 2 = 7 \tag{1}$$

$$x + 2 < 7 \tag{2}$$

$$x + 2 > 7 \tag{3}$$

- Say: Show step by step in your exercise books how you would solve for x in the equation in line
 Raise your hand when you finish.
- 3. Allow time for pupils to solve the equation.
- 4. Select a pupil with a raised hand to explain their answer on the board. An example solution is shown below.

$$x + 2 = 7$$

 $x + 2 - 2 = 7 - 2$ Subtract 2 from both sides
 $x = 5$ Solution for x

- 5. **Say**: We check that our solution for x is correct by substituting x = 5 and solving.
- 6. Have another pupil volunteer to check the solution to the equation.

Check when
$$x = 5$$


$$5 + 2 = 7$$

$$7 = 7$$


$$LHS = RHS$$

7. **Say:** We use the exact same method to solve for x in the linear inequality in line (2)

11



- 8. Ask the pupils to show in their exercise books the solution for x on a number line.
- 9. Have a pupil volunteer to show the solution on the board.



- 10. **Say**: We can check that our solution for x is correct just as we did for the equation. In an equation, there is only one solution to the equation. In a linear inequality, there are an infinite number of solutions. We check at least 2 values. We first check our solution for the related linear equation.
- 11. Show again that LHS=RHS of the linear equation when x = 5.

Check when
$$x = 5$$

$$5 + 2 = 7$$

$$7 = 7$$

$$LHS = RHS$$

12. **Say**: We check for at least one other value which we choose according to the solution. We choose 3 here because our solution says all the values of x are less than 5.

Check when
$$x = 3$$

$$3 + 2 < 7$$

$$5 < 7$$


13. **Say**: The checks show that our solution is correct and all numbers less than 5, denoted by x < 5, are solutions to the linear inequality. We call 5 the boundary point. Everything to the left of 5, denoted by x < 5, is part of the solution for this inequality. Everything to the right of 5, denoted by x > 5 is not part of the solution for this inequality.

Guided Practice (10 minutes)

- 1. **Say**: Let us now look at the linear inequality x + 2 > 7. Work with your neighbour to solve for x. Draw the solution on a number line.
- 2. Allow time for pupils to solve the equation and draw the number line.
- 3. Walk around, if possible, to check answers and correct any misconceptions.
- 4. Have a pupil volunteer to show their solution on the board.

$$x + 2 > 7$$

 $x + 2 - 2 > 7 - 2$ Subtract 2 from both sides
 $x > 5$ Solution for x



- 5. **Say:** We need to check for at least 2 values of x. We already checked for the linear equation x+2=7. Let us check instead for values on either side of 5 on the number line. Work in your pairs. One of you check for x=4 and the other for x=6.
- 6. Allow time for pupils to check. Have 2 pupils volunteer to do the checks on the board.


<u>Check</u> when $x = 4$	<u>Check</u> when $x = 6$
4 + 2 > 7	6 + 2 > 7
6 ≯ 7	8 > 7

- 7. **Ask**: What is the boundary point for this inequality? (Answer: 5)
- 8. **Say**: This time, everything to the right of 5, denoted by x > 5, is part of the solution for this inequality. Everything to the left of 5, denoted by x < 5 is not part of the solution for this inequality. Equally, 5 itself is not part of the solution.

Independent Practice (10 minutes)

- 1. Ask the pupils to work independently to solve for x in the linear inequality x-4>2. They should check for 2 values of x and show the solution on a number line.
- 2. Walk around, if possible, to check answers and clear up any misconceptions.
- 3. Have a pupil volunteer to show their solution on the board.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answer: x-4>2, x-4+4>2+4, x>6; Check the linear equation x-4=2, when x=6: 6-4=2, 2=2, LHS = RHS;

Check the linear inequality x - 4 > 2, when x = 9: 9 - 4 > 2, 5 > 2, the solution x > 6 is correct; solution shown on number line below)



Closing (2 minutes)

- 1. **Say:** Write down in your pairs 2 different things you learnt today.
- 2. Allow pupils 1 minute to discuss and share ideas.
- 3. Have 2 pupils volunteer to answer.

(Example answers: How to solve linear inequalities involving addition and subtraction; How to show the solution to linear inequalities on a number line; How to check that a solution to a linear inequality is correct; That the solution to the inequality is called the boundary point. Accept all reasonable answers.)

Lesson Title: Solving Linear Inequalities in One Variable II	Theme: Algebra	
Lesson Number: M-09-110	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the	None	1. Draw 4 unmarked
lesson, pupils will be able		number lines in the
to solve linear inequalities in		centre of the board.
one variable using		2. Write the question for the
multiplication and division.		different sections of this lesson
		on the right (or left) hand side
		of the board (see the end of the
		lesson plan).

- 1. **Ask**: Who can remind the class of what we did last lesson? (Example answers: Solved linear inequalities using addition and subtraction; Showed the solutions for linear inequalities on a number line. Accept all reasonable answers.)
- 2. **Ask**: Check that x < 2 is the solution to x + 3 < 5.
- 3. Allow pupils time to do this. Have a pupil volunteer to show the answer on the board. (Answer: x < 2; Check the equation x + 3 = 5, when x = 2: 2 + 3 = 5, 5 = 5, LHS = RHS; Check the inequality x + 3 < 5, when x = 0: 0 + 3 < 5, 3 < 5, the solution x < 2 is correct).
- 4. **Say**: Today we are going to solve linear inequalities in one variable using multiplication and division.

Introduction to the New Material (10 minutes)

- 1. Write on the board: Solve for x when 3x > 12
- 2. **Say**: Let us start by looking at a linear inequality involving multiplication. We use the exact same method to solve for x in the linear inequality as if it was a linear equation.
- 3. Show the solution for x on the board.

$$3x > 12$$

$$\frac{3x}{3} > \frac{12}{3}$$

$$x > 4$$
Divide both sides by 3
$$Solution for x$$

4. **Say**: We can check that our solution for x is correct just as we do for a linear equation. We check at least 2 values. First check for the related linear equation, 3x = 12.

Check when
$$x = 4$$

$$3 \times 4 = 12$$

$$12 = 12$$

$$LHS = RHS$$


We next check for at least one other value which we choose according to the solution. We choose 8 here because our solution says all the values of x are greater than 4.

14

Check when
$$x = 8$$

$$3 \times 8 > 12$$

- 5. **Say**: The checks show that our solution is correct. 4 is the boundary point for this inequality and all numbers greater than 4, denoted by x > 4, are solutions to the linear inequality 3x > 12.
- 6. Ask the pupils to show in their exercise books the solution for x on a number line.
- 7. Have a pupil volunteer to show the solution on the board. Allow flexibility in the scale of the number line.



- 8. Say: Let us now look at a linear inequality involving division.
- 9. Write on the board: Solve for x when $\frac{x}{2} < 3$
- 10. **Say:** We solve for x in the linear inequality as if it was a linear equation.
- 11. Show the solution for x on the board.

$$\frac{x}{2} < 3$$

$$\frac{2x}{2} < 3 \times 2$$

$$x < 6$$
Multiply both sides by 2

12. **Say**: We do our usual checks for at least 2 values. We first check our solution for the related linear equation, $\frac{x}{2} = 3$.

Check when
$$x = 6$$

$$\frac{6}{2} = 3$$

$$3 = 3$$


$$LHS = RHS$$

13. **Say**: We next check for at least one other value which we choose according to the solution. We choose 4 here because our solution says all the values of x are less than 6.

Check when
$$x = 4$$

$$\frac{4}{2} < 3$$

- 14. **Say**: The checks show that our solution is correct and all numbers less than 6, denoted by x < 6, are solutions to the linear inequality $\frac{x}{2} < 3$.
- 15. Ask the pupils to show in their exercise books the solution for x on a number line.
- 16. Have a pupil volunteer to show the solution on the board.



Guided Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs to answer the questions for Guided Practice.
- 2. Walk around, if possible, to check answers and correct any misconceptions.
- 3. Have pupils from around the classroom volunteer to present their answers to the class.
- 4. Correct any errors. (Answers: Shown below the questions at the end of this lesson plan.)

Independent Practice (10 minutes)

- 1. Ask the pupils to work *independently* to answer the questions for Independent Practice.
- 2. Walk around, if possible, to check answers and clear up any misconceptions.
- 3. Select pupils from around the classroom to present their answers to the class.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the questions at the end of this lesson plan)

Closing (2 minutes)

- 1. Say: Write down one new thing you learnt today.
- 2. Allow pupils time to write down their answer.
- 3. Have 2 pupils volunteer to answer.

(Example answer: How to solve linear inequalities using multiplication and division; How to draw the solutions to 2 linear inequalities on the same number line. Accept all reasonable answers.)

[QUESTIONS FOR GUIDED PRACTICE]

1. Solve for x in the following linear inequalities. Check your answer. Draw the solution on a number line.


a.
$$5x > 15$$

b.
$$\frac{x}{3} < 4$$

Answers: a. 5x > 15, x > 3, Check the linear equation 5x = 15, when x = 3: $5 \times 3 = 15$,

15 = 15, LHS = RHS; Check the linear

solution shown on number line).



b..
$$\frac{x}{3}$$
 < 4, x < 12, Check the linear equation $\frac{x}{3}$ = 4 when x = 12: $\frac{12}{3}$ = 4, 4 = 4, LHS = RHS;

Check the linear inequality $\frac{x}{3} < 4$ when

 $x = 9, \frac{9}{3} < 4, 3 < 4$, the solution



x < 12 is correct; solution shown on number line).

[QUESTIONS FOR INDEPENDENT PRACTICE]

Solve for x in the following linear inequalities.

Check your answers. Draw the solutions on the same number line.

a.
$$6x < 30$$

b.
$$6x > -12$$

Answers: a. 6x < 30, x < 5, Check the linear equation 6x = 30, when x = 5: $6 \times 5 = 30$, 30 = 30, LHS = RHS; Check the linear inequality 6x < 30 when x = 4, $6 \times 4 = 24$, 24 < 30, the solution x < 5 is correct; solution shown on number line below). b. 6x > -12, x > -2, Check the linear equation 6x = -12, when x = -2: $6 \times (-2) = -12$, -12 = -12, LHS = RHS; Check the linear inequality 6x > -12 when x = -1,

 $6 \times (-1) = -6$, -6 > -12, the solution x > -2 is correct; solution shown on number line below).




Lesson Title: Solving Linear Inequalities in One	Theme: Algebra	
Variable III		
Lesson Number: M-09-111	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	Draw 4 unmarked
pupils will be able to apply	None	number lines in the
algebraic principles to solve a		centre of the board.
linear inequality and illustrate the		
answer on the number line.		

- 1. **Ask**: Who can remind the class of what we did last lesson? (Example answers: Solved linear inequalities using multiplication and division; Showed the solutions for linear inequalities on the same number line. Accept all reasonable answers.)
- 2. **Ask**: Solve for x when $\frac{x}{4} < 2.5$. Check your solution to the inequality.
- 3. Allow pupils time to do this. Have a pupil volunteer to show the answer on the board. (Answer: $\frac{x}{4} < 2.5$, x < 10; Check the equation $\frac{x}{4} = 2.5$, when x = 10: $\frac{10}{4} = 2.5$, 2.5 = 2.5, LHS = RHS; Check the inequality $\frac{x}{4} < 2.5$, when x = 8: $\frac{8}{4} < 2.5$, x < 2.5; the solution x < 10 is correct).
- 4. **Say**: Today we are going to apply algebraic principles to solve a linear inequality and illustrate the answer on the number line.

Introduction to the New Material (10 minutes)

- 1. Write on the board: \leq , \geq
- 2. Ask: Who can tell the class what these symbols are?
- 3. Guide a volunteer pupil to say: Less than or equal to, and greater than or equal to.
- 4. **Say:** \leq and \geq are 2 more symbols which show inequality.
- 5. **Ask:** What are the 3 inequality symbols we know already? (Answer: \neq , <, >)
- 6. **Write** on the board: $x \le 4$.
- 7. **Ask**: Who can read this for the class? (Answer: *x* is less than or equal to 4).
- 8. **Say**: We can show this relationship on a number line.




- 9. Ask: Do you notice anything different from how you drew inequalities before?
- 10. Guide a volunteer pupil to say: The circle is shaded; The circle is filled in.
- 11. **Say:** We call the shaded or filled in circle a closed circle. It means that x=4 is a possible solution to the linear inequality $x \le 4$. The arrow shows that all numbers from 4 and to the left of 4, going to negative infinity are answers or solutions to the linear inequality $x \le 4$. 4 is the boundary point for this inequality.
- 12. **Ask**: Work with your neighbour to show the relationship for both x > 4 and $x \ge 4$ on the same number line.

18

13. Allow time for pupils to discuss and share ideas.

14. Have a pupil volunteer to show their answer on the board. (Answer: Shown below)



- 15. **Say:** Take note of the difference between the 2 inequalities. We will use them both in future problems.
- 16. Write on the board: Solve for x when $3(x+2) \ge 18$. Show your solution on a number line.
- 17. **Say:** We know already that we solve for x in the linear inequality as if it was a linear equation.
- 18. Work through the solution with the pupils. Ask them how to solve each step and write down their answers. An example solution is shown below.

$$3(x+2) \ge 18$$

$$3x+6 \ge 18$$

$$3x+6-6 \ge 18-6$$

$$3x \ge 12$$

$$\frac{3x}{3} \ge \frac{12}{3}$$

$$x \ge 4$$
Expand the brackets
$$5ubtract 6 from both sides
$$5ubtract 6 from both sides$$$$$$$$$$$$$$$$

- 19. **Say**: Let us check our solution for the related linear equation, 3(x + 2) = 18.
- 20. Allow time for pupils to check. Have a pupil volunteer to show their check on the board.

Check when
$$x = 4$$

$$3 \times (4+2) = 18$$

$$3 \times 6 = 18$$

$$18 = 18$$

$$LHS = RHS$$

- 21. **Say**: Choose a value for x to check our solution for the inequality.
- 22. Allow time for pupils to check. Select a pupil to show their check on the board. An example is shown for x = 5.

Check when
$$x = 5$$

$$3 \times (5+2) \ge 18$$

$$3 \times 7 \ge 18$$

$$21 \ge 18$$

- 23. **Say**: The checks show that our solution is correct and all numbers greater than or equal to 4, denoted by $x \ge 4$, are solutions to the linear inequality $3(x + 2) \ge 18$.
- 24. Ask the pupils to show in their exercise books the solution for x on a number line.
- 25. Have a pupil volunteer to show the solution on the board.



Allow flexibility in the scale of the number line.

Guided Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs to answer the questions for Guided Practice.
- 2. Walk around, if possible, to check answers and correct any misconceptions.
- 3. Have pupils from around the classroom volunteer to present their answers to the class.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the questions at the end of this lesson plan)

Independent Practice (10 minutes)

- 1. Ask the pupils to work independently to answer Questions 3 and 4.
- 2. Walk around, if possible, to check answers and clear up any misconceptions.
- 3. Have pupils from around the classroom volunteer to give their answers to the questions.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the questions at the end of this lesson plan)

Closing (2 minutes)

- 1. Say: Write on a piece of paper one thing you do not understand about linear inequalities.
- 2. Allow time for pupils to answer. Collect papers from pupils at the end of the lesson.
- 3. Check the work done by the pupils after the lesson. Use it as a guide to which pupils need additional assistance during the next lesson when pupils will be creating inequalities from story problems.

[QUESTIONS FOR GUIDED PRACTICE]

Solve for x in the following linear inequalities.


Check your answers. Draw the solution on the same number line.

1.
$$2x - 1 \le 15$$

2.
$$2(x-1) > 4$$

Answers: 1. $2x - 1 \le 15$, $x \le 8$, Check the linear equation $2x - 1 \le 15$ when x = 8: $(2 \times 8) - 1 = 15$, 15 = 15, LHS = RHS; Check the linear inequality $2x - 1 \le 15$ when x = 4, $(2 \times 4) - 1 \le 15$, $7 \le 15$, the solution x > 3 is correct; solution shown on number line).

2. 2(x-1) > 4, 2x - 2 > 4, 2x > 4 + 2, 2x > 6, x > 3, Check the linear equation 2(x-1) = 4 when x = 3: $2 \times (3-1) = 4$, $2 \times 2 = 4$, 4 = 4, LHS = RHS; Check the linear inequality 2(x-1) > 4 when x = 5, $2 \times (5-1) > 4$, $2 \times 4 > 4$, 8 > 4, the solution x > 3 is correct; solution shown on number line).



[QUESTIONS FOR INDEPENDENT PRACTICE]

Solve for x in the following linear inequalities.

Check your answers and draw the solutions on the same number line.

3.
$$4q + 5 < 29$$

4.
$$\frac{q}{2} + 1 \ge -3$$

Answers: 3. 4q + 5 < 29, 4q < 24, q < 6, Check the linear equation 4q + 5 = 29 when q = 6: $(4 \times 6) + 5 = 29$, 29 = 29, LHS = RHS; Check the linear inequality 4q + 5 < 29 when q = 5, $(4 \times 5) + 5 < 29$, 25 < 29, the solution q < 6 is correct; solution shown on number line).

 $\begin{array}{ll} \text{4.} & \frac{q}{2}+1\geq -3, \ \, \frac{q}{2}\geq -4, \ \, q\geq -8, \text{Check the linear equation} \ \, \frac{q}{2}+1=-3 \text{ when } q=-8; \\ & \frac{-8}{2}+1=-3, -4+1=-3, -3=-3, \text{LHS}=\text{RHS}; \text{Check the linear inequality} \ \, \frac{q}{2}+1\geq -3 \text{ when} \\ & q=0, \ \, \frac{0}{2}+1\geq -3, \ \, 1\geq -3, \text{ the solution } q\geq -8 \text{ is correct}; \text{ solution shown on number line}). \end{array}$



Lesson Title: Creating Inequalities from Story Problems	Theme: Algebra	
Lesson Number: M-09-112	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	On the board, write the
pupils will be able to:	None	questions for this lesson
1. Identify the unknown variable		found at the end of the lesson
in a story problem.		plan.
2. Identify an inequality problem		
and apply the appropriate		
inequality symbol.		
, , ,		

- 1. **Say**: Listen carefully to the question. Write the answer in your exercise books.
- 2. **Ask**: On a number line, why is an open circle used for the symbols < and >, and a closed circle for the symbols ≤ and ≥?
- 3. Repeat the question if necessary.
- 4. Allow time for pupils to answer.
- 5. Have 2-3 pupils volunteer to read out their answers. (Example answer: An open circle is used to show the number is not part of the solution. A closed circle is used to show the number is part of the solution. Accept all reasonable answers.)
- 6. **Say**: Today we are going to identify the unknown variable in a story problem. We will also identify an inequality problem and apply the appropriate inequality symbol.

Introduction to the New Material (10 minutes)

- 1. Ask a pupil to read Question 1 on the board.
- 2. **Ask:** What is the variable in this question? What changes? Raise your hand if you think you know.
- 3. Guide a volunteer pupil to say that the number of passengers changes.
- 4. Ask: How do we represent the number of passengers as a variable?
- 5. Guide a volunteer pupil to say: We represent the variable by a letter, such as p.
- 6. Write on the board: Let p = number of passengers.
- 7. Ask: We want to write the statement as an inequality. What words can help us to do that?
- 8. Guide a pupil to say: At most 30 passengers.
- 9. **Ask:** Is this more than 30 passengers, or less than 30 passengers? Can we have 30 passengers? Discuss this with your neighbour.
- 10. Allow pupils to discuss and share ideas.
- 11. Have a pupil volunteer to share with the class. (Answer: 30 passengers or fewer.)
- 12. **Say**: The words 'at most 30' means we can have up to 30 but no more. The number of passengers should be 30 or fewer.
- 13. Ask: Which of the inequality symbols will show this?
- 14. Guide a volunteer pupil to say: \leq , less than or equal to.

- 15. **Say**: We now have all the information we need to write the inequality. Work with your neighbour to write it down. Raise your hand when you finish.
- 16. Allow time for pupils to discuss and share ideas.
- 17. Have a pupil volunteer to write the inequality on the board. (Answer: $p \le 30$)
- 18. Ask: What is the boundary point for this inequality? (Answer: 30)
- 19. Allow a few moments for pupils to think over how the inequality was derived.
- 20. Say: We will always have clues in the question to help us write the inequality.
- 21. Ask a pupil to read Question 2.
- 22. Ask: What is the variable in this statement? (Answer: Boxes of chicken pieces)
- 23. Ask: How do we represent the boxes of chicken pieces? (Example answer: With a letter, e.g. b)
- 24. Write on the board: Let b = number of boxes of chicken pieces.
- 25. **Say**: Read the statement again. Work with your neighbour to write down the words and the inequality symbol which you think represent the words.
- 26. Allow pupils time to share and discuss their ideas.
- 27. Have a pupil volunteer to give the words and the inequality symbol. (Answer: At least 10 kg. ≥)
- 28. **Say**: The words 'at least 10' means we cannot have fewer than 10. 10 kg is the smallest weight we can have. The weight of the chicken pieces must be greater than 10.
- 29. Ask pupils to write the inequality in their exercise books. Allow time for them to do this.
- 30. Have a pupil volunteer to write the inequality on the board. (Answer: $b \ge 10$).
- 31. Allow pupils time to continue to work together to discuss and share ideas for Question 3.
- 32. Have a pupil volunteer to share their answer with the class. (Answer: Let t = the income tax, then t > 500000)
- 33. Some pupils may have written $t \ge 500000$. However, the question says 'income exceeds 500,000' so the inequality symbol is just 'greater than', >.
- 34. Ask a pupil who volunteers to read Question 4.
- 35. Ask: How many statements do we have for this question?
- 36. Guide a volunteer pupil to say: 2 statements.
- 37. **Ask**: How many inequalities can we write?
- 38. Guide a volunteer pupil to say: 2 inequalities.
- 39. **Ask:** What is the variable in the statement? With what should we represent it? (Answer: Variable is the speed, represent by s)
- 40. Write on the board: Let s = speed.
- 41. Ask pupils to write the 2 inequalities in their exercise books. Allow time for pupils to do this.
- 42. Have a pupil volunteer to write one of the inequalities on the board. (Answer: $s \ge 40$)
- 43. Have another pupil volunteer to write the other inequality. (Answer: $s \le 65$)
- 44. Ask: How many boundary points do you think we have for this inequality?
- 45. Guide a volunteer pupil to say: 2 boundary points, 40 and 65.
- 46. **Say**: This inequality says the speed goes from 40 to 65. It cannot be less than 40 or greater than 65. We have written 2 inequalities for this statement. We will learn in a future lesson how to write this as one inequality and draw the solution on a number line.

Guided Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs.
- 2. Walk around, if possible, to check answers and correct any misconceptions.
- 3. Have pupils from around the classroom volunteer to give their answers to the questions.

4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the guestions at the end of this lesson plan)

Independent Practice (10 minutes)

- 1. Ask the pupils to work independently to answer the questions.
- 2. Walk around, if possible, to check answers and clear up any misconceptions.
- 3. Do not do the answers for Question 12. Use it to check pupils' understanding of the work.
- 4. Have pupils from around the classroom volunteer to give their answers to the questions.
- 5. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the guestions at the end of this lesson plan)

Closing (2 minutes)

- 1. **Say:** Write your name on a piece of paper. Write your answer for Question 12 on the paper. Hand the paper in at the end of the lesson.
- 2. Check the work done by the pupils after the lesson. Use it as a guide to which pupils need additional assistance during the next lesson when pupils will be creating and solving inequality story problems.

[QUESTIONS FOR INTRODUCTION TO THE NEW MATERIAL]

State the variable in each of the statements below. Write the statements as linear inequalities:

- 1. A poda-poda can accommodate at most 30 passengers.
- 2. Boxes of chicken pieces will be sold by a shop only if the weight is at least 10 kg.
- 3. Workers start paying income tax when their income exceeds Le 500,000 a month.
- 4. The minimum speed on a road is 40 kph. The maximum speed on the same road is 65 kph.

[QUESTIONS FOR GUIDED PRACTICE]

- 5. To enter a talent show, contestants must be over 14 years old.
- 6. Ada saves at least Le 3,000 every week from the money her parents give her.
- 7. The number of passengers a ferry can hold must not exceed 400.
- 8. A car can travel at least 320 km on a full tank of petrol. It cannot travel more than 500 km on a full tank of petrol. (Hint: Write this as 2 inequalities.)

(Answers: for the answers below, the variable is given first, then the inequality).

v. Let c = talent show contestant, c > 14; vi. Let s = savings, $s \ge 3000$; vii. Let n = number of passengers, $p \le 400$; viii. Let d = distance car travels, $d \ge 320$, $d \le 500$).

[QUESTIONS FOR INDEPENDENT PRACTICE]

- 9. To enter a talent show, contestants must be at least 14 years old.
- 10. The temperature in Freetown on a particular day is 27 °C. It is warmer in Kono on that day. (Hint: the temperature in Kono is the variable).
- 11. The maximum speed limit on a road is 80 km/hr.
- 12. The maximum mark in a test is 10. Rugiatu always scores at least half of the marks. She also never scores maximum marks. (Hint: write this as 2 inequalities).

(Answers: for the answers below, the variable is given first, then the inequality). ix. Let c = talent show contestant, $c \ge 14$; x. Let t = temperature in Kono, t > 27; xi. Let s = speed limit, $s \le 80$; xii. Let m = test marks, $m \ge 5$, m < 10).

Lesson Title: Solving Inequality Story Problems I	Theme: Algebra	
Lesson Number: M-09-113	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes By the end of the lesson, None pupils will be able to create and solve an inequality from a story problem.

Teaching Aids

Preparation

Write the questions for this lesson, found at the end of the lesson plan, on the board.

Opening (3 minutes)

- 1. **Say**: Read Question 1 on the board. Write the inequality for the statement.
- 2. Allow time for pupils to answer. Have a pupil volunteer to answer. (Answer: $c \le 18000$).
- 3. Say: Remember 'at most' means the maximum amount we are interested in. We want to spend that amount or less than that amount. Today we are going to create and solve an inequality from a story problem.

Introduction to the New Material (10 minutes)

- 1. Have a pupil volunteer to read Question 2 on the board.
- 2. Ask: What do you notice about Question 2?
- 3. Guide pupils to say: It is building on Question 1; It is asking us to solve for how many weeks Mohammed can save before he can buy the shoes.
- 4. Ask: What is the variable in this situation?
- 5. Guide a volunteer pupil to say: Number of weeks.
- 6. Write on the board: Let w = number of weeks.
- 7. Ask: Let us think about what the inequality should be. Imagine that he saves Le 2,000 for 3 weeks. How much would he have saved?
- 8. Guide a volunteer pupil to say: $2000 \times 3 = 6000$.
- 9. **Ask**: Has he saved enough to buy the shoes? (Answer: No)
- 10. Ask: What about after 4 weeks? Would he have saved the Le 18,000 that he needs? (Answer: No, because $2000 \times 4 = 8000$)
- 11. Say: It is only after $2000 \times w$ weeks that he will have enough money to buy the shoes.
- 12. **Ask:** How can we write this as a linear inequality?
- 13. Allow pupils to discuss and share ideas with their neighbour.
- 14. Have a pupil volunteer to answer. (Answer: $2000w \le 18000$)
- 15. **Ask**: What do we get when we simplify? (Answer: $2w \le 18$)
- 16. **Ask**: So for how many weeks does Mohammed need to save?
- 17. Allow time for pupils to solve the inequality. (Answer: $w \le 9$ weeks)
- 18. **Say**: Do checks in your exercise books to verify your solution.
- 19. Allow time for pupils to check and verify that their solution is correct.
 - (Answer: Shown right, checks verify solution is correct)
- 20. Say: Let us look at another question.
- 21. Have a pupil volunteer to read Question 3.

Check when
$$w = 9$$

$$2 \times 9 = {}^{18}$$

$$18 = {}^{18}$$

$$LHS = {}^{RHS}$$

$$Check when $w = 8$$$

$$2 \times 8 \le {}^{18}$$

$$16 \le {}^{18}$$

- 22. **Ask**: What is the variable in this situation? Write it using your chosen letter. (Example answer: Let d = number of days)
- 23. Say: Binta has Le 120,000 at the start and spends Le 5,000 every day.
- 24. Ask: After the first day, what calculation tells us how much she has remaining?
- 25. Allow pupils to discuss and share ideas with their neighbour.
- 26. Have a pupil volunteer to answer. (Answer: 120000 5000, do not accept a value, just the calculation).
- 27. **Ask**: What calculation tells us how much remains after 2 days? (Answer: $120000 5000 \times 2$)
- 28. **Ask:** Think how much this will be after 3 days, 4 days and so on. How do we write how much remains after d days? (Answer: 120000 5000d)
- 29. **Say:** She wants at least Le 10,000 to remain at the end of the month. Work with your neighbour to write the inequality.
- 30. Have a pupil volunteer to answer. (Answer: $120000 5000d \ge 10000, 24 d \ge 2$)
- 31. Ask: We want to find the number of days before she has at least Le 10,000.
- 32. Say: Let us do this on the board together.

- 33. Ask: Does anyone notice anything about the solution?
- 34. Allow pupils to discuss and share ideas with their neighbour.
- 35. Guide a volunteer pupil to say: The inequality symbol switches from $\geq to \leq$.
- 36. **Say**: Whenever we divide or multiply an inequality by a negative number we have to reverse the direction of the inequality symbol. Let us check our solution to see why this is the case. Let us leave the inequality as it was and check for a value of d > 22.

- 37. Ask: What do you notice?
- 38. Guide a volunteer pupil to say: The check fails because 1 is not greater than 2.
- 39. **Say**: The only way the inequality will hold is if we switch the symbols from $\geq to \leq .$
- 40. **Ask:** What will our check then give us? (Answer: $1 \le 2$, which is obviously correct.)
- 41. **Say:** This shows how important it is to always check our solution. We must remember to always reverse the direction of the inequality symbols when multiplying or dividing by a negative number.

Guided Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs to answer the question for Guided Practice.
- 2. Walk around, if possible, to check answers and correct any misconceptions.
- 3. Have pupils from around the classroom volunteer to give their answers to the questions.

4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the questions at the end of this lesson plan)

Independent Practice (10 minutes)

- 1. Ask the pupils to work independently to answer the question for Independent Practice.
- 2. Walk around, if possible, to check answers and clear up any misconceptions.
- 3. Have pupils from around the classroom volunteer to give their answers to the questions.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the guestions at the end of this lesson plan)

Closing (2 minutes)

- 1. Say: Write down in your pairs 2 different things you learnt today.
- 2. Allow pupils time to discuss and share ideas.
- 3. Have a pair volunteer to share their answer. (Example answers: How to create and solve a linear inequality; That when we multiply or divide a linear inequality by a negative number we must reverse the direction of the inequality symbol. Accept all reasonable answers.)

[QUESTION FOR OPENING]

1. Mohammed plans to spend at most Le 18,000 on a pair of shoes. If c represents the cost of the shoes, write this as an inequality.

[QUESTIONS FOR INTRODUCTION TO THE NEW MATERIAL]

- 2. Mohammed plans to spend at most Le 18,000 on a pair of shoes. He saves Le 2,000 a week towards the cost of the shoes. Write this information as a linear inequality. What is the least amount of time for which he needs to save?
- 3. Binta has Le 120,000 at the start of the month. She wants to have at least Le 10,000 at the end of the month. She spends Le 5,000 every day. Write this information as a linear inequality. How many days can she continue spending before she reaches her limit?

[QUESTIONS FOR GUIDED PRACTICE]

- 4. A market trader wants to buy some boxes of tomato paste to sell. Each box costs Le 50,000 and she wants to spend no more than Le 300,000. Write this information as a linear inequality. How many boxes of tomato paste can she buy?
 (Answer: Let b = number of boxes of tomato paste, 50000b ≤ 300000, b ≤ 6 boxes).
- 5. A school club is organising an outing. The minimum cost for the outing is Le 250,000. They pay Le 75,000 for the bus and the ticket cost Le 5,000 per person. How many people need to buy a ticket for them to make a profit? Write this information as a linear inequality. (Answer: Let p = number of people buying tickets, 75000 + 5000p > 250000, p > 35).

[QUESTION FOR INDEPENDENT PRACTICE]

- 6. Fatmata wants to spend less than Le 525,000 to build a security post. A builder charges her Le 75,000 per square metre to build the post. Write this information as a linear inequality. How large can the security post be in square metres? (Answer: Let a = size of security post, 75000a < 525000, a < 6.25 square metres).
- 7. Kemi owes her mother Le 200,000. She wants to reduce this to at most Le 80,000 after 4 months. Write this information as a linear inequality. What is the minimum amount she should pay every month? (Answer: Let p = amount to pay every month, $200000 4p \le 80000$, $200000 200000 4p \le 80000 200000$, $-4p \le -120000$, $p \ge 30000$).

Lesson Title : Solving Inequality Story Problems II	Theme: Algebra	
Lesson Number: M-09-114	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	On the board, write the
pupils will be able to create and	Wolle	questions for this lesson
solve an inequality from more		found at the end of the lesson
complicated story problems.		plan.

- 1. **Ask**: Show a different way to use another inequality symbol to write the solution $\underline{x \geq 7}$. (Answer: $7 \leq x$)
- 2. Have a pupil volunteer to give the answer.
- 3. **Say:** Remember the point of the inequality symbol is always towards the smaller value. Today we are going to create and solve an inequality from more complicated story problems.

Introduction to the New Material (10 minutes)


Wait a few moments after each question for pupils to discuss and share ideas, before having a pupil volunteer to answer.

- 1. Ask a pupil to read Question 2 on the board.
- 2. **Ask**: What is the variable in this situation?
- 3. Guide a volunteer pupil to say: w, for the number of litres of water used.
- 4. Write on the board: Let w = the number of litres of water used.
- 5. Ask: How many inequalities can we write? (Answer: 2 inequalities)
- 6. **Say**: Work with your neighbour to write the 2 inequalities.
- 7. Have 2 pupils volunteer to give the inequalities. (Answer in any order: $w \ge 330$, $w \le 345$)
- 8. **Ask**: The question asks for a compound inequality. This means one inequality instead of the 2 we currently have.
- 9. **Say**: Show a different way to use another inequality symbol to write the solution $w \ge 330$. (Answer: $330 \le w$) So now we have the 2 inequalities written as: $330 \le w$ and $w \le 345$. We can write the solution as a compound inequality like this: $330 \le w \le 345$. We write one inequality combining the 2 separate inequalities. We use the same inequality symbol in a compound inequality. We read it as: w is greater than or equal to 330 and less than or equal to 345.

Remember, the point of the inequality symbol is always towards the smaller value. In simple English this is the same as saying 'the water use goes from 330 litres to 345 litres'.


We are also asked to show this solution on a number line. Let us start by drawing the 2 separate inequalities. Do this in your exercise books using a suitable scale.

10. Have a pupil volunteer to draw their solution on the board. Allow flexibility on the scale.



11. Ask: How many boundary points do we have? (Answer: 2 boundary points, at 330 and 345)

- 12. Say: Read the question again and discuss with your partner where you think the values lie.
- 13. Guide a volunteer pupil to say: All the values are between 330 and 345.
- 14. Say: We can show this on the number line like so:



- 15. **Say**: As we can see from the number line, for both of the separate inequalities to be true, then the compound inequality is the overlap of the 2 solutions. We do not have to keep drawing 2 separate inequalities. We can simply draw the appropriate circles at the boundary points and join them with a straight line to give the final solution.
- 16. Ask a pupil to read Question 2 a.
- 17. Ask: What is the variable in this situation?
- 18. Guide a volunteer pupil to say: m, for the amount of money in Bami's pocket.
- 19. Write on the board: Let m = the amount of money in Bami's pocket.
- 20. Ask: How do we represent this situation as a compound linear inequality?
- 21. Say: Think of which inequality symbol you will use and how you will write the inequality.
- 22. Have a pupil volunteer to write the linear inequality on the board. (Answer: $8000 \le m \le 10000$)
- 23. **Ask:** Now let us look at Question *ii.b.* Do we need a new variable? (Answer: No, we are still talking about the money in Bami's pocket.)
- 24. Ask: What has changed?
- 25. Guide a volunteer pupil to say: It is now his original money and the money given to him by his brother which is between Le 8,000 and 10,000.
- 26. **Ask**: How can we represent his original money and the money given to him by his brother? (Answer: m + 2000).
- 27. **Say:** Write the new inequality to represent this situation. (Answer: $8000 \le m + 2000 \le 10000$)
- 28. **Say:** If this was just a simple inequality, e.g. $m + 2000 \le 10000$, how would you solve for m?
- 29. Guide a volunteer pupil to say: Subtract 2000 from both sides.
- 30. Say: We do exactly the same here, except we subtract 2000 from all sides.
- 31. Show the solution on the board:

32. **Say**: We can verify each part of the inequality by checking for appropriate values of m.

Guided Practice (10 minutes)

- 1. Ask pupils to work in pairs to answer the questions for Guided Practice.
- 2. Walk around, if possible, to check answers and correct any misconceptions.
- 3. Have pupils from around the classroom volunteer to give their answers to the questions.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the questions at the end of this lesson plan)

Independent Practice (10 minutes)

- 1. Ask the pupils to work independently to answer the questions for Independent Practice.
- 2. Walk around, if possible, to check answers and clear up any misconceptions.
- 3. Do not do the answers for Questions 6. Use it to check pupils' understanding of the work.
- 4. Have pupils from around the classroom volunteer to give their answers to the questions.
- 5. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the guestions at the end of this lesson plan)

Closing (2 minutes)

- 1. **Say:** Write your name on a piece of paper. Write your work and answer for Questions 6 on the paper. Hand the paper in at the end of the lesson.
- 2. Check the work done by the pupils after the lesson. Use it as a guide to which pupils need additional assistance during the next lesson when pupils will be practising solving problems with algebraic expressions.

[QUESTIONS FOR INTRODUCTION TO THE NEW MATERIAL]

- 1. A study shows that on average every person uses from 330 litres to 345 litres of water a day. Write this statement as a compound inequality. Show the solution on a number line.
- 2. a. Bami knows he has from Le 8,000 to Le 10,000 in his pocket. Write this information as a linear inequality.
 - b. Bami has some money in his pocket. After he was given Le 2000 by his brother, he has from Le 8,000 to Le 10,000. Write this information as a linear inequality. How much money did he have originally in his pocket?

[QUESTIONS FOR GUIDED PRACTICE]

3. The temperature in a certain town ranged from 25°C to 28°C on a particular day. Write this information as a linear inequality.

```
(Answer: iii. Let t = temperature, 25 \le t \le 28)
```

4. John wants to spend from Le 15,000 to Le 25,000 on a present. He has already saved Le 5,000. If a is the amount he still has to save, write this information as a linear inequality. Simplify your answer.

```
(Answer: Let a = amount John still has to save, 15000 \le a + 5000 \le 25000, 15000 - 5000 \le a + 5000 - 5000 \le 25000 - 5000, 10000 \le a \le 20000)
```

[QUESTIONS FOR INDEPENDENT PRACTICE]

5. A farmer says the minimum number of cows he can keep on his farm is 22 and the maximum is 35. Write this information as a linear inequality.

```
(Answer: v. Let c = number of cows, 22 \le c \le 35).
```

6. Binta has Le 120,000 at the start of the month. She wants to have from Le 10,000 to Le 15000 at the end of the month. She spends Le 5,000 every day. Write this information as a linear inequality. Simplify your answer.

```
(Answer: Let d = number of days, 10000 \le 120000 - 5000d \le 15000, 10 \le 120 - 5d \le 15, 2 \le 24 - d \le 3, -22 \le -d \le -21, 22 \ge d \ge 21, can be written as: 21 \le d \le 22).
```

Lesson Title: Practice with Inequalities	Theme: Algebra	
Lesson Number: M-09-115	Class/Level: JSS 3	Time: 35 minutes

	I 4	
Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	On the board, write the
pupils will be able to solve	None	questions for this lesson
various linear inequality problems		found at the end of the lesson
and represent answers on the		plan.
number line.		

Opening (3 minutes)

- 1. **Say**: Copy and complete the sentences on the board.
- 2. Allow time for pupils to complete the sentences.
- 3. Have a pupil volunteer to give the answer to Question 1.
- 4. Ask the class if they agree. (Answer: open).
- 5. Do the same for Question 2. (Answer: closed).
- 6. **Say**: Today we are going to solve various linear inequality problems and represent answers on the number line.

Introduction to the New Material (10 minutes)

- 1. Go through the procedure to solve Question 3 on the board.
- 2. Ask pupils from around the classroom to tell you what to do for each step as you go through the solution.
- 3. The solution is shown below:

$$5-3x < -4$$

$$-3x < -9$$

$$\frac{-3x}{-3} < \frac{-9}{-3}$$


$$x > 3$$
Subtract 5 from both sides
$$Divide both sides by -3$$
Solution for x

- 4. **Ask**: Why have we reversed the direction of the inequality symbol? (Answer: Because we divided by -3)
- 5. Let pupils volunteer to answer.
- 6. **Ask**: What checks do we need to verify our solution? (Answer: Check the related equation and a suitable value based on the solution.)
- 7. Have 3 pupils volunteer to come to the board one at a time to do the checks and draw the number line. (Answers: shown below)


33

- 8. **Say**: The checks verify our solution that x > 3.
- 9. Ask a pupil to read Question 4 on the board.

- 10. **Say**: Work with the pupil sitting beside you to answer this question.
- 11. Allow time for pupils to discuss and share ideas. Encourage them to check their answers.
- 12. Have 2 pupils volunteer to come to the board one at a time to do the solution and number line. (Answers: shown below)



- 13. Ask pupils to continue working together to solve Question 5.
- 14. Provide guidance to help them complete the solution. Encourage them to check their answers.
- 15. Have 2 pupils to explain answers as before. The answers are shown below.



Guided Practice (10 minutes)

- 1. Ask pupils to continue to work in pairs to answer the questions for Guided Practice.
- 2. Walk around, if possible, to check answers and correct any misconceptions.
- 3. Encourage pupils to check their answers.
- 4. Have pupils from around the classroom volunteer to give their answers to the questions.
- 5. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the questions at the end of this lesson plan).

Independent Practice (10 minutes)

- 1. Ask the pupils to work independently to answer the questions for Independent Practice.
- 2. Walk around, if possible, to check answers and clear up any misconceptions.
- 3. Encourage pupils to check their answers.
- 4. Do not do the answers for Questions 10. Use it to check pupils' understanding of the work.
- 5. Have pupils from around the classroom volunteer to give their answers to the questions.
- 6. Correct any errors in the calculation on the board. Ask pupils to check their work. (Answers: Shown below the questions at the end of this lesson plan)

Closing (2 minutes)

- 1. **Say:** Write your name on a piece of paper. Write your working out and answer for Questions 10. on the paper. Hand the paper in at the end of the lesson.
- 2. Check the work done by the pupils after the lesson. This will help you tell how well this topic is understood by pupils.

34

[QUESTION FOR OPENING]

- 1. On a number line, a(n) _____ circle shows that the boundary point is not a possible solution.
- 2. On a number line, a(n) circle shows that the boundary point is a possible solution.

[QUESTIONS FOR INTRODUCTION TO THE NEW MATERIAL]

Solve for x in the following linear inequalities.

$$3.5 - 3x < -4$$

$$4.\frac{2x-4}{3} \ge 3$$

$$4.\frac{2x-4}{3} \ge 3 \qquad 5.1 \le \frac{6x-1}{5} < 7$$

[QUESTIONS FOR GUIDED PRACTICE]

Solve for x in the following linear inequalities.

6.
$$3(x+1) < 9$$

$$7.\frac{4x+5}{2} \geq \frac{1}{2}$$

$$7.\frac{4x+5}{2} \ge \frac{1}{2} \qquad 8. -4 \le -2(2x+3) < 4$$

(Answers:

$$6.3(x+1) < 9$$
, $3x + 3 < 9$, $3x < 9 - 3$, $3x < 6$, $x < 2$;

7.
$$\frac{4x+5}{2} \ge \frac{1}{2}$$
, $4x+5 \ge 1$, $4x \ge 1-5$, $4x \ge -4$, $x \ge -1$;

$$8. -4 \le -2(2x + 3) < 4$$
, $-4 \le -4x - 6 < 4$, $-4 + 6 \le -4x < 4 + 6$, $2 \le -4x < 10$,

$$\frac{2}{-4} \le \frac{-4x}{-4} < \frac{10}{-4}, \ -\frac{1}{2} \ge x > -\frac{5}{2}$$
, can be written as $-\frac{5}{2} < x \le -\frac{1}{2}$).

[QUESTIONS FOR INDEPENDENT PRACTICE]


Solve for x in the following linear inequalities.

Draw the solution for xi on a number line.

e.
$$6 - 2x < 4$$

$$f. \quad \frac{2x}{3} + 5 \ge 3$$

David gets Le 4,000 per day for lunch. He spends from one-quarter to one-half of it every day. Write the amount he spends every day as a linear inequality.



9.
$$6-2x < 4, -2x < 4-6, -2x < -2, x > 1$$
;

10.
$$\frac{2x}{3} + 5 \ge 3$$
, $\frac{2x}{3} \ge 3 - 5$, $\frac{2x}{3} \ge -2$, $2x \ge (-2) \times 3$, $2x \ge -6$, $x \ge -3$

11. David spends from Le $\frac{4000}{4}$ to Le $\frac{4000}{2}$ every day. That is, he spends from Le 1000 to Le 2000. Let x = amount of money David spends every day, then $1000 \le x \le 2000$

Lesson Title: Data Collection	Theme: Statistics and Probability	
Lesson Number: M-09-116	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes By the end of the lesson, pupils will be able to collect data from class members and display it in lists and

Teaching Aids None

Preparation

Write the information shown for the Opening activity, at the end of this lesson plan, on the board.

Opening (3 minutes)

pictograms.

- 1. **Say**: Please look at the board. We can see different groups of items.
- 2. Ask: Can you think of any similar groups that you can add to the list?
- 3. Allow pupils to discuss and share ideas with their partners.
- 4. Write the additional groups on the board. (Example answers: Ages of pupils in a JSS 3 class, Favourite fruits, Favourite subjects, Favourite colours. Accept all reasonable answers.)
- 5. **Ask**: How do you think we can find out about each group?
- 6. Guide a volunteer pupil to say we can collect data for each group.
- 7. Say: Today we are going to collect data from class members and display it in lists and pictograms.

Introduction to the New Material (10 minutes)

- 1. Say: Let us look at one of the groups on the board that we can collect data for in class. We will collect data from 20 pupils in our JSS 3 class. We will write down the number of brothers and sisters they have.
- 2. Have 20 pupils around the classroom volunteer to give you the number of siblings they have. Write them as an unordered list. (Example answer: 3, 1, 4, 6, 3, 7, 1, 4, 6, 5, 5, 4, 7, 0, 2, 3, 4, 4, 2,
- 3. Say: On the board, we have a list of the number of brothers and sisters which 20 JSS 3 pupils have. Writing a list is one form of collecting data. Our list is very basic and does not give us much information. We can organise our list by writing the numbers in rank order. This means we will write the list in ascending or descending order. Write the list on the board in ascending rank order. Please raise your hand when you finish.
- 4. Allow time for pupils to rank the numbers. Have a pupil volunteer to give the ordered list. (Answer: 0, 1, 1, 2, 2, 3, 3, 3, 4, 4, 4, 4, 4, 5, 5, 5, 6, 6, 7, 7)
- 5. Say: Notice that we write down all the numbers in our original list even though most of them appear more than once. The ordered list gives us better information than what we had before. We can more easily find information that we want.
- 6. Ask: What is the smallest number of brothers and sisters the 20 pupils we asked have? (Example answer: 0)
- 7. Have 2 pupils volunteer to answer. Note the data from your class may give different information.
- 8. **Ask**: What is the largest number? (Example answer: 7)
- 9. **Ask**: How many pupils have 4 brothers and sisters? (Example answer: 5)
- 10. Let pupils raise their hands to answer these questions.
- 11. Say: We can look at the ordered list and find other types of information. The ordered list is still not a very organised way of displaying the data. One other way to display the data is in a pictogram.

- 12. **Ask**: Who can remind the class of what a pictogram is? (Example answer: A diagram that uses pictures or drawings to display the data collected.)
- 13. Invite 2 pupils to raise their hands to answer.
- 14. **Say**: There are 2 main decisions to make when drawing a pictogram.
 - a. What type of picture or drawing we will use to display the data.
 - b. How much of the data will be represented by 1 picture or drawing.
 This is called the key of the pictogram. It allows anyone looking at the pictogram to understand the information it shows.
- 15. **Say**: For the data we collected, we will use one stick figure to represent the number of pupils who have that number of brothers and sisters.
- 16. An example pictogram is shown below. It may be different for the data from your class.

Pictogram showing number of brothers and sisters in JSS 3 class

Number of brothers and sisters	Number of pupils	
0	Ť	
1	† †	
2	† †	
3	† † †	† represents 1 pupil
4	* * * * *	
5	† † †	
6	† †	
7	† †	

- 17. **Say**: The pictogram is easy to read and shows the data in an attractive format. It is also much easier to find information we want straight away from the pictogram than it is from the ordered list.
- 18. **Ask** pupils the following questions and let them raise their hands to answer:
 - a. What can you see straight away? (Example answer: The largest and smallest number of brothers and sisters. Accept all reasonable answers.)
 - b. What is the largest number? (Example answer: 4 brothers and sisters)
 - c. How many pupils have that number of brothers or sisters? (Example answer: 5)
 - d. What is the smallest number of brothers and sisters? (Example answer: 0)
 - e. How many pupils have that number of brothers or sisters? (Example answer: 1)

Guided Practice (10 minutes)

- 1. Ask 20 volunteer pupils to stand up. You may decide on more or fewer pupils if appropriate.
- 2. **Say**: Please say any letter from A to F. Sit down once you have given your letter.
- 3. Write the letters given by the pupils on the board as an unordered list.
- 4. Ask the pupils to write the list in ascending rank order.
- 5. Walk around, if possible, to check their answers and clear up any misconceptions.
- 6. Ask pupils to exchange exercise books and check each other's work.

- 7. Have a pupil volunteer to write their ordered list on the board.
- 8. Correct any errors in the calculation on the board. Ask pupils to check their work. (Example answer: A, A, A, A, A, B, B, B, B, B, B, C, C, C, C, E, E, F, F, F)


Independent Practice (10 minutes)

- 1. Ask the pupils to work independently to draw a pictogram of the data collected in Guided Practice.
- 2. Walk around, if possible, to check their answers and clear up any misconceptions.
- 3. Have a pupil volunteer to draw their pictogram on the board.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. (Example answer: Shown at the end of the lesson plan)

Closing (2 minutes)

- 1. **Say:** Please write down one advantage a pictogram has over an ordered list.
- 2. Allow time for pupils to answer the question.
- 3. Have a pupil volunteer to answer. (Example answers: It is easy to read; It looks attractive; We can see the smallest and largest data immediately. Accept all reasonable answers.)

[INFORMATION FOR THE OPENING ACTIVITY]



[ANSWER FOR INDEPENDENT PRACTICE]

Pictogram showing letters chosen by JSS 3 class

Letter	Number of pupils	
Α	* * * * * *	
В	* * * * *	
С	* * * *	
D		† represents 1 pupil
E	† †	
F	† † †	

Lesson Title: Frequency Tables	Theme: Statistics and Probability	
Lesson Number: M-09-117	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	Draw the frequency table
pupils will be able to	M	shown at the end of the
organise and display collected		lesson plan for Introduction to the
data in a frequency table.		New Material on the board.

Opening (3 minutes)

- 1. Ask: Who can remind the class of what we did in the last lesson?
- 2. Have a pupil volunteer to answer. (Answer: Collect data and display it as lists and pictograms.)
- 3. **Ask:** Please raise your hand if you can give one advantage a pictogram has over a list. (Example answer: A pictogram is easy to read; It gives information straight away on the smallest and largest data. Accept all reasonable answers.)
- 4. Say: Today we are going to organise and display collected data in a frequency table.

Introduction to the New Material (10 minutes)

- Say: To get more information out of data, we need to collect it in a more organised way.
 Once we have collected it we need to display it in a way that is easy for people to understand.
 We want to collect data from this class on the day of the week they were born. One way to collect the data is by using a frequency table.
- 2. Point to the table below already on the board.
- 3. **Say**: To help with collecting the data, we will tally up the number of pupils born on a particular day and count in steps of 5.
- 4. Show how to tally on the board: vertical lines are drawn for each count; 4 vertical lines with a fifth line crossing them denotes 5 pupils. (shown at right)
- 5. **Say**: Let us go through the procedure of how we collect the data. We will need 2 volunteers one to count and the other to record the tally on the board.
- 6. **Say:**
 - Pupils born on Sunday stand up first.
 - The pupil counting points to one pupil at a time and counts in steps of 5.
 - The pupil at the board records the count as tallies in steps of 5.
 - Pupils who have been counted can sit down.
 - Any pupils left at the end are recorded as individual tally marks.
 - Repeat the procedure for pupils born on Tuesday to Saturday.
- 7. Guide pupils to carry out this procedure. Make sure the volunteers are counted as well. Also make sure that the total matches the number of pupils in the class. An example of a completed table is shown below.
- 8. **Say**: The tally marks are counted and recorded as the frequency in the table. It is the number of pupils who were born on a particular day.
- 9. Ask pupils to leave enough space in their exercise books to draw the bar chart of the data at the next lesson.

Day of the week	Tally	Frequency
-----------------	-------	-----------

Sunday	<i>†</i> ## ///	8
Monday	<i>†</i> ## ////	9
Tuesday	<i>†#4 </i>	7
Wednesday	#####	12
Thursday	1+++	8
Friday	<i>†#4 </i>	7
Saturday	HH 1111	9

Guided Practice (10 minutes)

- 1. Have 20 pupils volunteer to stand up. You may decide on more or fewer pupils if appropriate.
- 2. Ask each pupil in which month is their birthday. Ask them to sit down once they have answered.
- 3. Write the months given by the pupils on the board as an unordered list.
 You can use simple abbreviations for the months. (e.g. J for January, Ju for June, Jul for July)
- 4. Ask pupils to draw a frequency table and put the months in order from January to December.
- 5. Ask pupils to complete the table with the data using a tally mark for each pupil.
- 6. Walk around, if possible, to check their answers and clear up any misconceptions.
 - Check that pupils are recording the tallies as groups of 5 for easy counting.
 - Check that pupils include months in which no pupils were born in their tables.
- 7. Have a pupil volunteer to write their frequency table on the board.
- 8. Correct any errors in the calculation on the board. Ask pupils to check their work. (Example answer: Shown at the end of this lesson plan)

Independent Practice (10 minutes)

- 1. Ask a different set of 20 pupils to stand up. You may decide on more or fewer pupils if appropriate.
- 2. Ask each pupil in which year they were born. Ask them to sit down once they have answered.
- 3. Write the years given by the pupils on the board as an unordered list.
- 4. Ask pupils to draw a frequency table and put the years in ascending order.
- 5. Ask pupils to complete the table with the data using a tally mark for each pupil.
- 6. Walk around, if possible, to check their answers and clear up any misconceptions. Pupils should record a 0 for any year where there is a gap in the data.
- 7. Have a pupil volunteer to write their frequency table on the board.
- 8. Correct any errors on the board. Ask pupils to check their work. (Example answer: Shown at the end of this lesson plan)

Closing (2 minutes)

1. **Say:** Organising the data we collect in a frequency table ensures that we are able to display our data in a way that is easy to use and understand. We use the information in frequency tables to draw pictograms, bar charts, pie charts and other types of diagrams. We will use the information we have collected today to draw bar charts in our next lesson.

[INTRODUCTION TO THE NEW MATERIAL – FREQUENCY TABLE]

Day of the week	Tally	Frequency
Sunday		
Monday		
Tuesday		
Wednesday		
Thursday		
Friday		
Saturday		

Keep a record of the frequency tables to use to draw bar charts in the next lesson. Ask pupils to leave enough space underneath the tables to draw their bar charts.

[GUIDED PRACTICE – EXAMPLE ANSWER]

Month	Tally	Frequency
January	///	3
February	//	2
March	////	4
April		0
May	//	2
June	/	1
July		0
August	///	3
September	/	1
October	/	1
November	/	1
December	//	2
		20

[INDEPENDENT PRACTICE – EXAMPLE ANSWER]

Year	Tally	Frequency
1998	///	3
1999	//	1
2000	///	3
2001	####1	11
2002	//	2
		20

Lesson Title: Bar Charts	Theme: Statistics and Probability		
Lesson Number: M-09-118	Class/Level: JSS 3 Time: 35 mir		

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	Draw the completed tables
pupils will be able to	None	of data collected from the
display collected data in a bar		last lesson on the board. Examples
chart.		are given in the Introduction and
		at the end of this lesson plan.


Opening (3 minutes)

- 1. **Say**: A classmate was absent from our last lesson. Please write a short description of what we did to help them catch up.
- 2. Allow time for pupils to write their answer.
- 3. Have a pupil volunteer to give a summary of the previous lesson. (Example answer: We collected data as an unordered list; We organised and displayed data in a frequency table; We used tally marks to record data. Accept all reasonable answers.)
- 4. **Say**: Today we are going to display collected data in a bar chart.

Introduction to the New Material (10 minutes)

- Say: We will use the data we collected in our last lesson to draw the bar charts. Who can remind the class of the set of data we collected for the whole class? (Answer: We collected data on the day we were born.)
- 2. Let a pupil volunteer to answer.
- 3. **Say:** We are going to use the data for the day we were born to draw our first bar chart.
- 4. Draw the axes for the graph.
- 5. **Ask**: What scale do we use to represent the frequency on the *y*-axis? (Example answer: 2 cm represents 1 pupil)
- 6. Mark the scale for the *y*-axis as a pupil volunteers to answer.
- 7. Say: We need an appropriate scale for the x-axis. Since we will draw 7 bars in our chart, we will use 2 cm to represent 1 bar. We need to label the axes. Our table already has headings for 'Day of the week' and 'Frequency'. We will use them as our labels.
- 8. **As**k. Which label goes on which axis?
- 9. Guide a volunteer pupil to say the 'Days of the week' goes on the *x*-axis and 'Frequency' goes on the *y*-axis.

Day of the week	Tally	Frequency
Sunday	144111	8
Monday	1441111	9
Tuesday	<i>†#411</i>	7
Wednesday	#####	12
Thursday	<i>†#</i> 4 ///	8
Friday	<i>†#411</i>	7
Saturday	<i>t</i> ## ////	9
	•	60



Days of the week

- 11. Say: We now have all the information we need to draw our bar chart.
- 12. Draw the bar for Sunday. Show that the bar is drawn as a rectangle from 0 to 8.

- 13. Ask the pupils to complete the bar chart for the rest of the week with the information on the table. Ask them to leave a gap between each bar.
- 14. **Say**: We give every bar chart a title which describes what it is displaying. Who can think of a title for this graph?
- 15. Allow pupils to discuss and share their ideas.
- 16. Have pupils volunteer to share their ideas with the class. Select the most appropriate title suggestion.
 - (Example answer: Day of the Week JSS 3 Pupils Were Born)
- 17. The completed bar chart is shown on the previous page.
- 18. **Say**: Let us look at our graph. We can answer questions on the bar chart about the data we have just drawn.
- 19. Give pupils some time to think before having 1 pupils volunteering to answer each question.
 - a. On which day were the most number of pupils born? (Answer: Wednesday)
 - b. How many pupils were born on that day? (Answer: 12)
 - c. On which day were the least number of pupils born? (Answer: Tuesday and Friday)
 - d. How many pupils were born on those days? (Answer: 7)
 - e. How many people were born on Monday? (Answer: 9)
 - f. How many people were born altogether on the weekend? (Answer: 17)
 - g. How many days were 9 people born? (Answer: 2 days)

Guided Practice (10 minutes)

- 1. Ask the pupils to work in pairs to draw the bar chart of the information on the months of the year they were born.
- 2. Tell pupils they should each draw their own individual bar charts.
- 3. **Say**: Work together to select the scales of the axes, appropriate labels and a title for the bar chart
- 4. Walk around, if possible, to check their answers and clear up any misconceptions.
- 5. Have pupils from around the classroom volunteer to draw a bar each on the chart.
- 6. Correct any errors on the board. Ask pupils to check their work. Answers are shown next to the frequency table at the end of the lesson plan.

Independent Practice (10 minutes)


- 1. Ask the pupils to work independently to draw the bar chart of the information on the year they were born.
- 2. Walk around, if possible, to check their answers and clear up any misconceptions.
- 3. Ask pupils to exchange exercise books and check each other's work.
- 4. Have pupils from around the classroom volunteer to draw a bar each on the chart.
- 5. Correct any errors on the board. Ask pupils to check their work. Answers are shown next to the frequency table at the end of the lesson plan.

Closing (2 minutes)

- 1. **Say:** We have now used 4 different ways to organise and display data. Who can tell the class what these are? (Answer: lists, pictograms, frequency tables and bar charts)
- 2. **Ask**: Please look at the frequency tables and the bar charts we have been drawing today. Which one do you think best shows the data? (Example answers: Pupils may differ in their opinions on whether the frequency table or the bar chart is better. The frequency table is easy to use to do calculations; A bar chart shows a large amount of data in a format that is easy to understand. It

is easier to visually compare differences in the data using a bar chart. Accept all reasonable answers.)

[GUIDED PRACTICE - EXAMPLE ANSWER]




Month	Tally	Frequency
January	///	3
February	//	2
March	////	4
April		0
May	//	2
June	/	1
July		0
August	///	3
September	/	1
October	/	1
November	/	1
December	//	2
		20

Months of the Year

[INDEPENDENT PRACTICE - EXAMPLE ANSWER]

Year	Tally	Frequency
1998	///	3
1999	//	1
2000	///	3
2001	####1	11
2002	//	2
		20



Lesson Title: Line Graphs	Theme: Statistics and Probability	
Lesson Number: M-09-119	Class/Level: JSS 3	Time: 35 minutes


Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	1. Draw a sketch of the line
pupils will be able to	None	graph in the Opening section
display collected data in a line		on the board.
graph.		2. Write the questions for each
		section of this lesson shown at the
		end of the lesson plan.

Opening (3 minutes)

- Say: So far we have been working with data which do not change.
 For example, the day or year we were born. We drew bar charts which compared the number of pupils born in every day of the week. We found which day had the most or the least number of pupils.
- 2. Point to the sketch of the line graph on the board.
- 3. **Say**: Raise your hand if you know what kind of graph this is.
- 4. Guide a pupil with a raised hand to give the answer. (Answer: Line graph)
- 5. **Ask**: What do you think the graph is showing?
- 6. Guide a volunteer pupil to say: The height of an item over a period of 4 weeks.
- 7. **Say**: Today we are going to display collected data in a line graph.

Introduction to the New Material (10 minutes)

- 1. **Say**: When we want to record data that changes over time we use a line graph. For example, the mass of a baby changes very quickly over the first few days after birth. This change can be shown on a line graph.
- 2. **Ask**: What other types of data change over time?
- 3. Guide pupils to give data involving measurements. (Example answers: distance, height, weight, price of goods, temperature, population, etc.)
- 4. **Say:** Bar charts also show data on height, weights, etc. but it usually displays the information at a particular point in time. For example, we can measure all of your heights right now and make a bar chart to display the data. We can use it to compare the difference between the tallest and shortest heights. But if we wanted to display how one of your heights changes over a year, we would use a line graph. Since we do not have data on any of you that covers a time period, we will use previously collected data.
- 5. Ask a pupil to read Question 1.
- 6. **Ask:** Look at the data in the table. What is it showing?
- 7. Have a pupil volunteer to answer. (Answer: Temperature at various times of the day)
- 8. Draw the axes for the graph.
- 9. Say: We have 2 variables in the table. Which one do you think is the independent variable?
- 10. Guide pupils to say: Time.
- 11. **Ask**: Which axis do we use to represent Time? (Answer: x-axis).



- 12. **Ask:** Look at the data for Temperature. It goes from 24 °C to 31 °C. How do you think the scale should look?
- 13. Guide a volunteer pupil to say: We start the scale close to the value for the lowest temperature. Since that is 24 ° C, we start our scale at 20 ° C.
- 14. **Say:** We show on the axis that we are not starting from 0.
- 15. Amend the axis to show that the scale is now starting from 20 (shown by the zigzag on the y-axis).
- 16. Ask: What title can we give the graph?
- 17. Guide pupils to think of a title based on the question. (Example: *School Temperature*)
- 18. Complete the labelling of the graph.
- 19. Plot the point for 0800.
- 20. Ask pupils to copy and complete the graph in their exercise books.
- 21. Allow time for pupils to complete the graph.
- 22. Have pupils from around the classroom volunteer to plot and join the points for the line graph on the board.
- 23. The completed graph is shown above.
- 24. Say: We can use our graph to estimate the temperatures for which we do not have values
- 25. Draw a vertical line from a requested time to the graph; draw a horizontal line from the point the vertical line meets the graph to the *y*-axis. Read the temperature (*see graph*).
- 26. **Ask**: What is the temperature at 0930? (Accept answers in the range: 26.1 26.3 °C.)
- 27. **Ask**: What is the temperature at 1130? (Accept answers in the range: 30.3 30.5 °C.)


Guided Practice (10 minutes)

- 1. Ask the pupils to work in pairs to answer Questions for Guided Practice.
- 2. Tell pupils they should each draw their own individual line graphs.
- 3. **Say**: Work together to decide on appropriate scales for the axes.
- 4. Walk around, if possible, to check answers and correct any misconceptions.
- 5. Have pupils from around the classroom volunteer to plot and join the points for the line graph.
- 6. Correct any errors in the calculation on the board. Ask pupils to check their work. Answer is shown next to question.

Independent Practice (10 minutes)

- 1. Ask the pupils to work independently to answer Questions for Independent Practice.
- 2. Walk around, if possible, to check answers and clear up any misconceptions.
- 3. Have pupils from around the classroom volunteer to plot and join the points for the line graph.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. Answer shown next to question.





Closing (2 minutes)

1. **Ask:** What type of graph do we use to display data which compares information? (Answer: bar chart)

2. **Ask**: What sort of graph do we use to display data which changes over time? (Answer: line graph)

3. Let pupils raise their hands to answer these questions.

4. **Say**: We will apply everything we have learnt so far in our next lesson. We will make comparisons and draw conclusions from charts and graphs.

[QUESTION FOR INTRODUCTION TO THE NEW MATERIAL]

1. The temperature in a school one morning is shown in the table below. Draw a line graph of the data.

Time	0800	0900	1000	1100	1200
Temperature (° C)	24	25	28	30	31

[QUESTIONS FOR GUIDED PRACTICE]

2. The amount of rainfall in a town in Sierra Leone over a 6 month period is shown in the table below.

Month	May	Jun	Jul	Aug	Sept	Oct
Rainfall (mm)	205	309	493	520	450	282

- a. Draw a line graph of the data.
- b. Which month had the most rainfall?

Answers:

- a. graph shown right allow some flexibility in choice of scale
- b. August


[QUESTION FOR INDEPENDENT PRACTICE]


3. The mass of a baby for the first few days of its life is shown in the table below.

Day	0	2	4	6	8	10
Mass (kg)	3.9	3.8	3.5	3.7	3.9	4.0

- a. Draw a line graph of the data.
- b. Estimate the mass on day 9.

Answers:





- a. graph shown right allow some flexibility in choice of scale
- b. accept 3.95 3.97 kg

Lesson Title: Interpreting Charts and Graphs	Theme: Statistics and Probability	
Lesson Number: M-09-120	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson, pupils	None	None
will be able to:	Mone	
1. Make comparisons using pictograms,		
bar charts, and line graphs.		
2. Draw conclusions from charts and		
graphs.		

Opening (3 minutes)

- 1. **Ask**: Who can remind the class of the different ways we use to collect, organise and display data?
- 2. Have 3 pupils volunteer to answer each, this and the next 2 questions. (Answer: list, pictogram, bar chart, line graph)
- 3. Ask: Which one of these is best used to compare data? (Answer: bar chart)
- 4. **Ask**: Which one is best used to display data which changes over time? (Answer: line graph)
- 5. **Say**: Today we are going to make comparisons using pictograms, bar charts, and line graphs. We will also draw conclusions from charts and graphs.

Introduction to the New Material (10 minutes)

- Say: Look back in your exercise books.
 We collected data on the day of the week we were born.
- Ask: How did we display the data? (Answer: Frequency table and bar chart)
- 3. Have a pupil volunteer to answer.
- 4. **Say**: We can display the same data as a pictogram.
- Ask: What can we use to represent the data? (Example answer: Stick figure)
- 6. Ask: How many pupils will 1 stick figure represent?
- Let pupils volunteer to answer. This answer will depend on your data. For the data given as an example, we will use 1 stick figure to represent 2 pupils. (Example answer: 1 stick figure represents 2 pupils)
- 8. **Say**: The pictogram does not usually show labels for the data it is representing. The title and the key is enough to understand the information.
- 9. Ask pupils to draw the pictogram using this information.
- 10. Have pupils volunteer to complete the pictogram on the board. (Example answer: Shown right)

Day of the week	Tally	Frequency
Sunday	144111	8
Monday	1441111	9
Tuesday	14411	7
Wednesday	#####	12
Thursday	<i>†#4 </i>	8
Friday	14411	7
Saturday	## ////	9
		60

Day of the week pupils in JSS3 class were born

Sunday	ŧ	ŧ	ŧ	ŧ		
Monday	Ť	Ť	ŧ	Ť	1	
Tuesday	Ť	Ť	Ť	1		
Wednesday	÷	ŧ	ŧ	Ť	ŧ	ŧ
Thursday	Ť	Ť	ŧ	Ť		
Friday	Ť	Ť	Ť	1		
Saturday	Ť	İ	Ť	Ť	1	

† represents 2 pupils

- 11. **Ask**: Who can tell some of the similarities and differences between the pictogram and the bar chart we drew previously?
- 12. Guide pupils who volunteer to say:
 - they both compare data, but the pictogram shows the data in a nicer way than the bar chart
 - in the pictogram, we have to count using the key for each piece of information; the information from the bar chart can be read off the axis.
 - It is difficult to represent and read some of the data in the pictogram when they are not multiples of the chosen key
- 13. **Ask:** What conclusion can we draw from the pictogram and bar chart?
- 14. Guide volunteer pupils to say what they conclude from the 2 diagrams.
- 15. Your data may lead to different conclusions. (Example answers: Shown below)
 - a. The number of pupils born on most days is very similar to each other -7, 8 or 9 pupils.
 - b. On average 8 pupils are born per day except Wednesday.
 - c. There are an unusual number of pupils born on Wednesday compared to the other 6 days.
 - d. The difference between Wednesday and the other days is shown more clearly in the bar chart than in the pictogram. For this data, the bar chart is a better representation of the data than the pictogram.
 - e. Accept all other reasonable conclusions from the data.

Guided Practice (10 minutes)

- 1. **Say**: There are times when we want to use the data collected for different purposes. We want to both compare the data and show how it changes over time. We will draw a bar chart of the information on *Rainfall* that we drew as a line graph.
- 2. Ask pupils to work in pairs to answer Questions for Guided Practice. Tell pupils they should each draw their own individual bar charts.
- 3. **Say**: Work together to decide on appropriate scales for the axes.
- 4. Walk around, if possible, to check answers and correct any misconceptions.
- 5. Have pupils from around the classroom volunteer to draw the bars for the chart.
- 6. Correct any errors in the calculation on the board. Ask pupils to check their work. Answers are shown next to questions.

Independent Practice (10 minutes)

- 1. Ask the pupils to work independently to answer Questions for Independent Practice.
- 2. Walk around, if possible, to check answers and clear up any misconceptions.
- 3. Have pupils from around the classroom volunteer to draw the bars for the chart.
- 4. Correct any errors in the calculation on the board. Ask pupils to check their work. Answers are shown next to questions.

Closing (2 minutes)

- 1. Say: Listen carefully to this question, then write down the answer in your exercise books.
- 2. **Ask**: Musa noticed his height was changing very quickly. He decided to record his height once a month for 6 months. How should he display the data? Give a reason for your answer.
- 3. Allow time for pupils to write the answer in their exercise books.
- 4. This question is a test of whether pupils can give a good reason for their choice of chart or graph.

5. Have pupils from around the classroom volunteer to answer. (Example answers: Pictogram to give a visual representation of the data (use a picture such as a ruler to represent the heights); Bar chart to compare his height in one month with that of another month; Line graph to show how his height changes over the 6 months. Accept all reasonable answers.)

[QUESTIONS FOR GUIDED PRACTICE]


1. The amount of rainfall in a town in Sierra Leone over a 6 month period is shown in the table below.

Month	May	Jun	Jul	Aug	Sept	Oct
Rainfall (mm)	205	309	493	520	450	282

- a. Draw a bar chart of the data.
- b. Look at the line graph previously drawn.What comparisons can you make between the bar chart and the line graph?
- c. Can you draw the same conclusions from both the bar chart and the line graph?

Answers:

- a. Bar chart shown right
- b. A different scale is used for the bar chart as compared to the line graph; The line graph shows the change over time whilst the bar graph compares the rainfall month by month. Accept all reasonable answers.
- c. Yes, both the bar chart and the line graph show that: rainfall increases from May to August; It reaches a maximum in August; The rainfall then decreases from August to October; There is a sharp increase from June to July. Accept all reasonable answers.



[QUESTIONS FOR INDEPENDENT PRACTICE]

2. The mass of a baby for the first few days of its life is shown in the table below.


Day	0	2	4	6	8	10
Mass (kg)	3.9	3.8	3.5	3.7	3.9	4.0

- a. Draw a bar chart of the data.
- b. Is it possible to estimate the mass of the baby on day 9? Give a reason for your answer.

Answers

- a. Bar chart shown right.
- b. It is not possible to estimate the mass of the baby on day 9.

We cannot estimate the mass for the days not shown in the chart. We can compare the mass for



the days we have plotted (i.e. highest, lowest, differences in mass etc.), but the bar chart is not suitable to estimate changes in mass over time.

The line graph previously drawn is a better graph for this data as it tells us the changes over time.

Accept all reasonable answers.

Lesson Title: Interpreting Pie Charts	Theme: Statistics and Probability		
Lesson Number: M-09-121	Class/Level: JSS 3	Time: 35 minutes	

	I 4	
Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	1. Draw the pie charts and write
pupils will be able to:	Wolle	the questions from Introduction
1. Interpret information from a		to the New Material and Guided
pie chart.		Practice on the board.
2. Find the sectoral angles of a pie		2. Write the frequency table and the
chart and relate them to the		questions from Independent Practice on
whole(360°).		the board.


Opening (2 minutes)

- 1. Ask pupils the following questions and have pupils volunteer to answer:
 - a. What does percentage (%) mean? (Answer: Percentage means a part out of 100)
 - b. What is a pie chart? (Answer: A pie chart is a type of graph in which a circle is divided into sectors that each represent a portion of the whole.)
 - c. What do the percentages in a pie chart add up to? (Answer: 100%)
 - d. What do you call each part of a pie chart? (Answer: A sector)
- 2. **Say:** Today, we are learning how to interpret information from a pie chart, and calculate the sectoral angles of a pie chart.

Introduction to the New Material (14 minutes)

- 1. Point to the following pie chathe board:
- 2. **Say**: This pie chart shows the fruits for a group of 75 pupils
- Ask pupils questions to check the pie chart. Discuss each or
 - a. Which fruit has the lowes and Banana)
 - b. Which fruit has the highe
 - c. What percentage of pupi (Answer: 12%)

FAVOURITE FRUITS OF 75 PUPILS



- 4. Ask: How many pupils in this group of 75 say mango is their favourite fruit?
- 5. Have 2 pupils volunteer to answer.
- 6. **Say:** This question asks us 'how many', not what percentage. We will need to find the number of pupils out of the 75 that said mango. That means we need to find 48% of 75 pupils.
- 7. Solve the problem on the board with pupils' participation. (Answer: $\frac{48}{100} \times 75 = 36$ pupils)
- 8. Ask: How many pupils in this group prefer a fruit other than pineapple as their favourite?
- 9. Have a pupil volunteer to answer.
- 10. Ask: What is the first thing we need to do to solve this problem?
- 11. Allow pupils to brainstorm. Guide them to understand that we first need to find the *percentage* of pupils who did not choose pineapple.

- 12. **Say:** If the percentage of pupils who chose pineapple is 24%, then we need to subtract this number from 100%. This will tell us the percentage of pupils who did not choose pineapple.
- 13. Write on the board: 100% 24% = 76%
- 14. Say: 76% of pupils did not choose pineapple.
- 15. Ask pupils to find 76% of the 75 pupils in their exercise books. (Answer: $\frac{76}{100} \times 75 = 57$ pupils)
- 16. Write the answer on the board and ask pupils to check the answers in their exercise books.
- 17. **Say**: When you know the percentages for each sector, you can also figure out how many degrees each angle at the centre of each sector is. Being able to calculate the angles allows us to construct our own pie charts.
- 18. Ask: How many degrees are in a full circle? (Answer: 360°)
- 19. **Write** on the board: $Mango = \frac{48}{100} \times 360^{\circ} = 172.8^{\circ}$
- 20. **Say:** To find the degrees for the angle at the centre of each sector we can multiply the percentage for each fruit by 360. This is the same as multiplying the ratio by 360° , if you have a frequency table.
- 21. **Say**: Depending on what information you have, you can calculate the angle measurement either way. For example, we calculated that 36 pupils said mangos were their favourite.
- 22. **Write** on the board: $Mango = \frac{36}{75} \times 360^{\circ} = 172.8^{\circ}$
- 23. Ask pupils to calculate the rest of the degrees for the other fruits in their exercise books.
- 24. Calculate the rest of the sectors on the board:

$$Pineapple = \frac{24}{100} \times 360^{\circ} = 86.4^{\circ}$$

Orange =
$$\frac{12}{100} \times 360^{\circ} = 43.2^{\circ}$$


$$Banana = \frac{8}{100} \times 360^{\circ} = 28.8^{\circ}$$

- 25. **Say**: Since Bananas and Coconuts have the same percentage we know they have the same angle measurement too.
- 26. Say: We can check that we did our Maths correctly because all the sectors must add up to 360°
- 27. Ask pupils to add up all the sector angle measurements from their exercise books.
- 28. **Write** on the board: $172.8^{\circ} + 86.4^{\circ} + 43.2^{\circ} + 28.8^{\circ} + 28.8 = 360^{\circ}$

Guided Practice (7 minutes)

- Point to the following pie chart and write on the board: This pie chart shows the professions of 1500 people surveyed in Sierra Leone.
- 2. Ask pupils to work in pairs.
- 3. Point to the following questions on the board:
 - a. Which profession has the lowest percentage? (Answer: Medicine/Nursing 5%)
 - b. Which profession has the highest percentage? (Answer: Farming 63%)
 - c. What percentage of people surveyed work in construction? (Answer: 10%)

PROFESSIONS OF 1500 PEOPLE



- d. What percentage of people surveyed sell goods? (Answer: 14%)
- e. How many people surveyed work as farmers? (Answer: $\frac{63}{100} \times 1500 = 945$)
- f. How many people surveyed work in medicine or nursing? (Answer: $\frac{5}{100} \times 1500 = 75$)
- 4. Move around the classroom and check pupils as they work, clear misconceptions.
- 5. Have 6 pairs of pupil's volunteer to share their answers to the questions about the pie chart.

Independent Practice (10 minutes)

- 1. Ask pupils to work independently.
- 2. Point to the following frequency table and questions on the board: Use the pie chart and frequency table to calculate the inside angle measures for each of the sectors of the chart.
- 3. Remind pupils they can calculate the angle using the percentage or ratio
- 4. Move around the classroom to check for understanding, clear misconceptions.
- 5. Ask pupils to turn to their partner and compare their answers when they are finished.
- 6. Have 5 pupils volunteer to share their answers, if time allows ask for pupils to solve using both methods, the percentage, and the ratio.

<u>Profession</u>	Frequency
Farming	945
Selling goods	210
Construction	150
Other	120
Medicine/Nursing	75
TOTAL	1,500

Answers:

$$Farming = \frac{945}{1500} \times 360^{\circ} = 226.8^{\circ}; Farming = \frac{63}{100} \times 360^{\circ} = 226.8^{\circ}; Selling\ goods = \frac{210}{1500} \times 360^{\circ} = 50.4^{\circ}; Selling\ goods = \frac{14}{100} \times 360^{\circ} = 50.4^{\circ}; Construction = \frac{150}{1500} \times 360^{\circ} = 36^{\circ}; Construction = \frac{10}{100} \times 360^{\circ} = 36^{\circ}; Other = \frac{120}{1500} \times 360^{\circ} = 28.8^{\circ}; Other = \frac{8}{100} \times 360^{\circ} = 28.8^{\circ}; Medicine/Nursing = \frac{75}{1500} \times 360^{\circ} = 18^{\circ}; Medicine/Nursing = \frac{5}{100} \times 360^{\circ} = 18^{\circ}; Medicin$$

Closing (2 minutes)

- 1. Ask pupils the following questions to check understanding:
 - a. What do the angles at the center of a pie chart add up to? (Answer: 360°)
 - b. What does it mean when one sector is larger than another? (Answer: A larger sector means a larger quantity of the data is in that category.)
- 2. Allow pupils to share their ideas and discuss them.

Lesson Title: Creating Pie Charts	Theme: Statistics and Probability		
Lesson Number: M-09-122	Class/Level: JSS 3	Time: 35 minutes	

By the end of the lesson, pupils will be able to display data collected from the class in a pie chart.

Teaching Aids
Protractors (see the attached page at the end of the lesson.)

Preparation

Ask pupils to bring mathematical sets to class if they have them. For pupils who do not have them, see the following pages on how to make them.

Opening (2 minutes)

- 1. **Say**: We are going to collect data from the class and use it to create a pie chart.
- Ask pupils to raise their hands to vote for their favourite football team from the following selection; Barcelona, Manchester United, Real Madrid, or Arsenal.
- 3. Write the frequency chart on the board and fill it out as pupils raise their hands to vote.
- 4. **Say:** Today, we are learning how to create pie charts.

Introduction to the New Material (13 minutes)

- 1. Draw the following pie chart on the board.
- 2. **Say**: This pie chart shows the percentages of goods the market. A protractor is used to measure angles measured in degrees, and this protractor can meas angle less than 180 degrees. Look at the numbers c protractor. They count by tens from 0 to 180. This i but instead of measuring length we use it to measur an angle opens.


We will use this protractor to measure the angles a each sector of this pie chart.

You place the centre of the protractor on the centr the pie chart and place the bottom of the protractor exactly along one line of one sector of the pie chart.

- 3. Follow the instructions as you explain, for example →
- 4. **Say:** Now look at the other line of the angle. It crossed the protractor at a number. That number is the angle's measurement in degrees. Let's count the degrees between the 2 lines of this angle.
- 5. Count by tens from 0° to measure the angle measure.
- 6. Follow the same steps for each angle in the pie chart on the board to demonstrate for pupils.
- 7. **Say**: Now we will create our own pie chart with data collected from our class. First we must calculate the degree measures for the centre angles of our pie chart using our data collected in the beginning of class.

Football Team	Frequency
Barcelona	16
Manchester U.	10
Real Madrid	6
Arsenal	8
TOTAL	40

GOODS PRINCESS SELLS



- 8. **Ask**: How do we calculate the degree measurements? (Answer: Multiply the ratio for each team by 360°.)
- 9. Write on the board: $Barcelona = \frac{16}{40} \times 360^{\circ} = 144^{\circ}$

Manchester U. =
$$\frac{10}{40} \times 360^{\circ} = 90^{\circ}$$

Real Madrid = $\frac{6}{40} \times 360^{\circ} = 54^{\circ}$


$$Arsenal = \frac{8}{40} \times 360^{\circ} = 72^{\circ}$$

- 10. **Say**: Using these measurements, we can create a pie chart representing our class.
- 11. Draw an empty pie chart on the board.
- 12. **Say:** Place the centre of the protractor on the centre of the pie chart and place the bottom of the protractor exactly along one radius of the circle. Now find the angle measurement for the first team.
- 13. Make a mark at 144° . Use a straightedge to draw another radius from the centre at 144° .
- 14. **Say**: This sector represents the number of people who prefer Barcelona.
- 15. Repeat these steps for each of the sectors until the pie chart is complete.
- 16. **Say**: We must always label the sectors of the pie chart.
- 17. Write the labels for percentages and football teams on each of the sections.


Guided Practice (8 minutes)

- Write the following question on the board: This
 frequency table contains the sources where
 people said they got their news in a survey of
 1000 people in Sierra Leone.
- Ask pupils to work in pairs to calculate the inside angle measurements at the centre for each of the sectors.
- 3. Move around the classroom and check pupils as they work, clear misconceptions.
- 4. Have 4 pupils volunteer to come to the board and share their answers on the board while the rest of the class checks their work.

Pupils' Favourite Football Teams



Pupils' Favourite Football Teams




SOURCES OF NEWS FROM A SURVEY OF					
1000 PEOPLE IN SIERRA LEONE					
Source Percent of Pop.					
Radio 72%					
Television	15%				
Internet 12%					
Other 1%					

(Answers:
$$Radio = \frac{72}{100} \times 360^{\circ} = 259.2^{\circ}$$
; $Television = \frac{15}{100} \times 360^{\circ} = 54^{\circ}$; $Internet = \frac{15}{100} \times 360^{\circ} = 43.2^{\circ}$; $Other = \frac{1}{100} \times 360^{\circ} = 3.6^{\circ}$

Independent Practice (10 minutes)

- 1. Ask pupils to use the inside angle measurements for each of the sectors that they have just found to construct their own pie charts showing the sources of news from a survey of 1000 people in Sierra Leone.
- 2. Ask pupils to work independently.
- 3. Move around the classroom to check for understanding and clear misconceptions.
- 4. If pupils are having difficulties, allow them to work with their partners.
- 5. When pupils are finished, they should compare their answers with their partners.
- 6. Have 2 pairs volunteer to come to the board and share their pie charts.
- 7. Allow pupils to discuss and ask questions. (Answer: see left)

SOURCES OF NEWS FROM A SURVEY OF 1000 PEOPLE IN SIERRA LEONE





Closing (2 minutes)

- 1. Ask pupils the following questions to check understanding, and let them volunteer to answer:
 - a. What do you measure angles in? (Answer: degrees)
 - b. How many degrees are in a circle? (Answer: 360°)
 - c. What is a protractor used for? (Answer: It is used for measuring angles in degrees.)
- 2. Allow pupils to share their ideas and discuss them.

[MAKING TEACHING AIDS: PROTRACTORS]

Teachers can use the large protractor below to show pupils how to measure angles on the board. Pupils can use the small protractors on the next page to measure angles in their exercise books. Teachers do not need to cut out the protractors from this book. These can be traced with a pen onto a sheet of paper, and then cut out with scissors. Teachers do not need to trace each of the 180 lines. If you trace the tens lines (0, 10, 20, etc.) it will be enough to estimate the measurement of angles. The page with small protractors can also be photocopied to provide protractors to more pupils.





Lesson Title: Choosing a Graph or Chart	Theme: Statistics and Probability		
Lesson Number: M-09-123	Class/Level: JSS 3	Time: 35 minutes	

Learning Outcomes
By the end of the lesson,
pupils will be able to collect
data and decide on the best type of graph or chart to represent it.

Teaching Aids
None

Teaching Aids
None

Draw the tables and graphs from Introduction to New
Material, Guided Practice and Independent Practice on the board.

Opening (3 minutes)


- 1. Ask pupils to describe the following types of charts and graphs in their own words:
 - (i) Bar chart
 - (ii) Line graph
- (iii) Pie chart
- (iv) Stem Diagram
- 2. Allow pupils to discuss these ideas and have 4 pupils volunteer to share them with the class. (Example answers: (i) A chart with rectangular bars of equal width that interpret statistical information; (ii) A graph used to display data or information that changes continuously over time; (iii) A type of graph in which a circle is divided into sectors that each represents a proportion of the whole; (iv) A chart showing frequency with columns with first digit(s) in the left column, and last digit in the right column)
- 3. **Say:** Today we are going to learn how decide on the best type of graph or chart to represent data we collect.

Introduction to the New Material (12 minutes)

- 1. **Say:** Bar charts and line graphs are used to compare different amounts. Pie charts (circle graphs) are use when you are trying to compare parts of a whole. They do not show changes over time.
- 2. **Say:** Stem diagrams show the frequency with which certain numbers occur.
- 3. Point to the table on the board. **Say**: The table below shows the percentage of the population of Sierra Leone who have owned a cell phone over the past 6 years. Construct a graph, which best demonstrates the percentage over the years.
- 4. **Ask:** What is the appropriate graph for this data?
- 5. Have 2-3 pupils volunteer to answer. (Example: Bar chart, Pie chart and line graph)
- 6. Say: The table does not indicate any parts in relation to a whole, so a circle graph is not the right choice. We want to compare different values, and we can see that the data is changing over time. A line graph would be the best choice for displaying this data.

PERCENT OF POPULATION OWNING A CELL PHONE				
Year	Frequency			
2010	64%			
2011	69%			
2012	73%			
2013	76%			
2014	80%			
2015	82%			

- 7. Together with pupils, draw the line graph on the board as shown below.
- 8. Ask pupils to help by calling out labels for the x- and y-axis, the title, and scale.
- 9. Allow pupils to discuss and answer any questions.



Guided

Frequency

230

224

227

185

178

165

PUPILS ENROLLED IN JSS & SSS

Level

JSS₁

JSS 2

JSS₃


SSS 1

SSS 2

SSS 3

Practice (8 minutes)

- 1. Point to the following table on the board. →
- 2. **Say**: This table shows the numbers of pupils enrolled in each of the grade levels in school.
- 3. Ask pupils to work in pairs.
- 4. **Say:** Draw the graph or chart that best displays this data.
- 5. Move around the classroom to check for understanding and clear misconceptions.
- 6. If they have difficulty deciding which graph or chart to use, guide them to use a bar chart. Encourage them to start the y-axis around 150.
- 7. Draw the empty graph on the board, and have different pairs volunteer to come and draw the 6 bars on the board.



Independent Practice (10 minutes)

Point to the table of exports on the board.
 Say: The table below shows the approximate percentages of exports from Sierra Leone to its major trading partners.

2.	Draw the graph or chart that best displays
	the data.

PERCENTAGE OF EXPORTS				
Country	Percentage of Exports			
China	77%			
Belgium	9%			
Romania	3%			
Netherlands	2%			
Other	9%			

- 3. Ask pupils to work independently to solve the problem.
- 4. Move around the classroom to check for understanding. For example, make sure pupils understand that a pie chart is the best way to represent the data because it is percentages of a whole.
- 5. Ask pupils to turn to a partner and compare answers when they have finished working.
- 6. Have a pupil volunteer to come to the board and present his/her answer. Do corrections where necessary.


(Answers:

China =
$$\frac{77}{100} \times 360^{\circ} =$$

277.2°; Belgium = $\frac{9}{100} \times 360^{\circ} =$
32.4; Romania = $\frac{3}{100} \times 360^{\circ} =$
10.8°; Netherlands = $\frac{2}{100} \times$
360° = 7.2°; Other = $\frac{9}{100} \times$
360° = 32.4°)

Closing (2 minutes)

 Ask the following questions about the graphs drawn throughout the lesson and let pupils volunteer to answer:



- a. How many pupils are enrolled in JSS? (Answer: 681)
- b. What percentage of the Sierra Leone's exports go to Belgium? (Answer: 9%)
- c. What year did cell phone ownership rise above 75% (Answer: 2013)
- d. What country receives most of Sierra Leone's exports? (Answer: China)
- 2. Allow pupils to discuss and share ideas with the class.

Lesson Title: Mean	Theme: Statistics and Probability		
Lesson Number: M-09-124	Class/Level: JSS 3	Time: 35 minutes	


ا ا	Learning Outcomes	n Aa	Teaching Aids		Preparation
	By the end of the	N/	None	(Z)	Draw the tables and
	lesson, pupils will be				graphs from Introduction
6	able to:			to Ne	w Material, Guided
1. Calculate the mean of a set of				Pract	ice and Independent
data from a list, chart, or graph.				Pract	ice on the board.
2. Interpret mean.					

Opening (3 minutes)

- 1. Ask pupils to name the types of charts and graphs we have studied so far and what kind of data they display. (Answers: (i) bar charts show quantity; (ii) line graphs show change over time; (iii) pie charts show parts of a whole)
- 2. Let 2-3 pupils volunteer to answer.
- 3. **Say:** Today we will calculate the mean of a set of data from a list, chart, or graph, and interpret what it means.

Introduction to the New Material (15 minutes)

- 1. Write the following question on the board: There are 6 pupils with the following scores on their exam: 87, 100, 76, 92, 90, and 95. What is the mean of their scores?
- 2. **Say**: The *mean* is a number that can tell us where the middle of the data is. It is also commonly known as the 'average'. To find the mean of a set of data, add the numbers together and divide the total by the number of items. The quotient is the mean.
- 3. Write on the board: 87 + 100 + 76 + 92 + 90 + 95
- 4. **Say**: Please add the numbers in your exercise books.
- 5. Have a pupil volunteer to write the sum on the board while the rest work in their exercise books. (Answer: 87 + 100 + 76 + 92 + 90 + 95 = 540)
- 6. **Say**: Now we will divide the sum, 540, by the number of items, 6.
- 7. Write on the board: $540 \div 6$
- 8. Have a pupil volunteer to give the answer. (Answer: $540 \div 6 = 90$)
- 9. **Say**: 90 is the mean score of the 6 pupils. This is the average score of the pupils, and one way to find the approximate middle of their scores.
- 10. Point to the following chart and on the board and ask: This chart shows the number of vehicles crossing the border during 1 day. Calculate the mean of the data.



- 11. **Say**: To calculate the mean the first thing we need to do is create a list of the frequency for each vehicle by reading the chart.
- 12. Ask pupils to help you create a frequency table (as below) by calling out the numbers for each of the vehicle types.
- 13. Say: Now we must calculate the mean of the data.
- 14. Write on the board: 3 + 12 + 3 + 15 + 6 =
- 15. **Say**: Please add the numbers in your exercise books.
- 16. Have one pupil volunteer to write the sum on the board. (Answer: 3 + 12 + 3 + 15 + 6 = 39)
- 17. Say: Now we will divide the sum, 39, by the number of items, 5.
- 18. **Write** on the board: $39 \div 5$
- 19. Have one pupil volunteer to give the answer. (Answer: $39 \div 5 = 7.8$)
- 20. **Say**: 7.8 is the mean number of vehicles of each type that crossed the border. It is the average out of the numbers.

<u>Vehicle</u>	Frequency
Bus	3
Car	12
Bicycle	3
Motorbike	15
Truck	6
TOTAL	39

Guided Practice (5 minutes)

1. **Write** the following on the board:

There are 10 individuals earning the following monthly incomes: Le 200,000; Le 175,000; Le 250,000; Le 195,000; Le 300,000; Le 410,000; Le 380,000; Le 220,000; Le 180,500; and Le 245,000. Calculate the mean income for the group.

- 2. Ask pupils to work with their partners to solve the problem in their exercise books.
- 3. Move around the room and clear misconceptions.
- 4. Have one pair volunteer to share their answer on the board while the rest of the class check their work. (Answer: Le 200,000 + Le 175,000 + Le 250,000 + Le 195,000 + Le 300,000 + Le 410,000 + Le 380,000 + Le 220,000 + Le 180,500 + Le 245,000 = Le 2,555,500; Le $2,555,500 \div 10 = \text{Le } 255,550$)


Independent Practice (10 minutes)

1. Write the following question on the board and point to the table on the board:

The table contains data showing the number of individuals visiting the bank every day for a week. Create a line graph and then calculate the mean number of individuals.

Day	1	2	3	4	5	6	7
Number of Individuals	65	52	58	79	64	45	57

- 2. Ask pupils to work independently to create a line graph and find the mean of the list of data.
- 3. Walk around to check for understanding and clear misconceptions.
- 4. Ask pupils to compare their answers with their seatmates.
- 5. Have 2 pupils volunteer to share their line graphs on the board, while another presents the mean. The rest of the class should checks their work.



(Answers: 65 + 52 + 58 + 79 + 64 + 45 + 57 = 420; $420 \div 7 = 60$ individuals)

Closing (2 minutes)

- 1. **Write** the following 5 numbers on the board and ask pupils to quickly calculate the mean: 6, 10, 15, 7, 13.
- 2. Ask pupils to write down their work and answer in their exercise books and have them show it to you at the end of the lesson. (Answer: $6 + 10 + 15 + 7 + 13 = 51 \div 5 = 10.2$)


Lesson Title: Median	Theme: Statistics and Probability	
Lesson Number: M-09-125	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None None	Draw the tables and
pupils will be able to:	Wolle	graphs from Introduction
1. Calculate the median of a set of		to New Material, Guided
data from a list, chart, or graph.		Practice and Independent
2. Interpret median.		Practice on the board.

- 1. Ask pupils to volunteer to answer the following questions in their own words:
 - a. Definition of mean. (Example answer: Mean is the average of a set of data, one way to determine the middle of a set of numbers.)
 - b. When would it be useful to know the mean? (Example answers: to figure out the average grade of pupils, or the average amount of money earned or spent)
- 2. **Say:** Today we will calculate the median of a set of data from a list, chart, or graph, and interpret what it means.

Introduction to the New Material (15 minutes)

- Point to the following chart and write the following question on the board:
 The chart contains data showing the number of health facilities in each of the 12 districts of Sierra Leone. Calculate the median number of health facilities.
- 2. **Say**: The number in the middle is called the median. The median is another number that can tell us where the middle of the data is.
- 3. Remind pupils that the mean is the other number that tells us where the middle of the data is. It is also commonly known as the 'average'.
- 4. **Say**: To find the median of a set of data, we must



arrange the numbers in order of size and then find the middle one.

5. Ask pupils to read the chart and call out the numbers to create a list.

- 6. Have a pupil volunteer to come to the board and put the numbers in order of size while the rest of the class does so in their exercise books. (Answer: 45, 50, 54, 54, 59, 82, 83, 87, 95, 96, 105, 108, 111)
- 7. **Ask**: What is the middle number? (Answer: 83)
- 8. **Say**: 83 is the median number of health facilities. Most of the time the mean and median are not equal, but they are often close together.
- 9. Ask pupils to calculate the mean of scores, to see if the mean and median are similar. (Answer: 45 + 50 + 54 + 54 + 59 + 82 + 83 + 87 + 95 + 96 + 105 + 108 + 111 = 1,029; $1,029 \div 13 \approx 79.2$)
- 10. Remind pupils to add up the numbers in the list and divide by the number of items in the list.
- 11. **Say**: The mean is 79.2 health facilities per district. Median and mean are 2 ways to look at the middle of a set of data.

Guided Practice (5 minutes)

- 1. Write the following question on the board:
 - 8 pupils received the following marks on their homework assignments: 15, 17, 15, 18, 16, 20, 20, and 15. What is the median of their scores? Compare it to the mean of the scores.
- 2. Ask pupils to work with their partners to solve the problem in their exercise books.
- 3. Remind pupils that when we have an even number of items, there is no single middle number. We look at the 2 middle numbers and find their mean. We add the 2 numbers and divide by 2.
- 4. Move around the room and help pupils if needed.
- 5. Have a pair volunteer to share their answer on the board while the rest of the class checks their work. (Answers: Median: $16+17=33\div 16.5$; Mean: 15+15+16+17+18+20+20=37; $119\div 8=17$)


Independent Practice (10 minutes)

Point to the following question and frequency table on the board:
 The teacher recorded attendance for 5 days. Create a line graph and find the median of the data.

Day	1	2	3	4	5
Attendance of Pupils out of 40	40	38	35	39	31

- 2. Ask pupils to work independently to create a line graph and find the median of the list of data.
- 3. Walk around to check for understanding and clear misconceptions.
- 4. Ask pupils to compare their answers with their partners.
- 5. Have one pair volunteer to share their line graph on the board, while another presents the median. The rest of the class should check their work.

(Answers: 31, 35, 38, 39, 40; The median is 38 pupils.)



- 1. Ask pupils to think about the following questions:
 - (i) What is the difference between mean and median? (Example answer: The mean is the average. The median is the middle number when the numbers are put in order.)
 - (ii) Give an example of a time when the median and mean would be different. (Example answer: The average could be much lower or much higher than the middle number.)
- 2. Allow pupils to share their ideas and discuss with their partners.
- 3. Have a pair volunteer to share their ideas.

Lesson Title: Mode and Range	Theme: Statistics and Probability	
Lesson Number: M-09-126	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes		Preparation
By the end of the lesson, pupils	None	Draw the tables and graphs
will be able to:	Wolle	from Introduction to New
1. Calculate the mode and range of a		Material, Guided Practice and
set of data from a list, chart, or graph.		Independent Practice on the board.
2. Interpret mode and range.		

- 1. Ask pupils the following questions to review the statistics measures they have learned. Let them volunteer to answer:
 - a. Which statistical measure is the middle number in the list in order from lowest to highest? (Answer: Median)
 - b. Which statistical measure is the average? (Answer: Mean)
- 2. Say: Today, we will learn about 2 more statistical calculations, called mode and range.

Introduction to the New Material (14 minutes)


- 1. Write the following list of numbers on the board: 102, 100, 110, 111, 110, 105
- 2. **Say:** The range is the difference between the highest and lowest numbers. It tells us how spread apart our numbers are.
- 3. **Ask:** What is the lowest number? (Answer: 100)
- 4. Let a pupil volunteer to answer this and the next question.
- 5. Ask: What is the highest number? (Answer: 111)
- 6. **Ask:** For the numbers on the board, what numbers will we subtract to find the range? (Answer: 111-100)
- 7. Write on the board: Range = 111 100 = 11
- 8. Say: The range of these numbers is 11. The mode is the number that appears most often in a list.
- 9. **Ask**: Which number appears more often than the others? (Answer: 110)
- 10. Have a pupil volunteer to answer.
- 11. Say: 110 is the mode for this data.
- 12. Write on the board: Mode = 110
- 13. Point to the following question and frequency table on the board:

The frequency table shows the number of patients treated at the clinic each day for a week. Display the data in a bar chart and then find the mode and range of the data.

Day	1	2	3	4	5	6	7
Number of patients treated	20	14	16	21	13	16	17

- 14. Ask pupils to help draw a bar chart by suggesting the title, x- and y-axis, and height of the bars.
- 15. Ask pupils to write these in order from lowest to highest in their exercise books. (Answer: 13, 14, 16, 16, 17, 10, 21)

- 16. **Ask** pupils the following questions and have them volunteer to answer:
 - a. What is the highest number of people treated on one day? (Answer: 21)
 - b. What is the lowest number of people treated on one day? (Answer: 13)
 - c. What is the range of the number people treated?
 Explain. (Answer: the range is 8 because we subtract 21 13 = 8)



- d. What is the mode of the numbers? Explain. (Answer: The mode is 16, because 16 people were treated on 2 different days.)
- 3. **Say**: If a number is not repeated in a list, then that list of numbers does not have a mode. There can also be 2 or more modes. If 2 different numbers are repeated the same number of times, they are both called the mode.

Guided Practice (5 minutes)

- 1. Ask pupils to work with their partners.
- 2. Write the following question on the board.

The following is the list of heights of 10 pupils: 143 cm., 145 cm., 136 cm., 151 cm., 145 cm., 147 cm., 145 cm., 149 cm., 150 cm., and 152 cm. Find the mode and range of the data.


- 3. Walk around to check for understanding and clear misconceptions.
 - a. If necessary, remind pupils to arrange the numbers from lowest to highest first.
- 4. Have 2 pairs volunteer to share their answers for the different parts of the question. (Answers: List in order: 136 cm., 143 cm., 145 cm., 145 cm., 145 cm., 147 cm., 149 cm., 150 cm., 151 cm. 152 cm.; the range is 16 because we subtract 152 136 = 16; Mode = 145 cm.)

Independent Practice (10 minutes)

Point to the following question and frequency table on the board.
 The table shows the average rainfall per month measured in mm. Draw a line graph counting by 50's on the y-axis, and then calculate the mode and range of the data.

Month	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Rainfall	0	10	25	100	205	355	485	515	450	300	100	15
in mm		10	23	100	203	333	403	313	430	300	100	13

- 2. Walk around to check for understanding and clear misconceptions. If necessary, remind pupils to arrange the numbers from lowest to highest first.
- 3. Allow pupils to compare answers with their seatmates when they are finished.
- 4. Have 2 pairs volunteer to share their answers for the different parts of the question. One group should draw the line graph, and another should find the mode and range. (Answers: List in order: 0, 10, 15, 25, 100, 100, 205, 300, 355, 450, 485, 515; the range is 515 because we subtract 515 0 = 515; Mode = 100)



- 1. Ask pupils to name and define the 4 statistical measures they have learned now in their exercise books. Let them raise their hands to answer.
 - a. Mean (Answer: the average of a set of data)
 - b. Median (Answer: the middle number in the list in order from lowest to highest)
 - c. Mode (Answer: the number that appears most often in a list)
 - d. Range (Answer: the difference between the highest and lowest numbers?)
- 2. Check that pupils have the definitions in their exercise books as they leave the classroom.

Lesson Title: Introduction to Grouped Data	Theme: Statistics and Probability		
Lesson Number: M-09-127	Class/Level: JSS 3	Time: 35 minutes	

Learning Outcomes	Teaching Aids	Preparation
By the end of the	None	Draw the tables from
lesson, pupils will be able to:		Introduction to New
1. Identify that 'grouped data'		Material, Guided Practice and
involves dividing a set of data		Independent Practice on the
into groups, or 'class intervals'.		board.
2. Create a frequency table for		
grouped data.		

- 1. Ask pupils the following questions and have them volunteer to answer:
 - a. What does frequency mean in statistics? (Answer: the number of times something happens)
 - b. What does the word interval mean? (Answer: the distance or time between something)
- 2. Allow pupils to discuss and share answers.
- 3. **Say:** Today we will learn about 'grouped data' and how to create frequency tables for grouped data.

Introduction to the New Material (15 minutes)

- 1. **Say**: If we have a lot of data, sometimes it can be helpful to divide the data into groups. This is called 'grouped data.'
- 2. **Write** on the board: 23 cm., 17 cm., 16 cm., 17 cm., 18 cm., 18 cm., 21 cm., 22 cm., 19 cm., 23 cm., 17 cm., 26 cm., 17 cm., 18 cm., 18 cm., 21 cm., 22 cm., 19 cm., 26 cm., 17 cm., 29 cm., 24 cm., 21 cm., 25 cm., and 25 cm.
- 3. **Say:** These are the lengths in cm. of 25 individuals' feet, which they measured to buy shoes.
- 4. Ask pupils to discuss how we could group this data into smaller groups. Help them to understand that they can divide it into groups based on the number of cm.
- 5. **Say**: The first thing we must do is order the data from smallest to largest.
- 6. Ask pupils to do so in their exercise books, and then ask one pupil to come to the board rewrite the numbers in the correct order. (Answer: 16 cm., 17 cm., 17 cm., 17 cm., 17 cm., 17 cm., 18 cm., 18 cm., 18 cm., 18 cm., 19 cm., 19 cm., 21 cm., 21 cm., 21 cm., 22 cm., 22 cm., 23 cm., 24 cm., 25 cm., 25 cm., 26 cm., 26 cm., 29 cm.)
- 7. **Ask**: What is the range of the data? (Answer: 29 cm. 16 cm. = 13)
- 8. **Say**: If we divide the range by the number of groups we want to put our data into, it can help us decide how large our groups will be.
- 9. Say: Let us divide this data into 3 groups. We can also call our groups 'class intervals.'
- 10. Remind pupils of the definition of the word 'interval.'
- 11. **Ask**: What is $13 \div 3 \approx 4.33$, let us round up to 5.
- 12. **Say:** Now we can make our groups. The starting point should be smaller than or equal to the smallest number in the data set. Let us start with our smallest number: 16 cm.
- 13. **Say:** Now we count by 5's.
- 14. **Ask:** What is 16 + 5? (Answer: 21)

- 15. Say: So our first group is 16 cm. 21 cm.
- 16. Continue this adding process until you have completed creating the intervals.
- 17. **Say**: It is important to check that all of the values are included. Since our highest value is 27 cm., the last group we need to have is 26 cm. 31 cm.
- 18. **Say**: Now that we have our intervals, we must determine what number of people falls into each group.
- 19. **Ask:** How many measurements fit in the group 16 cm. 21 cm.? (Answer: 15)
- 20. Write 15 in the frequency table.
- 21. **Ask:** How many measurements fit in the group 22 cm. 27 cm.? (Answer: 9)
- 22. Write 9 in the frequency table.
- 23. **Ask:** How many measurements fit in the group 27 cm. 32 cm.? (Answer: 1)
- 24. Write 1 in the frequency table.
- 25. **Say**: Now we have created a grouped frequency table. Remember, the groups or intervals must always be equal in size, even though they will have different numbers of frequencies.

Measurement of Feet in cm.				
Measurement	Frequency			
16 cm. – 21 cm.				
22 cm. – 27 cm.				
27 cm. – 32 cm.				
Total				

Measurement of Feet in cm.				
Measurement	Frequency			
16 cm. – 20 cm.	15			
22 cm. – 27 cm.	9			
27 cm. – 32 cm.	1			
Total	25			

Guided Practice (5 minutes)

- 1. Point to the following table and question on the board.
- 2. This table contains data for the frequency of pupils born during each month. Group the data and create a frequency chart.
- 3. Tell pupils to work in pairs to solve the question in their exercise books.
- 4. Remind pupils that the intervals or groups must be even.
- 5. Move around the room to clear misconceptions.
- 6. Ask one pair or have a pair volunteer to come to the board and write their grouped frequency table on the board. (Answer: below)

MONTHS PUPILS WERE BORN IN				
MONTH	NUMBER OF PUPILS			
January	4			
February	3			
March	5			
April	1			
May	0			
June	6			
July	7			
August	5			
September	4			
October	3			
November	4			
December	3			
Total	45			

MONTHS PUPILS WERE BORN IN		
Month	Frequency	
Jan. – Mar.	12	
April – June	7	
July – Sept.	16	
Oct. – Dec.	10	
Total	45	

Independent Practice (10 minutes)

- 1. Write the following problem on the board:
 - 20 pupils took a 100-point math exam. They received the following marks: 90, 92, 100, 73, 61, 85, 72, 75, 64, 80, 95, 82, 64, 85, 98, 70, 100, 90, 95, and 88. Organise the data into a grouped frequency table with 4 groups.
- 2. Ask pupils to solve the problem independently in their exercise books.
- 3. If pupils are struggling, help them decide to use groups of 10 each, starting from 61.
- 4. Move around the room to clear misconceptions.
- 5. After pupils have been working for 3 minutes, allow them to discuss with their neighbours.
- 6. Have one pupil volunteer to come to the board to share his/her grouped data frequency table, while the other pupils check their work in their exercise books. (Answer: below)

PUPILS' SCORES ON MATH EXAM		
Scores	Frequency	
61 – 70	4	
71 – 80	4	
81 – 90	6	
91 – 100	6	
TOTAL	20	

- 1. Write the following questions on the board:
 - a. Why is it called grouped data? (Answer: Because we divide the data up into groups or class intervals)
 - b. How do you decide on the intervals? (Answer: Calculate the range and divide by the number of groups you want to have, then round up.)
- 2. Allow pupils to discuss. Clear any misconceptions.

Lesson Title: Mean of Grouped Data	Theme: Statistics and Probability	
Lesson Number: M-09-128	Class/Level: JSS 3	Time: 35 minutes

	A	
Learning Outcomes	Teaching Aids	Preparation
By the end of the	None	Draw the tables from Introduction
lesson, pupils will be able to	None	to New Material, Guided Practice
estimate the mean of grouped		and Independent Practice on the board.
data from a frequency table		
using the formula: $\bar{\bar{x}} = \frac{\sum fx}{\sum f}$.		

- 1. Ask pupils the following questions:
 - a. What is grouped data? (Answer: Data arranged into equal groups)
 - b. How do you calculate the mean from data? (Answer: Add up all the values in a data set and divide by the number of items)
- 2. Allow pupils to discuss and share answers.
- 3. Say: Today we will learn how to estimate the mean of grouped data from a frequency table.

Introduction to the New Material (15 minutes)

1. **Write** the following question on the board:

The following list tells how many pumpkins 15 different farmers harvested: 0, 3, 5, 6, 6, 8, 9, 11, 11, 13, 14, 15, 17, 19, and 22. Create a grouped data frequency table with 5 groups and then estimate the mean of the data.

- 2. Ask pupils to help decide how large each group should be.
- 3. **Ask**: What do we do to figure out the size of the groups? (Answer: Find the range of the data and divide by the number of groups.)
- 4. Ask pupils to do the calculations in their exercise books. Call on one pupil to share their answer with the class. (Answer: 22 0 = 22; $22 \div 5 = 4.4 \rightarrow round \ to \ 5$)
- 5. **Ask**: What should our first interval be? (Answer: 0-4)
- 6. Have pupils continue calculating intervals and fill in the chart as below:
- 7. **Say**: When we have a grouped data frequency chart, we cannot calculate the mean exactly because we do not know the exact numbers in the data set, we only know the frequency for each interval.

We can estimate the mean using the following formula: Σfx

$$\bar{\bar{x}} = \frac{\sum fx}{\sum f}$$

- 8. **Say:** Sigma (Σ) frequency (f) times the midpoint (x) all divided by sigma (Σ) frequency (f). Point to each of the parts as you read them.
- 9. Remind pupils that Sigma (Σ) means to add all the results.
- 10. Ask pupils to repeat the formula back to you, allow them to practice saying the formula.

HARVEST OF 15 FARMERS		
Harvest of Pumpkins	Frequency	
0 – 4	2	
5 – 9	5	
10 – 14	4	
15 – 19	3	
20 – 24	1	
Total	15	

77

11. **Say**: To estimate the mean we must first find the midpoint of each of the intervals our data is grouped into.

To find the midpoint you find the average of the 2 numbers making up the interval. For example: 0 + 4 = 4; $4 \div 2 = 2$

HARVEST OF 15 FARMERS		
Harvest of Pumpkins	Frequency	Midpoint
0 – 4	2	2
5-9	5	7
10 – 14	4	12
15 – 19	3	17
20 – 24	1	22
Total	15	

- 12. **Ask**: What is the midpoint of 0 4? (Answer: 2)
- 13. Ask: What is the midpoint of 5 9? (Answer: 7)
- 14. Let pupils raise their hands to answer these questions.
- 15. Continue until you have determined the midpoints of all the intervals.
- 16. **Say**: Now we can use the formula and substitute the values.

17. Write on the board: $\frac{\sum fx}{\sum f}$ =
$\sum (2\times 2) + (5\times 7) + (4\times 12) + (3\times 17) + (1\times 22)$
$\sum (2+5+4+3+1)$

18. **Say**: First we must multiply the midpoint of the interval by the frequency of numbers in that interval. For example, $fx = 5 \times 7 = 35$ and add up all of those products. Then we must divide it by the total frequency.

Frequency x	Midpoint =	Product
2	2	4
5	7	35
4	12	48
3	17	51
1	22	22
15		

BABIES BORN IN THE CLINIC

Frequency

7

9

14

Number of Babies

0 - 4

5 - 9

10 - 14

15 - 19

- 19. Ask pupils to do the calculations in their exercise books while you do so on the board. $\frac{\sum fx}{\sum f} = \frac{\sum 4+35+48+51+22}{\sum f(f)}$
- 20. Have a pupil volunteer to come to the board to share the answer: 4 + 35 + 48 + 51 + 22 = 160
- 21. Write on the board $160 \div 15 =$
- 22. Ask pupils to calculate the answer and ask one to share it with the class. (Answer: 10.667)
- 23. **Say**: Now let us go back to the original data and calculate the mean so we can see how close the estimate is to the actual mean.
- a. Remind pupils that if they are estimating the mean for grouped frequency data they will not have all of the original data; we are only doing this to see the difference.
- 24. Invite a pupil to come to the board and do the calculations while the rest of the class calculates the mean in their exercise books: $0+3+5+6+6+8+9+11+11+\\13+14+15+17+19+22=\\159;\ 159 \div 15=10.6$
- 25. **Say**: The estimate is very close to the real mean.

BABIES BORN IN THE CLINIC			
Number of Babies	Frequency	Midpoint	
0 – 4	5	2	
5-9	7	7	
10 – 14	9	12	
15 – 19	14	17	
Total	35		

Guided Practice (5 minutes)

1. Point to the following table and question on the board:

This grouped frequency table contains data showing the number of babies born in the clinic over a 2 week period. Estimate the mean of the data.

- 2. Tell pupils to work in pairs to solve the question in their exercise books.
- 3. Move around the room to clear misconceptions.
- 4. Have one pair volunteer to come to the board and write their grouped frequency table on the board. Answers: $\frac{\sum fx}{\sum f} = \frac{\sum (5 \times 2) + (7 \times 7) + (9 \times 12) + (14 \times 17)}{\sum (5 + 7 + 9 + 14)} = \frac{\sum (10) + (49) + (108) + (238)}{\sum (35)} = \frac{405}{35} = 11.57$

Independent Practice (10 minutes)

1. Point to the following problem on the board:

This is the frequency table we created in the previous lesson, showing pupils' scores on their math exams. Estimate the mean of the data.

- 2. Ask pupils to solve the problem independently in their exercise books.
- 3. Move around the room to clear misconceptions.
- 4. After pupils have been working for 3 minutes, allow them to discuss with their neighbours.
- 5. Have one pupil volunteer to come to the board to share his/her answer, while the other pupils check their work in

PUPILS' SCORES ON MATH EXAM		
Scores	Frequency	
61 – 70	4	
71 – 80	4	
81 – 90	6	
91 – 100	6	
TOTAL	20	

their exercise books. Answers: $\frac{\sum fx}{\sum f}$ =	$\Sigma(4\times65.5)+(4\times75.5)+(6\times85.5)+(6\times95.5)$
<u> </u>	<u> </u>
$\frac{\Sigma(262)+(302)+(513)+(573)}{\Sigma(20)} = \frac{1650}{20} = 82$	5

PUPILS' SCORES ON MATH EXAM		
Scores	Frequency	Midpoint
61 – 70	4	65.5
71 – 80	4	75.5
81 – 90	6	85.5
91 – 100	6	95.5
TOTAL	20	

- 1. Write the following questions on the board:
 - a. What is the formula to calculate the mean of grouped data? (Answer: $\frac{\sum fx}{\sum f}$)
 - b. Why is the formula different from calculating mean of a regular data set? (Answer: We cannot calculate the exact mean, because we do not have all the data, so we must estimate.)
- 2. Allow pupils to discuss. Clear any misconceptions.

Lesson Title: Median and Modal Class of Grouped Data	Theme: Statistics and Probability	
Lesson Number: M-09-129	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	∏ Teaching Aids	
By the end of the lesson, pupils will be able to: 1. Identify the modal class as the class interval with the highest frequency. 2. Estimate the median of grouped data	None	Preparation Draw the tables from Introduction to New Material, Guided Practice and Independent Practice on the board.
from a frequency table using the formula: $L_m + \left[\frac{\frac{n}{2} - F_{m-1}}{f_m}\right] \times c$		

- 1. Ask pupils the following questions:
 - a. What is grouped data? (Answer: data arranged into equal groups)
 - b. How do you estimate the mean of grouped data? (Answer: $\bar{x} = \frac{\sum fx}{\sum f}$)
- 2. Allow pupils to discuss and volunteer to share their answers.
- 3. **Say:** Today we will learn how to identify the modal class as the class interval with the highest frequency, and estimate the median of grouped data from a frequency table.

Introduction to the New Material (15 minutes)

1. **Write** the following question on the board:

The following list tells us how many pineapples 15 different market sellers brought to sell: 6, 6, 7, 8, 8, 11, 11, 12, 13, 15, 16, 17, 18, 20 and 22. Create a grouped data frequency table with 5 groups and then identify the modal class and estimate the median of the data.

- 2. Ask pupils to help decide how large each group should be.
- 3. **Ask**: What do we do to figure out the size of the groups? (Answer: Find the range of the data and divide by the number of groups.)
- 4. Ask pupils to do the calculations in their exercise books. Call on one pupil to share their answer

with the class. (Answer: 22-6=16; $16 \div 5=3.2 \rightarrow round\ up\ to\ 4$)

- 5. **Ask**: What should our first interval be? (Answer: 5 8)
- 6. Have pupils volunteer to answer and continue calculating intervals and fill in the chart as below:
- 7. **Ask**: What is the mode? (The most common number in a data set.)
- 8. Have a pupil volunteer to answer.
- 9. **Say**: In a grouped frequency table we do not know the exact mode, since we do not have the exact data. The modal class is the interval with the highest frequency.
- 10. Remind pupils that we also call the groups in data 'class intervals.'
- 11. **Ask**: Which group in our table has the highest frequency? (Answer: 5 8)
- 12. Allow pupils to volunteer their answers, and to discuss and ask questions.

PINEAPPLES FROM 15 FARMERS		
Pineapples to Sell	Frequency	
5 – 8	5	
9 – 12	3	
13 – 16	3	
17 – 20	3	
21 – 24	1	
Total	15	

- 13. **Say**: When we have a grouped data frequency chart, just like we cannot calculate the mean exactly because we do not know the exact numbers in the data set, so we cannot calculate the exact median, we only know the frequency for each interval. Since we know the number of market sellers we know the middle number.
- 14. Ask: What is the middle value out of the 15 sellers? (Answer: the 8th seller)
- 15. Have pupils volunteer to answer this question and the next one.
- 16. **Ask**: Which interval contains the 8^{th} seller? (Answer: 9 12)
- 17. Say: We can estimate the mean using a special formula.
- 18. Write the formula on the board:

$$L_m + \left[\frac{\frac{n}{2} - F_{m-1}}{f_m}\right] \times c$$

- 19. Read the parts of formula out loud and write definitions:
 - a. L_m is the lower class boundary of the group containing the median.
 - b. $\frac{n}{2}$ is the total number of values divided by 2
 - c. F_{m-1} means the total frequency for the groups before the median group.
 - d. f_m is the frequency of the median group.
 - e. *c* is the group width.
- 20. Point to each of the parts as you read them.
- 21. Remind pupils that m is referring to the median group.
- 22. Ask pupils to repeat the formula back to you, allow them to practice saying the formula.
- 23. Say: Now we must begin to substitute the values into the formula.
- 24. Ask pupils to help by calling out the numbers for you to substitute.

$$L_m + \left[\frac{\frac{n}{2} - F_{m-1}}{f_m}\right] \times c = 9 + \left[\frac{\frac{15}{2} - 5}{3}\right] \times 4 = 9 + \left[\frac{\frac{5}{2}}{3}\right] \times 4 = 9 + \frac{10}{3} = 12.33$$

- 25. Ask pupils to calculate the answer and ask one to share it with the class. (Answer: 12.33)
- 26. **Say**: Now let us go back to the original data and find the median so we can see how close the estimate is to the actual median.
- 27. Remind pupils that if they are estimating the median for grouped frequency data they will not have all of the original data; we are only doing this to see the difference.
- 28. Have a pupil volunteer to share their answer: 12
- 29. **Say**: The estimate is very close to the real mean.

Guided Practice (5 minutes)

- 1. Point to the following table and question on the board:
 - This grouped frequency table contains data showing the number of books read by pupils. Identify the modal class and estimate the median of the data.
- 2. Tell pupils to work in pairs to solve the question in their exercise books.
- 3. Move around the room to clear misconceptions.

Ask one pair or group to come to the board and write their grouped frequency table on the board. (Answers: Modal class = 15 - 19)

NUMBER OF BOOKS READ BY PUPILS		
Number of Books	Frequency	
0 – 4	9	
5 – 9	11	
10 – 14	8	
15 – 19	12	
Total	40	

$$L_m + \left[\frac{\frac{n}{2} - F_{m-1}}{f_m}\right] \times c = 5 + \left[\frac{\frac{40}{2} - 9}{11}\right] \times 5 = 5 + \left[\frac{11}{11}\right] \times 5 = 5 + 5 = 10$$

Independent Practice (10 minutes)

1. Point to the following problem on the board:

This is the frequency table we created in the previous lesson, showing pupils' scores on their math exams. Find the modal class and estimate the median of the data.

2.	Ask pupils to solve the problem independently in their
	exercise hooks

- 3. Move around the room to clear misconceptions.
- 4. After pupils have been working for 3 minutes, allow them to discuss with their partners.

PUPILS' SCORES ON MATH EXAM		
Scores	Frequency	
61 – 70	4	
71 – 80	4	
81 – 90	6	
91 – 100	6	
TOTAL	20	

Have one pupil volunteer to come to the board to share his/her answer, while the other pupils check their work in their exercise books. Answers: Modal class = 81 - 90 and 91 - 100

$$L_m + \left[\frac{\frac{n}{2} - F_{m-1}}{f_m}\right] \times c = 81 + \left[\frac{\frac{20}{2} - 8}{6}\right] \times 10 = 81 + \left[\frac{2}{6}\right] \times 10 = 81 + \frac{10}{3} = 84.33$$

- 1. Write the formula to estimate the median of grouped data on the board.
- 2. Say: Review your notes for 1 minute and then I will call on pupils at random to define the terms.
- 3. Have pupils volunteer to explain each of the terms in the formula:
 - a. L_m (Answer: the lower class boundary of the group containing the median.)
 - b. $\frac{n}{2}$ (Answer: the total number of values divided by 2)
 - c. F_{m-1} (Answer: the total frequency for the groups before the median group.)
 - d. f_m (Answer: the frequency of the median group.)
 - e. c (Answer: the group width.)
- 4. Allow pupils to discuss. Clear any misconceptions.

Lesson Title: Practice with Grouped Data	Theme: Statistics and Probability	
Lesson Number: M-09-130	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes
By the end of the lesson, pupils will be able to estimate the mean, median, and modal class for grouped data.

Teaching Aids
None

Preparation
Draw the tables from Introduction to New Material, Guided Practice and Independent Practice on the board.

Opening (3 minutes)

- 1. Ask pupils the following questions:
 - a. What is grouped data? (Answer: Data arranged into equal groups)
 - How are mean, median, and mode different when you are working with grouped data?
 (Answer: You must estimate them, since you do not have the exact data you cannot calculate exactly)
- 2. Allow pupils to discuss and share answers.
- 3. **Say:** Today we will practice estimating the mean, median, and modal class for grouped data from a frequency table.

Introduction to the New Material (15 minutes)

- Write the following question on the board:
 The following grouped data frequency table displays the number of customers at the bank across a period of 11 days. Estimate the mean and median, and identify the modal class of the data.
- 2. **Ask**: What is the formula to estimate the mean of grouped data? (Answer: $\bar{x} = \frac{\sum fx}{\sum f}$)
- 3. **Say:** Sigma (Σ) frequency (f) times the midpoint (x) all divided by sigma (Σ) frequency (f).
- 4. Point to each of the parts as you read them. Remind pupils Sigma (Σ) means to add all the results.
- 5. Ask pupils to repeat the formula back to you, allow them to practice saying the formula.
- 6. **Say**: First we must calculate the midpoints of each group.
- 7. Ask pupils to do so in their exercise books while you do so on the board.
- 8. **Say**: Now we can use the formula and substitute the values.

9.	Write on the board: $\frac{\sum fx}{\sum f}$ =	
	$\sum (2 \times 24.5) + (4 \times 34.5) + (3 \times 44.5) + (2 \times 55.5)$	$=\frac{\sum(49)+(138)+(133.5)+(111)}{\sum(49)}=39.23$
	$\sum (2+4+3+2)$	$=\frac{\sum_{(11)}}{\sum_{(11)}}=39.23$

83

10. Say: Next let us estimate the median.

CUSTOMERS AT THE BANK		
Number of Customers	Frequency	
20 – 29	2	
30 – 39	4	
40 – 49	3	
50 – 59	2	
Total	11	

CUSTOMERS AT THE BANK			
Number of	Frequency	Midpoint	
Customers			
20 – 29	2	24.5	
30 – 39	4	34.5	
40 – 49	3	44.5	
50 – 59	2	55.5	
Total	11		

- 11. **Ask**: What is the formula to estimate the median of grouped data? (Answer: $L_m + \left[\frac{\frac{n}{2} F_{m-1}}{f_m}\right] \times c$)
- 12. Read the formula out loud. Remind pupils of each of the terms.
 - a. L_m is the lower class boundary of the group containing the median.
 - b. $\frac{n}{2}$ is the total number of values divided by 2
 - c. F_{m-1} means the total frequency for the groups before the median group.
 - d. f_m is the frequency of the median group.
 - e. *c* is the group width.
- 13. Ask pupils to repeat the formula back to you, allow them to practice saying the formula.
- 14. Ask: What is the median group? (Answer: 30-39)
- 15. Ask pupils to substitute the values into the formula in their exercise books, do so on the board to guide them.

$$L_m + \left[\frac{\frac{n}{2} - F_{m-1}}{f_m}\right] \times c = 30 + \left[\frac{\frac{11}{2} - 2}{4}\right] \times 10 = 38.75$$

- 16. **Say**: Now we can identify the modal group.
- 17. Ask: How can we identify the modal group? (Answer: it is the group with the largest frequency)
- 18. Allow pupils to discuss and ask 1 pupil to share the answer: 30 39 is the modal group.

Guided Practice (5 minutes)

1. Point to the following table and question on the board:

This grouped frequency table contains data showing the number of mosquito nets distributed over 3 weeks by the Ministry of Health. Estimate the mean of the data.

- 2. Tell pupils to work in pairs to solve the question in their exercise books.
- 3. Move around the room to clear misconceptions.

Ask one pair or group to come to the board and write their grouped frequency table on the board.

(Answers:
$$\frac{\sum fx}{\sum f}$$
 = $\frac{\sum (1 \times 7) + (1 \times 12) + (4 \times 17) + (9 \times 22)}{\sum (1 + 1 + 4 + 9)}$ = $\frac{\sum (7) + (12) + (68) + (198)}{\sum (15)}$ = $\frac{285}{15}$ = 19)

NUMBER OF MOSQUITO NETS DISTRIBUTED		
Number of Nets	Frequency	
5 – 9	1	
10 – 14	1	
15 – 19	4	
20 – 24	9	
Total	15	

NUMBER OF MOSQUITO NETS DISTRIBUTED		
Number of Nets	Frequency	Midpoint
5-9	1	7
10 – 14	1	12
15 – 19	4	17
20 – 24	9	22
Total	15	

Independent Practice (10 minutes)

1. Point to the following problem on the board:

Using the same grouped frequency table, estimate the median and identify the modal class.

- 2. Ask pupils to solve the problem independently in their exercise books.
- 3. Move around the room to clear misconceptions.

4. After pupils have been working for 3 minutes, allow them to discuss with their partners. Have a pupil volunteer to come to the board to share his/her answer, while the other pupils check their work in their exercise books. (Answers: Modal class = 20 – 24

$$L_m + \left[\frac{\frac{n}{2} - F_{m-1}}{f_m}\right] \times c = 20 + \left[\frac{\frac{15}{2} - 6}{9}\right] \times 5 = 20 + \left[\frac{\frac{3}{2}}{9}\right] \times 10 = 21.67$$

- 1. Ask the following questions for review and let pupils volunteer to answer:
 - a. How can you identify the median class? (Answer: It is the one with the middle value.)
 - b. How can you identify the modal class? (Answer: It is the one with the largest frequency.)
 - c. What does Σ (sigma) mean? (Answer: sum, add up)
- 2. Allow pupils to discuss. Clear any misconceptions.

Lesson Title: Probability	Theme: Statistics and Probability	
Lesson Number: M-9-131	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	Write the questions and
pupils will be able to:	Wolle	statements from Guided
1. Identify that probability		Practice and Independent
describes the chance of something		Practice on the board.
happening.		
2. Discuss the probability of an		
event happening in words.		

- 1. Ask pupils the following questions and have them volunteer to answer:
 - a. How likely is it that it will be sunny tomorrow? (Example answers: it will probably happen; it may not happen)
 - b. How likely is it that it will rain tomorrow? (Example answers: it will probably rain tomorrow; it will probably not rain tomorrow)
 - c. How likely is it that a person's first-born child is a daughter? (Example answers: It's possible; it might happen, it might not happen)
 - d. How likely is it that a person's first-born child is a son? (Example answers: It's possible; it might happen, it might not happen)
- 2. Allow pupils to discuss and share their ideas with the class.
- 3. **Say:** Today, we will learn that probability describes the chance of something happening. We will discuss the probability of different events happening.

Introduction to the New Material (12 minutes)

- 1. **Say:** Consider the question about rain. There are 2 possible outcomes for tomorrow: It will rain, or it will not rain.
- 2. Ask: In the rainy season, what are the chances that it would rain on any given day?
- 3. Allow pupils to volunteer to share their answers. (Example answers: It is likely to rain; It rains most days; It would probably rain)
- 4. Ask: In the dry season, what are the chances that it would rain on any given day?
- 5. Allow pupils to volunteer to share their answers. (Example answers: It is unlikely that it would rain; It doesn't rain often; It probably wouldn't rain)
- 6. **Ask**: What are some words we use to describe the chances something will happen? (Example answers: Impossible, unlikely, likely, certain, possibly, probably, maybe, might, definite)
- 7. Write on the board as pupils volunteer to share their answers: Impossible, unlikely, likely, certain, possibly, probably, maybe, might, definite
- 8. **Say**: These are some words we use to talk about the chances of something happening.
- 9. Ask pupils to help define the words, for example:
 - a. Impossible something will not happen
 - b. Unlikely it probably won't happen
 - c. Likely it probably will happen
 - d. Certain it will definitely happen

- e. Possibly something could happen
- f. Probably something will likely happen
- g. Maybe it is unknown
- h. Definite something will certainly happen
- 10. Ask pupils questions and encourage them to talk about probability in everyday language (they do not need to use numbers or Maths language yet). For example:
 - a. What is the probability that you will study tonight? (Example answers: It is likely; it is unlikely because I have other work to do)
 - b. What is the probability you will eat rice today? (Example answers: It is possible; it is certain)
 - c. What is the probability you will speak to a cousin today? (Example answers: It is likely; it is impossible because they live in another town)
 - d. What is the probability you will enroll in JSS1 next year? (Example answers: It is impossible, because you are already in JSS 3)
- 11. **Say**: In math, we can study the possibility of something happening. We call this 'probability'. In probability, we use numbers and math language to show the chances of something happening.

Guided Practice (8 minutes)

1.	Point to	the follov	ving state	ments on	the l	board:
----	----------	------------	------------	----------	-------	--------

- a. It is _____ that medicine will help you get better.
- b. It is _____ that I will be able to fly home today.
- c. It is _____ that you will pass the test if you study.
- d. It is _____ that my mother is older than me.
- e. It is ______ you will get malaria if you properly use a mosquito net.
- f. It is _____ that medicine will help you get better.
- 2. Ask pupils to work with their partners by getting into pairs.
- 3. **Say**: Write the following questions in your exercise book. Work with your partners to use the words 'impossible', 'unlikely', 'likely', and 'certain' to fill in the blank in each of the sentences.
- 4. After reading the questions and allowing pairs to decide their own answers, ask pupils to volunteer to share their answers with the class.
- 5. Encourage pupils to discuss when they disagree. For example, some pupils might think it is impossible to cure a disease without drugs, and other pupils might think it's unlikely. Either answer is okay. The discussion about probability is important. (Answers: (a) likely; (b) impossible; (c) likely; (d) certain; (e) unlikely; (f) likely)

Independent Practice (10 minutes)

- 1. Point to the following statements on the board:
 - a. It will rain during dry season.
 - b. The teacher will take attendance.
 - c. Tuesday will come after Monday in the week.
 - d. The cows will be able to fly.
 - e. It will be dark at nighttime.
 - f. The sellers will be in the market.
- 2. Ask pupils to choose whether the statements are impossible, unlikely, likely or certain and write your answer in your exercise books.

- 3. Move around the room and check on pupils. Clear any misconceptions.
- 4. Ask pupils to discuss their answers with their partners when they have finished.
- 5. Have 5 pupils volunteer to each read a statement to the class, and share their answer. (Answers: (a) unlikely; (b) likely; (c) certain; (d) impossible; (e) certain; (f) likely)

- 1. Ask pupils to come up with their own examples of likely, unlikely, certain, or impossible events. (For example, it is certain they will go home and study because they have a quiz tomorrow.)
- 2. Allow pupils to discuss with their partners.
- 3. Have 1-2 pairs volunteer to share their ideas with the class.

Lesson Title: Probability Experiments with 1 Event	Theme: Statistics and Prob	ability
Lesson Number: M-09-132	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes

By the end of the lesson, pupils will be able to:

- 1. Conduct simple probability experiments
- 2. Use probability terms such as 'experiment,' 'outcome' and 'event'.

Teaching Aids

A plastic or paper die (see last page of lesson plan), or if a die is unavailable, 6 squares of paper with the numbers 1-6 written on them.

Preparation

Locate or make die, or prepare numbered squares of paper.

Opening (3 minutes)

- 1. Ask pupils to raise their hands to answer the following questions:
 - a. What is probability? (Example answer: Probability is the chance that something will happen or how likely it is that it will happen.)
 - b. Write a statement about something that is likely to happen. (Example answers: I will study when I get home.)
 - c. Write a statement about something that is unlikely to happen. (Example answers: I will see a snake on my way home from school.)
- 2. Say: Today, we will learn how we use experiments to understand probability in mathematics.

Introduction to the New Material (11 minutes)

- 1. Ask: What is an experiment?
- 2. Have 3-4 pupils volunteer to answer. (Example answers: It's when we try something to understand how it works; Scientists do experiments to understand new ideas.)
- 3. **Say**: In probability, an experiment is a situation involving chance. An experiment leads to results called outcomes. For example, I can toss a dice as an experiment. There is a chance that the dice will land on any number between 1 and 6. This is an experiment involving chance.
- 4. **Ask:** What is an outcome when we talk about experiments?
- 5. Allow pupils to raise their hands to answer.
- 6. **Say:** An outcome is a single result of an experiment. It is something that could possibly happen.
- 7. **Ask:** If I roll a die, what are the possible outcomes?
- 8. Have 2-3 pupils volunteer to answer. (Answers: You roll a 1, 2, 3, 4, 5, or 6.)
- 9. Say: I will now conduct an experiment. I will close my eyes and roll this die.
- 10. **Ask**: What are the possible outcomes of my experiment? Turn to the pupil beside you and discuss.
- 11. Allow pupils to discuss. Guide them to see that they already answered the question; it was just asked in a mathematical way this time.
- 12. **Say**: There are 6 possible outcomes. I could roll a 1, 2, 3, 4, 5 or 6. Those are the only possible outcomes for my experiment of rolling a die.
- 13. Write on the board: Outcomes:
- 14. Do the experiment a few times. Roll the die and write the number on the board. (Example on the board: Outcomes: 3, 4, 1, 6, 5, 3)
- 15. Say: Another word we use in probability is 'event'.
- 16. **Ask**: What is the meaning of event in our everyday lives?

- 17. Have pupils volunteer to share their answers. (Example answers: Events are things that happen, often at certain times. A party or football match can be called an event.)
- 18. **Say**: In probability, the outcomes of an experiment can also be called events. Events can involve 1 outcome or more than 1 outcome. 1 event of our experiment is rolling a 4 with the die. Rolling the 4 is the event. Events can also involve more than 1 outcome. For example, rolling an odd number on the die is an event. We could roll a 1, 3 or 5. They are 3 different outcomes, but they are all odd numbers, so in this case we can describe this as an event. Before we can do calculations with probability, we must understand experiments. It is important to learn the correct words for talking about probability.

Guided Practice (9 minutes)

1. Write on the board:

Experiment: Selecting pieces of paper

Outcomes:

- 2. Ask pupils to work with their partners.
- 3. **Say**: I want you to make your own experiment. Tear 10 small pieces of paper, from 1 page of your exercise book or any other sheet. You can share 10 pieces for the whole group. I want you to write on them. You can write letters, numbers, or words, such as the number 1-10 or letters A- J. All 10 pieces of paper should be different.
 - After you make your papers, I want you to conduct the experiment with your group. Fold the pieces of paper and put them in a pile. Everyone should take turns to randomly choose a piece of paper. Write down the outcomes of your experiment in a list.
- 4. Walk around to check for understanding. Make sure each pupil is involved in the experiment. Make sure pupils are writing the list of outcomes correctly. (Example outcomes: Depending on what pupils wrote on their papers and the number of pupils per group: 1, 7, 2, 9; or B, F, E, D, A; Bird, Cow, Dog, Cat; etc.)
- 5. Have a pair volunteer to come forward and explain their experiment to the class. Ask them to give the outcomes of their experiment. (Example: In our experiment, we wrote letters on the 10 pieces of paper. The outcomes of our experiment were B, F, E, D, A.)
- 6. Ask pupils to save these pieces of paper to do more experiments during later lessons.

Independent Practice (10 minutes)


- 1. **Say**: I am going to write down some experiments and outcomes on the board. I will not tell you what type they are. I want you to choose whether each is an experiment or outcome.
- 2. Show an example first. Write on the board: 1) Rolling a die
- 3. **Ask**: Is this an experiment or outcome? (Answer: experiment)
- 4. Write the answer on the board after the statement: 1) Rolling a die Experiment
- 5. **Say**: I want you to do the same thing in your exercise books.
- 6. Continue the list on the board:
 - a. Rolling a die Experiment
 - b. Randomly choosing an orange from a bag of oranges and mangos
 - c. Drawing a red 10 from a deck of cards
 - d. Flipping a coin
 - e. A die landing on 6

- f. Putting pupils' names in a hat to draw from
- g. Randomly selecting a blue pen from a cup
- 7. Have 6 different pupils volunteer to answer 1 question each. (Answers: (ii) outcome; (iii) outcome; (iv) experiment; (v) outcome; (vi) experiment; (vii) outcome)
- 8. Make corrections and discuss where necessary.

Closing (2 minutes)

- 1. Ask pupils to define the following words in statistics.
 - a. What is an experiment? (Answer: A situation involving chance or probability that leads to results, or outcomes.)
 - b. What is an outcome? (Answer: It is a single result of an experiment.)
 - c. What is an event? (Answer: It is 1 or more outcomes of an experiment.)
- 2. Have 3 pupils volunteer to share their answers with the class.

Note: If necessary, a die can be created using this pattern and taping it together.



Lesson Title: Expressing Probability with Numbers	Theme: Statistics and Proba	bility
Lesson Number: M-09-133	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes

By the end of the lesson, pupils will be able to:

- 1. Express the probability of an event happening as a fraction.
- 2. Express the probability of an event happening as a percentage.

Teaching Aids

A plastic or paper die (see last page of lesson plan) or, if unavailable, 6 squares of paper with the numbers 1-6 written on them.



Preparation

1. Locate or make die, or prepare numbered

squares of paper.

2. Draw the diagram from Introduction to the New Material on the board.


Opening (2 minutes)

- 1. Write the following questions on the board to review fractions and percentages.
 - a. Simplify $\frac{4}{12}$ and $\frac{8}{16}$
 - b. Write $\frac{1}{4}$ and $\frac{1}{5}$ as percentages.
- 2. Allow pupils work in their exercise books.
- 3. Invite 2 volunteers to come to the board and write their answers. (Answer: (i) $\frac{1}{2}$ and $\frac{1}{2}$; (ii) 25% and 20%)
- 4. Say: Today we will learn how to express the probability of an event happening as a fraction and as a percentage.

Introduction to the New Material (13 minutes)

- 1. **Say**: The sides of this die are labeled 1 to 6.
- 2. (If no die is available, use paper die or individual pieces of paper.)
- 3. Ask: What are the chances that I will randomly roll or select an 8?
- 4. Have 2 pupils volunteer to share their answers. (Answer: It is impossible; we cannot get an 8 because it's not on the die.)
- 5. **Say**: If the statement is impossible, the probability is 0.
- 6. Write on the board: Probability of rolling 8 = 0
- 7. Ask: What are the chances that I will randomly select a number less than 7?
- 8. Have 2-3 pupils volunteer to share their answers with the class. (Answer: It is certain; the number selected will definitely be less than 7 because all numbers 1 to 6 are less than 7.)
- 9. Write on the board: Probability of drawing a number less than 7 = 1
- 10. Say: If an event is impossible, then it definitely will not happen and the probability of it happening is 0. If an event is certain, then it definitely will happen and the probability of it happening is 1.
- 11. Say: We have also discussed likely and unlikely events. Those events might happen, or they might not. If there is a chance of them happening, the probability is between 0 and 1. That is, it is a fraction, or part of a whole.
- 12. Ask: If I roll this die, what is the probability that I will roll a 3?
- 13. Have 3 pupils volunteer to share their answers with the class. (Example answer: It is unlikely, because only 1 side has a 3.)

- 14. **Say**: Today we will learn how to answer this type of question with numbers. Remember that in probability, 0 is impossible and 1 is certain. That means that all other likely and unlikely events are expressed with fractions between 0 and 1.
- 15. Write on the board: probability = $\frac{\text{the number of ways an event can occur}}{\text{total number of possible outcomes}}$
- 16. Remind pupils of the question: If I roll this die, what is the probability that I will roll a 3?
- 17. **Say:** To find the numerator, we need to decide how many ways it could possibly happen that we draw a 3.
- 18. Ask: How many sides of this die have a 3 on them? (Answer: 1 side)
- 19. Have a pupil volunteer to answer.
- 20. Say: Yes, there is 1 possible way this event can outcome.
- 21. **Ask**: How many total possible outcomes are there on the die? That is, how many different sides are there? (Answer: 6)
- 22. Write on the board: probability of rolling $3 = \frac{1}{6}$
- 23. **Say:** The fraction $\frac{1}{6}$ represents the probability of choosing a 3. We can say 'there is a 1-in-6 chance of choosing 3'.
- 24. Write on the board: There is a 1-in-6 chance of choosing 3.
- 25. **Ask**: How can we write this as a percentage? (Answer: 16.67%; remind pupils how to convert to percentages if necessary; multiply the fraction by 100%)
- 26. Say: There is a 16.67% chance that we will roll a 3.
- 27. Point to the diagram on the board:



- 28. **Say**: This diagram helps us to compare likely and unlikely events. The bigger a fraction or percent is, the more likely the event is to occur. The smaller the fraction or percent, the less likely.
- 29. Allow pupils to ask questions to make sure they understand the fractions and percentages are equivalent.

Guided Practice (7 minutes)


- 1. Ask pupils to work in pairs.
- 2. **Write** the following questions on the board: There are 2 yellow balls, 4 red balls and 6 blue balls in a sack. What is the probability that I will draw:
 - a. A yellow ball
 - b. A blue ball
 - c. A red ball
 - d. A yellow or blue ball
- 3. Ask 1 person in each pair to calculate the fraction in simplest form and ask the other pupil in each pair to calculate the percentage.
- 4. Allow pupils to discuss and exchange ideas.
- 5. Move around to check for pupils understanding and clear misconceptions.

6. Have 4 different pairs volunteer to give the 4 answers and explain. (Answers: (a) $\frac{2}{12} = \frac{1}{6}$ or 16.67%; (b) $\frac{6}{12} = \frac{1}{2}$ or 50%; (c) $\frac{4}{12} = \frac{1}{3}$ or 33.3%; (d) $\frac{8}{12} = \frac{2}{3}$ or 66.67%)

Independent Practice (10 minutes)

- 1. **Write** on the board: There are 5 bananas, 2 oranges, and 3 mangos in a box. If 1 is selected at random, what is the probability of choosing:
 - a. a banana
 - b. an orange
 - c. a mango
- 2. **Say**: Remember to simplify the fraction in your answer to its lowest form and express the fraction as a percent too.
- 3. Ask pupils to work independently.
- 4. Walk around to check for understanding and clear misconceptions.
- 5. If they finish, ask them to turn to a neighbor to compare and discuss answers.
- 6. Have 3 different pupils volunteer to write the 3 answers on the board and explain. (Answers: (a) $\frac{5}{10} = \frac{1}{2} \ or \ 50\%; \text{ (b)} \ \frac{2}{10} = \frac{1}{5} \ or \ 20\%; \text{ (c)} \ \frac{3}{10} \ or \ 30\%)$
- 7. Check for errors in the answers on the board and correct them if needed. Ask all pupils to check their work.

- 1. Ask pupils to look at the answers of the Independent Practice section.
- 2. Ask the following questions to check their understanding of probability:
 - a. Is it more likely that you will choose a banana or a mango? Why? (Answer: It is more likely to choose a banana because the fraction or percentage is larger $(\frac{1}{2} \ or \ 50\% > \frac{3}{10} \ or \ 30\%)$; it has a higher probability)
 - b. Is it more likely that you will choose an orange or a mango? Why? (Answer: It is more likely to choose a mango because the fraction or percentage is larger ($\frac{3}{10}$ or $30\% > \frac{1}{5}$ or 20%); it has a higher probability)



Lesson Title: Likelihood of Events	Theme: Statistics and Probability	
Lesson Number: M-09-134	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes By the end of the lesson, pupils will be able to compare whether events are impossible, unlikely, likely, or certain.

Teaching Aids None

Preparation

Write the questions from Introduction to the New

Material and Guided Practice on

the board.

Opening (3 minutes)

- 1. Ask the following questions to review certain and impossible events, and let pupils volunteer to
 - a. What does it mean if probability is 0? (Answer: It means the event is impossible)
 - b. What does it mean if probability is 1? (Answer: It means the event is certain to happen)
 - c. How do you calculate probability? (Answer: $probability = \frac{the\ number\ of\ ways\ an\ event\ can\ occur}{the\ number\ of\ ways\ an\ event\ can\ occur}$) total number of possible outcomes
- 2. Say: Today we will continue to discuss probability and compare whether events are impossible, unlikely, likely or certain.

Introduction to the New Material (13 minutes)

- 1. Allow pupils to discuss the following questions with their partners and raise their hands to answer:
 - a. What does it mean if an event is likely to happen? (Example answer: A likely event has a greater chance of occurring; it will probably happen but we are not certain.)
 - b. What does it mean if an event is unlikely to happen? (Example answer: An unlikely event is an event that is not sure of occurring; it is not impossible but it will probably not happen.)
 - c. What does it mean if an event is certain to happen? (Example answer: A certain event will occur.)
 - d. What does it mean if it is impossible for an event to happen? (Example answer: An impossible event will not occur.)
- 3. Have 5 pupils volunteer to come stand at the front of the room. This should consist of 4 girls and 1 boy.
- 4. Ask: If I select a pupil at random, how likely am I to select a girl? (Answer: likely)
- 5. Ask pupils to discuss why it is likely that I would choose a girl; guide them to understand it is because there are more girls than boys in the group.
- 6. Ask pupils to calculate the probability of randomly selecting a girl in their exercise books.
- 7. Have a pupil volunteer to share their answer: $\frac{4}{5}$
- 8. Ask: If I select a pupil at random, how likely am I to select a boy? (Answer: unlikely)
- 9. Ask pupils to discuss why it is unlikely that I would choose a boy; guide them to understand it is because there are fewer boys than girls in the group, but since there is 1 boy it is not impossible.
- 10. Ask pupils to calculate the probability of randomly selecting a girl in their exercise books.
- 11. Have a pupil volunteer to share their answer: $\frac{1}{r}$
- 12. Say: $\frac{4}{5}$ is greater than $\frac{1}{5}$, so we know it has a higher probability.
- 13. Ask: If I select a person from this group, how likely is it that the person will be a pupil at this school? (Answer: certain)

- 14. Have a pupil volunteer to answer.
- 15. **Ask**: Calculate the probability of randomly selecting a pupil at this school from the group. (Answer: 1)
- 16. Allow pupils to discuss that the whole group is enrolled in the school, thus it is certain.
- 17. **Ask**: If I select a person from this group, how likely is it that the person will be a teacher at this school? (Answer: impossible)
- 18. Ask: Calculate the probability of randomly selecting a teacher from the group. (Answer: 0)
- 19. Allow pupils to discuss that the group is all pupils, not teachers, thus it is impossible to randomly select a teacher from the group.
- 20. Point to the following question on the board and ask them to calculate the probability for each situation:
 - (i) There are 8 red balls and 2 blue balls in a bag. If I randomly select 1, is it likely that I will select a red ball? (Answer: Yes, likely, the probability is $\frac{8}{10} = \frac{4}{5}$)
 - (ii) If I randomly select 1, is it likely that I will select a blue ball? (Answer: No, unlikely, the probability is $\frac{2}{10} = \frac{1}{5}$)
 - (iii) If I randomly select 1, is it likely that I will select a green ball? (Answer: No, impossible, the probability is $\frac{0}{10} = 0$)

Guided Practice (7 minutes)

- 1. Point to the following on the board: There are 8 pencils, 4 blue pens, and 5 black pens in a cup. I will randomly select 1. Rank the following events from most likely (or certain) to least likely (or impossible) and calculate the probability:
 - (i) I will select a pencil.
 - (ii) I will select a pen.
 - (iii) I will select a green pen.
 - (iv) I will select a black pen.
 - (v) I will select a blue pen.
- 2. Ask pupils to work in pairs to list the statements in the correct order. Allow them to discuss.
- 3. Remind pupils that they calculate the probabilities and compare the fractions to help them figure out which is the most likely.
- 4. Move around the room to check for understanding and clear misconceptions.
- 5. Have different pairs volunteer to answer each question:
 - a. Which event was most likely or certain? (Answer: (ii) there are 9 pens so that is the highest probability $-\frac{9}{17}$)
 - b. Which event is next most likely? (Answer: (i) there are 8 pencils so that is the second highest probability $-\frac{8}{17}$)
 - c. Which event is next most likely? (Answer: (iv) there are 5 black pens so it is the next highest probability $-\frac{5}{17}$)
 - d. Which event is next most likely? (Answer: (v) there are 4 blue pens so it is even less likely I will select a blue pen; probability $-\frac{4}{17}$)
 - e. Which event is least likely or impossible? (Answer: (iii) Selecting a green pen is impossible because there are not any in the cup; probability $=\frac{0}{17}=0$)

Independent Practice (10 minutes)

- 1. Point to the following question on the board: There are 20 biscuits in a bag, 12 of them are chocolate, 5 of them are vanilla and the rest of them are strawberry. I will randomly select 1 to eat. Rank the following events from most likely (or certain) to least likely (or impossible):
 - a. I will eat a chocolate biscuit.
 - b. I will eat a vanilla biscuit.
 - c. I will eat a ginger biscuit.
 - d. I will eat a biscuit that is not chocolate.
- 2. Ask pupils to work individually to list statements in the correct order.
- 3. If they finish, ask them to compare answers and discuss with seatmates.
- 4. Ask different pupils to volunteer to give the answers in order from mostly likely to least likely and explain.
 - Eating a chocolate biscuit is most likely with the highest probability $-\frac{12}{20} = \frac{3}{5}$
 - Eating a biscuit that is not chocolate is next most likely with the probability $-\frac{8}{20} = \frac{2}{5}$
 - Eating a vanilla biscuit is next likely with the probability $-\frac{5}{20} = \frac{1}{5}$
 - Eating a ginger biscuit is impossible with the probability $-\frac{0}{20}=0$

- 1. Ask pupils the following questions and allow them to explain in their own words:
 - a. What is a likely event? (Example answer: An event that will probably occur, but it is not certain.)
 - b. What is an unlikely event? (Example answer: An event that will probably not occur, but it is not impossible.)
 - c. How can you tell if 1 probability is higher than another? (Answer: A higher probability will have a higher fraction or percentage.)

Lesson Title: Probability Experiments with 2	Theme: Statistics and Probability	
Independent Events		
Lesson Number: M-09-135	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	None None
pupils will be able to:	Wolle	
1. Conduct simple probability		
experiments with 2 independent		
events.		
2. Identify that if 2 events are		
independent, the outcome of 1		
does not affect the outcome of the		
other.		

- 1. Ask pupils the following questions to review probability experiments.
 - a. What is an experiment in probability? (Answer: An experiment is a situation involving chance. An experiment leads to results called outcomes.)
 - b. What is an outcome in probability? (Answer: An outcome is a single result of an experiment.)
 - c. What is an event in probability? (Answer: The outcomes of an experiment can also be called events. Events can involve 1 outcome or more than 1 outcome.)
- 2. Allow pupils to discuss answers and volunteer to share their ideas.
- 3. Say: Today, we will learn about probability experiments with 2 independent events.

Introduction to the New Material (11 minutes)

- 1. **Ask:** What does the word 'independent' mean?
- 2. Allow pupils to volunteer their answers. (Example answer: It means when something happens on its own, without anything else causing it.)
- 3. **Say**: In probability, independent means that the outcome of 1 event does not affect the outcome of the other event. We have discussed several types of probability experiments. Let us say I have a die and a bag with red and blue balls in it.
- 4. **Ask**: If I roll a 2, does that mean that I will draw a red ball from the bag? (Answer: No)
- 5. Let pupils raise their hands to answer.
- 6. **Say**: Those 2 events are independent. The outcome of rolling a die does not affect the outcome of drawing a ball from a bag at random. Let us consider a die with 6 sides (or 6 squares of paper numbered 1-6). I can toss a die as an experiment. There is a chance that the die will land on any number between 1 and 6.
- 7. Ask: What are the possible outcomes of my experiment?
- 8. Allow pupils to volunteer to answer.
- 9. **Say**: There are 6 possible outcomes. I could roll a 1, 2, 3, 4, 5, or 6. Those are the only possible outcomes for my experiment of rolling a die.
- 10. Do the experiment once. Roll the die and write the number on the board. (Example on the board: Outcome: 3)
- 11. Ask: If I roll the die a second time, what are the possible outcomes of my experiment?
- 12. Allow pupils to discuss their ideas. Have a pupil volunteer to share.

- 13. Say: There are 6 possible outcomes. I could roll a 1, 2, 3, 4, 5, or 6.
- 14. **Ask**: Since I rolled a 3 before, what is the probability that I will roll a 3 now? (Answer: $\frac{1}{6}$)
- 15. **Say**: Each roll is an independent event. The outcome of 1 event does not affect the outcome of the next event. Even though I rolled a 3 before, the probability that I will roll 1 again is the same.

Guided Practice (9 minutes)

1. Write on the board:

Experiment: Selecting 2 pupils at random from a group Outcomes:

- 2. Ask pupils to work with the 2-3 pupils sitting beside them.
- 3. **Say**: You will make your own experiment. Count the number of seatmates or pupils in your group and tear that number of small pieces of paper, from 1 page of your exercise book or any other sheet. You can share the pieces for the whole group. I want you to write the name of each member in your group on them. All members of the group should have their name on 1 piece of paper.
- 4. **Say**: Using your papers, I want you to conduct the experiment with your group. Fold the pieces of paper and put them in a pile. Everyone should take turns to randomly choose 1 name, put it back, and choose another name. Write down the outcomes of your experiment in a list. Each pupil should draw a pair of names 2 times.
- 5. Remind pupils that each time they draw it is 1 event. Make sure they are returning the name after each draw.
- 6. Move around the room and check for understanding. Clear any misconceptions. Make sure each pupil is involved in the experiment. Make sure pupils are writing the list of outcomes correctly.
- 7. **Say**: There should be 2 outcomes for each pupils turn. (Example outcomes: depending on the pupils in the group: Momo, Gbessay; Gbessay, Maima; Momo, Momo; Gbessay, Momo, etc.)
- 8. Ask a group to volunteer to stand and explain their experiment to the class. Ask them to give the outcomes of their experiment. (Example: In our experiment, we wrote our names on the sheets and the outcomes were Momo, Gbessay; Gbessay, Maima; Momo, Momo; Gbessay, Momo.)

Independent Practice (10 minutes)

1. **Write** on the board:

Experiment: Selecting 2 pieces of paper from 2 different piles Outcomes:

- 2. Ask pupils to work independently.
- 3. **Say**: I want you to make your own experiment. Tear 10 small pieces of paper, from 1 page of your exercise book or any other sheet. I want you to write on them. You can write letters, numbers, or words, such as the number 1-10 or letters A- J. All 10 pieces of paper should be different. (If pupils have made these pieces before, they are free to reuse, but most pupils will not have made them because it was a group activity before.)

 Using your papers, I want you to conduct the experiment. Fold the pieces of paper and put them in 2 piles of 5 each. Randomly choose a piece of paper from each pile. Write down the outcomes of your experiment in a list. Conduct the experiment at least 5 times.
- 4. Remind pupils that each time they draw it is 1 event.

- 5. Move around the room and check for understanding, clear any misconceptions. Make sure each pupil is conducting his/her own experiment. Make sure pupils are writing the list of outcomes correctly.
- 6. **Say**: There should be 2 outcomes for each turn. (Example outcomes: depending on what pupils wrote on their papers: 1 and 7; 2 and 7; 1 and 6; 3 and 9; 4 and 8)
- 7. Have a pupil volunteer to explain his/her experiment to the class. Ask them to give the outcomes of their experiment. (Example: In my experiment, I wrote numbers on the 10 pieces of paper and made 2 piles. The outcomes of my experiment were 1 and 7; 2 and 7; 1 and 6; 3 and 9; 4 and 8)

- 1. Ask pupils the following questions and allow them to volunteer to explain in their own words:
 - a. What is an experiment? (Example answer: a situation involving chance or probability that leads to results, or outcomes)
 - b. What is an outcome? (Example answer: It is a single result of an experiment.)
 - c. What is an event? (Example answer: It is 1 or more outcomes of an experiment.)
 - d. What is an independent event? (Example answer: The outcome of 1 event does not affect the outcome of the other event.)
- 2. Have 4 pupils volunteer to share their answers.

Lesson Title: Probability Experiments Independent	Theme: Statistics and Probability	
Events I		
Lesson Number: M-09-136	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson, pupils	None	Write the problems
will be able to:	None	from the Opening,
1. Solve simple probability problems		Introduction to the New
with 2 independent events.		Material, Guided Practice,
2. Interpret the word 'and' in		and Independent Practice
probability problems as multiplication.		on the board.

- 1. Ask pupils to multiply the following fractions as review:
 - a. $\frac{1}{4} \times \frac{3}{4}$
 - b. $\frac{2}{5} \times \frac{1}{3}$
 - c. $\frac{3}{5} \times \frac{2}{3}$
- 2. Have 3 pupils volunteer to answer the questions. (Answers: (i) $\frac{3}{16}$; (ii) $\frac{2}{15}$; (iii) $\frac{6}{15}$)
- 3. **Say:** Today, we will learn how to solve simple probability problems with 2 independent events, and interpret the word 'and' in probability problems.

Introduction to the New Material (14 minutes)

- Ask: What does the word independent mean in probability? (Answer: In probability, independent means that the outcome of 1 event does not affect the outcome of the other event.)
- 2. Have 1-2 pupils volunteer to share their answers.
- 3. Write the following question on the board:

I have 2 dice. What is the probability I will roll a 3 with both dice?

- 4. Ask: Are these 2 events independent? (Answer: Yes)
- 5. Let pupils raise their hands to answer this and the next 3 questions.
- 6. **Ask**: How do we calculate probability? (Answer: $probability = \frac{the \ number \ of \ ways \ an \ event \ can \ occur}{total \ number \ of \ possible \ outcomes}$)
- 7. **Ask**: What is the probability of rolling a 3 on 1 die? (Answer: $probability = \frac{1}{6}$)
- 8. Remind pupils of the question: What is the probability I will roll a 3 with both dice?
- 9. **Ask**: What is the probability of rolling a 3 on the other die? (Answer: $probability = \frac{1}{6}$)
- 10. Guide the pupils to understand they each have the same probability because they are independent of each other.
- 11. **Say**: If we have 2 independent events and we want to calculate the probability of both of them happening, a 3 on 1 die *and* a 3 on the other die, we must multiply the 2 probabilities.
- 12. Write on the board:

Probability of 2 independent events = Probability Event A × Probability Event B = $\frac{1}{6} \times \frac{1}{6} = \frac{1}{36}$

- 13. **Say**: There is a 1 in 36 chance that I will roll a 3 on both dice. To calculate the probability of 1 independent event *and* another independent event happening, we multiply the probability of the first and the second.
- 14. Point to the following question on the board: There are 2 bags; Bag A has 6 blue balls and 2 red balls, Bag B has 4 blue balls and 4 red balls. What is the probability I will randomly draw a blue ball from both bags?
- 15. Give pupils 1 minute to work on this question. Then let them raise their hands to answer the next questions.
- 16. **Ask**: How do we calculate the probability of independent events? (Answer: *probability 2 independent events = Probability Event A* × *Probability Event B*)
- 17. **Ask**: What is the probability of drawing a blue ball from Bag A? (Answer: $probability = \frac{6}{8} = \frac{3}{4}$)
- 18. **Ask**: What is the probability of drawing a blue ball from Bag B? (Answer: $probability = \frac{4}{8} = \frac{1}{2}$)
- 19. **Say**: If we have 2 separate events and we want to calculate the probability of both of them happening, a blue ball from Bag A and Bag B, we must multiply the 2 probabilities.
- 20. Write on the board:

$$probability = \frac{3}{4} \times \frac{1}{2} = \frac{3}{8}$$

21. Say: There is a 3 in 8 chance that I will draw a blue ball from both bags.

Guided Practice (6 minutes)

- 1. Point to the following question on the board: I have 2 dice. What is the probability I will roll a 1 with 1 die and a 6 with the other die?
- 2. Ask pupils to work with their partners.
- 3. Walk around to check for understanding and clear misconceptions.
- 4. Ask a pair to volunteer to come to the board and solve the problem, while the rest of the class checks their work in their exercise books.

(Answers: probability = probability for
$$1 \times probability$$
 for $6 = \frac{1}{6} \times \frac{1}{6} = \frac{1}{36}$)

5. Correct any errors in the calculation on the board. Ask pupils to check their work.

Independent Practice (10 minutes)

1. Point to the following question on the board:

There are 2 cups. Cup A has 8 pens and 2 pencils; Cup B has 4 pens and 6 pencils. If 1 is selected at random, what is the probability of the following events?

- a. A pen will be selected from Cup A and a pencil from Cup B?
- b. Pens will be selected from both cups?
- c. Pencils will be selected from both cups?
- 2. Ask pupils to work independently in their exercise books.
- 3. Walk around to check for understanding, clear misconceptions.
- 4. Have a pupil volunteer to come to the board and solve the problem, while the rest of the class checks their work in their exercise books.

(Answers: (a) selecting a pen from cup $A = \frac{8}{10} = \frac{4}{5}$; selecting a pencil from cup $B = \frac{6}{10} = \frac{3}{5}$; $\frac{4}{5} \times \frac{3}{5} = \frac{12}{25}$ for both. (b) selecting a pen from cup $A = \frac{8}{10} = \frac{12}{10}$

 $\frac{4}{5}$; selecting a pen from cup $B=\frac{4}{10}=\frac{2}{5}$; $\frac{4}{5}\times\frac{2}{5}=\frac{8}{25}$ for both.; (c) selecting a pencil from cup $A=\frac{2}{10}=\frac{1}{5}$; selecting a pencil from cup $B=\frac{6}{10}=\frac{3}{5}$; $\frac{1}{5}\times\frac{3}{5}=\frac{3}{25}$ for both.

Closing (2 minutes)

- 1. Ask pupils the following questions and allow them to explain in their own words:
 - (i) If you are looking for the probability of 2 independent events occurring, what are the steps? (Example answer: Find the probability of each individually and multiply)
 - (ii) Why do you multiply 2 probabilities? (Example answer: since we want both events to happen it is less likely than just 1. Multiplying fractions gives us smaller fractions, and therefore lower probability.)
- 2. Allow pupils to discuss with their partners
- 3. Have 1-2 pairs volunteer to share their ideas with the class.

Lesson Title: Probability Experiments Independent	Theme: Statistics and Probability	
Events II		
Lesson Number: M-09-137	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	Write the questions
pupils will be able to:	World	from Guided Practice
1. Identify whether 2 given events are		and Independent Practice
independent or dependent.		on the board.
2. Solve more difficult probability		
problems with 2 independent events.		

- 1. Ask pupils the following questions to review.
 - a. What is an independent event in probability? (Answer: The outcome of 1 event does not affect the outcome of the other event.)
 - b. Give an example of an independent event. (Example answer: rolling 2 dice)
- 2. Allow pupils to volunteer to share their answers.
- 3. **Say:** Today, we will learn to identify whether events are independent or dependent, and we will practise solving probability problems.

Introduction to the New Material (11 minutes)

- 1. **Write** the following question on the board:
 - I have 1 bag with 4 oranges and 6 mangos. What is the probability that I will randomly select a mango to eat?
- 2. Ask: How many pieces of fruit are in my bag at the beginning of this problem? (Answer: 10)
- 3. Let pupils raise their hands to answer.
- 4. **Ask:** What is the probability that I will randomly select a mango? (Answer: $\frac{6}{10} = \frac{3}{5}$)
- 5. Let pupils raise their hands to answer.
- 6. **Say**: Now the outcome of my random selection was a mango, and I ate it. Now I want to eat another piece of fruit.
- 7. Ask: After I eat the first mango, how many pieces of fruit are in my bag then? (Answer: 9)
- 8. Invite pupils to raise their hands to answer this question and for the next 2 questions as well.
- 9. **Ask**: What are the possible outcomes if I randomly select a piece of fruit from the bag now? (Answers: 4 oranges and 5 mangos)
- 10. **Ask:** Now, what is the probability that I will randomly select a mango? (Answer: $\frac{5}{9}$)
- 11. Say: The probabilities we have been looking at so far have been for independent events.
- 12. Remind pupils that independent events meant that the outcome of 1 event does not affect the other event.
- 13. **Say**: This question is an example of a 'dependent' event.
- 14. Ask pupils to discuss the meaning of dependent events in probability with their partners. Allow them to discuss until they reach the conclusion that dependent events are affected by other events.
- 15. **Say**: Dependent events are the opposite of independent. The outcome of a dependent event is affected by the outcome of the event it is dependent on.

- 16. **Ask**: In this example, did my probability of eating a mango for the second piece of fruit increase or decrease? Why? (Answer: decrease, there were less mangos as possible outcomes in the bag, so the likelihood of randomly selecting 1 decreased)
- 17. Write another question on the board:

There is a cup with 4 blue pens and 1 black pen. What is the probability that the first pen Momo randomly selects will be black?

- 18. Have a pupil volunteer to share the answer: $\frac{1}{5}$
- 19. Say: Let us say that Momo takes his pen and leaves.
- 20. Write on the board:

Jebbeh now randomly selects a second pen. What is the probability that Jebbeh will select a black pen?

- 21. Ask pupils to discuss, guide them to the conclusion that the probability depends on what color pen Momo took.
- 22. **Say**: If Momo selected a black pen, then the probability that Jebbeh will select a black pen is $\frac{0}{4}$ or 0. However, if Momo selected a blue pen, then the probability that Jebbeh will select a black pen is $\frac{1}{4}$.
- 23. **Say**: The probability of the second outcome depends on the first outcome.

Guided Practice (9 minutes)

1. Write the following question on the board:

Identify whether the following events are independent or dependent:

- a. Rolling 2 dice and getting 5s on both of them.
- b. Randomly selecting a red ball out of a bag, and then holding it while randomly selecting another ball.
- c. Picking 1 colored pen each at random from 2 different cups.
- d. Selecting 1 pupil at random from the front row, and 1 from the back row.
- e. Asking 1 friend to draw a card at random from a deck of cards and hold it while you have another friend draw another card at random from the deck.
- 2. Ask pupils to work with their partners.
- 3. Walk around to check for understanding, clear misconceptions.
- 4. Have 5 pairs volunteer to share their answers while the rest of the class checks their work in their exercise books. (Answers: (a) independent; (b) dependent; (c) independent; (d) independent; (e) dependent)

Independent Practice (10 minutes)

1. Write the following problem on the board and ask pupils to answer the questions:

The commissioner wants to give a prize at random. She has 2 groups of 5 people each. She selects 1 finalist at random from each group. Then she randomly selects the final winner from between the 2 finalists.

- a. Is this problem describing independent events or dependent events?
- b. What is the probability of being selected as a finalist from 1 of the groups?
- c. What is the probability of being selected as the final winner?
- 2. Ask pupils to work independently in their exercise books.

- 3. Walk around to check for understanding and clear misconceptions.
- 4. Have 1 pupil volunteer to come to the board and solve the problem, while the rest of the class checks their work in their exercise books. (Answers: (a) independent; (b) $\frac{1}{5}$; (c) $\frac{1}{5} \times \frac{1}{2} = \frac{1}{10}$)
- 5. Correct any errors in the calculation on the board. Ask pupils to check their work.

Closing (2 minutes)

- 1. Ask pupils to think of 1 example of 2 independent events and 1 example of dependent events with their partners.
- 2. Give pupils 1 minute to do so.
- 3. Have 2 pairs volunteer to share their ideas with the class. (Example answers: The examples they come up with can be modeled after the class examples using dice, cards, and bags of fruit or balls.)

Lesson Title: Sample Space	Theme: Statistics and Probability	
Lesson Number: M-09-138	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	Draw the tables from
pupils will be able to:	None	Introduction to New
1. Identify that the 'sample space'		Material, Guided Practice
of an experiment is the set of all		and Independent Practice
possible outcomes		on the board.
2. Record the possible outcomes of		
an experiment in a sample space		
diagram.		

- 1. Ask pupils to define the following words:
 - a. Independent event
 - b. Dependent event
- 2. Allow pupils to volunteer to share their answers. (Answers: (a) The outcome of 1 event does not affect the outcome of the other event; (b) The outcome of 1 event is affected by the outcome of another event.)
- 3. **Say:** Today, we will learn to about sample space and how to record possible outcomes in a sample space.

Introduction to the New Material (12 minutes)

- 1. **Ask:** What are the possible outcomes to rolling a die? (Answer: 1, 2, 3, 4, 5, or 6)
- 2. **Write** on the board: {1, 2, 3, 4, 5, 6}
- 3. **Say**: We know the possible outcomes of rolling a die, all the possible outcomes are call the 'sample space'. For more complicated probabilities, it can be useful to record all of the possible outcomes in a sample space diagram.
- 4. **Write** the following problem on the board:
 - Find the sample space of selecting 2 balls at random from 2 different bags, each containing 3 blue and 2 red balls. Create a sample space diagram.
- 5. **Say**: A sample space diagram is like a special table.
- 6. Point to the following empty diagram on the board:
- 7. **Say**: On the left side we list all the possible outcomes of the first event. On the top we list all the possible outcomes of the second event.

	Bag B					
		Blue	Blue	Blue	Red	Red
	Blue					
Bag A	Blue					
Bag	Blue					
	Red					
	Red					

- 8. Point to the first empty row.
- 9. **Say**: We could select a blue ball from Bag A and then a blue, blue, red or red ball from Bag B. Let us use the letters B and R to represent each of the colors.
- 10. Write the combinations: B, B; B, B; etc. as you are speaking.
- 11. Continue going through the rows asking the pupils to help you fill out each of the boxes of the diagram as below.

	Bag B					
		Blue	Blue	Blue	Red	Red
	Blue	B, B	B, B	B, B	B, R	B, R
A PO	Blue	B, B	B, B	B, B	B, R	B, R
Bag	Blue	B, B	B, B	B, B	B, R	B, R
	Red	R, B	R, B	R, B	R, R	R, R
	Red	R, B	R, B	R, B	R, R	R, R

- 12. **Say**: This sample space diagram shows us all the possible combinations of outcome we could end up with.
- 13. Ask: How many possible combinations of outcomes are there? (Answer: 25)
- 14. Write on the board:

16. **Say**: We can write the sample space as a set of all the possible outcomes. When it is a set we put it inside these brackets: { }

Guided Practice (8 minutes)

1. Write the following question on the board:

What is the sample space of rolling 2 dice? Draw a sample space diagram.

- 2. Ask pupils to work in pairs.
- 3. Walk around to check for understanding, clear misconceptions.
- 4. Have 1 pair volunteer to share their answers while the rest of the class checks their work in their exercise books.

Answer: There are 36 possible options:

$$\{ (1,1)(1,2)(1,3)(1,4)(1,5)(1,6)(2,1)(2,2)(2,3)(2,4)(2,5)(2,6)(3,1)(3,2)(3,3)(3,4)(3,5)(3,6)(4,1) \}$$

$$(4,2)(4,3)(4,4)(4,5)(4,6)(5,1)(5,2)(5,3)(5,4)(5,5)(5,6)(6,1)(6,2)(6,3)(6,4)(6,5)(6,6)$$

		Second Roll					
		1	2	3	4	5	6
=	1	1, 1	1, 2	1, 3	1, 4	1, 5	1, 6
Roll:	2	2, 1	2, 2	2, 3	2, 4	2, 5	2, 6
First	3	3, 1	3, 2	3, 3	3, 4	3, 5	3, 6
ш	4	4, 1	4, 2	4, 3	4, 4	4, 5	4, 6
	5	5, 1	5, 2	5, 3	5, 4	5, 5	5, 6
	6	6, 1	6, 2	6, 3	6, 4	6, 5	6, 6

Independent Practice (10 minutes)

- 1. Write the following problem on the board and ask pupils to answer the questions:
 - What is the sample space of rolling a die and selecting 1 ball from a bag of 4 red and 2 yellow balls? Draw a sample space diagram.
- 2. Ask pupils to work independently in their exercise books.
- 3. Walk around to check for understanding and clear misconceptions.

4. Invite 2 pupils who volunteer to come to the board and share their answers. Ask 1 to draw the diagram while the other lists the set. The rest of the class should check their work in their exercise books.

Answers: There are 36 possible options:

$$\begin{pmatrix} (1,R)(1,R)(1,R)(1,R)(1,Y)(1,Y)(2,R)(2,R)(2,R)(2,R)(2,Y)(2,Y) \\ (3,R)(3,R)(3,R)(3,R)(3,Y)(3,Y)(4,R) \\ (4,R)(4,R)(4,R)(4,Y)(4,Y)(5,R)(5,R)(5,R)(5,R)(5,Y)(5,Y)(6,R)(6,R)(6,R) \\ (6,R)(6,Y)(6,Y) \end{pmatrix}$$

		Draw a ball					
		Red	Red	Red	Red	Yellow	Yellow
Die	1	1, R	1, R	1, R	1, R	1, Y	1, Y
а	2	2, R	2, R	2, R	2, R	2, Y	2, Y
Roll a	3	3, R	3, R	3, R	3, R	3, Y	3, Y
~	4	4, R	4, R	4, R	4, R	4, Y	4, Y
	5	5, R	5, R	5, R	5, R	5, Y	5, Y
	6	6, R	6, R	6, R	6, R	6, Y	6, Y

Closing (2 minutes)

- 1. Ask pupils the following questions:
 - a. What is sample space? (Answer: the 'sample space' of an experiment is the set of all possible outcomes)
 - b. What is the sample space of randomly selecting 1 pupil from the front row? (Example answer: Pupils should name all the students sitting in the front row.)
- 2. Allow pupils to discuss with their partners.
- 3. Have 1-2 pupils volunteer to share their ideas with the class.

Lesson Title: Probability Trees	Theme: Statistics and Probability	
Lesson Number: M-09-139	09-139 Class/Level: JSS 3 Time: 35 minute	

Learning Outcomes By the end of the lesson, pupils will be able to use a probability tree to demonstrate the probability of different outcomes occurring. Teaching Aids None Write the questions from the Guided Practice and Independent Practice sections of the board.

Opening (3 minutes)

- 1. Ask pupils the following questions and have them volunteer to answer:
 - a. Define sample space.
 - b. What is the sample space of rolling 1 die?

(Answers: (i) the 'sample space' of an experiment is the set of all possible outcomes; (ii) $\{1, 2, 3, 4, 5, 6\}$)


2. **Say:** Today, we will learn to about probability trees and how to demonstrate the probability of different outcomes occurring.

Introduction to the New Material (11 minutes)

1. **Write** the following question on the board:


There is a bag with 3 oranges and 7 mangoes in it. Abel will select 1 at random, replace it and select another. Draw a probability tree to demonstrate the probability of different outcomes occurring.

- 2. Say: A probability tree is a type of diagram to help up understand the possible outcomes.
- 3. **Ask**: If Abel randomly selects a piece of fruit, what are the options? (Answer: an orange or a mango)
- 4. **Say**: There are 2 options, so we must draw 2 branches.
- 5. **Write** the first 2 branches on the board, put an O for orange at the end of 1, and M for mango at the end of the other, as so:
- 6. **Ask**: What is the probability that Abel will select an orange? (Answer: $\frac{3}{10}$)
- 7. Write the probability over the line.
- 8. **Ask**: What is the probability that Abel will select a mango? (Answer: $\frac{7}{10}$)
- 9. Write the probability under the line.
- 10. Say: This shows the probability for the first selection. Now let us show the next selection.
- 11. Write the next 2 branches on the board, coming from the O, put an O for orange at the end of 1, and M for mango at the end of the other, as so:
- 12. Say: Now let us write the probability for the next branches.
- 13. **Ask**: What is the probability that Abel will select an orange the second time? (Answer: $\frac{3}{10}$)
- 14. Write the probability over the line.
- 15. **Ask**: What is the probability that Abel will select a mango the second time? (Answer: $\frac{7}{10}$)



Μ


- 16. Write the probability under the line.
- 17. Repeat until all the probabilities are filled in as so:
- 18. Say: Now we can identify the outcomes and calculate the percentages.
- 19. **Ask**: What is the outcome of the top branch? (Answer: OO)
- 20. Point to the board and show pupils that the first choice can lead to O and then the second choice can lead to O by pointing to the top branches of both events.



0

10

- 21. Say: We know that if we want to calculate the probability of 1 event and another, it means that we multiply.
- 22. Write the multiplication on the board: $\frac{3}{10} \times \frac{3}{10} =$
- 23. Ask pupils to calculate the answer in their exercise books.
- answer: $\frac{9}{100}$ 25. Continue moving through all the branches of the tree until you have identified all the outcomes and calculated the



- 26. Say: We can check our probabilities because they should always add up to 100% or 1.
- 27. Ask pupils to calculate the sum of the probabilities at the end of the probability tree in their exercise books.
- 28. Have 1 pupil volunteer to give the answer: $\frac{9}{100} + \frac{21}{100} + \frac{21}{100} + \frac{49}{100} = \frac{100}{100}$


Guided Practice (9 minutes)

probabilities as so:

1. Point to the following question on the board:

There is a class with 14 boys and 16 girls in it. 1 pupil is selected at random to answer a question. Then another is selected, but the teacher may select anyone, even the pupil who just answered. Draw a probability tree to demonstrate the probability of different outcomes occurring of selecting a boy or girl pupil.

- 2. Ask pupils to work with their seatmates.
- 3. Remind pupils to simplify their fractions.
- 4. Walk around to check for understanding, clear misconceptions.
- 5. Have a pair share their probability tree while the rest of the class checks their work in their exercise books. (Answer: below)




Independent Practice (10 minutes)

1. Point to the following question on the board:

There is a box with 8 chocolate biscuits and 4 vanilla biscuits. 1 biscuit is selected at random, returned and another biscuit is selected. Draw a probability tree to demonstrate the probability of different outcomes occurring of selecting a vanilla or chocolate biscuit.

- 2. Ask pupils to work independently in their exercise books.
- 3. Walk around to check for understanding and clear misconceptions.
- 4. Have 1 pupil volunteer to come to the board and share their probability tree, while the rest of the class checks their work in their exercise books. (Answers: below)
- 5. **Write** the correct answers and steps on the board. Ask pupils to check their work.



Closing (2 minutes)

- 1. Ask pupils the following questions about the biscuit scenario above to check for understanding.
 - a. What combination of outcomes is most likely?
 - b. What is the probability of selecting 1 chocolate and 1 vanilla biscuit?
 - c. What combination of outcomes is the least likely?
- 2. Allow pupils to discuss with their partners.
- 3. Have 1-2 pairs volunteer to share their ideas with the class. (Answers: (a) Chocolate, Chocolate, it has the highest probability; (b) $\frac{2}{9} + \frac{2}{9} = \frac{4}{9}$; (c) Vanilla, Vanilla, it has the lowest probability)

Lesson Title: Probability Story Problems	Theme: Statistics and Probabili	ty
Lesson Number: M-09-140	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes
By the end of the lesson, pupils will be able to solve story problems involving probability of an event happening.

Teaching Aids
None

Write the problems from Introduction to New
Material, Guided Practice and Independent Practice on the board.

Opening (3 minutes)

- 1. Ask pupils to respond to the following questions in their own words:
 - a. What does a probability of zero mean?
 - b. What does a probability of 1 mean?
 - c. What is an independent event?
- 2. Have 3 pupils volunteer to share their answers. (Answers: (a) impossible; (b) certain; (c) when the outcome is not affected by the outcome of another event)
- 3. Say: Today, we will practise solving story problems involving probability.

Introduction to the New Material (12 minutes)

1. Point to this problem on the board:

There are 20 people applying to a job. 12 of them are female and the rest of them are male. The order for interviews is decided by random selection. The first interviewee is a female.

- a. What was the probability that a female would be selected first?
- b. What was the probability that a male would be selected first?
- c. What is the probability that a female will be selected second?
- d. What is the probability that a male will be selected second?
- 2. Ask: Is the first selection an independent or dependent event? (Answer: independent)
- 3. **Ask**: How do you find the answer to (a)? (Answer: Find the fraction of female interviewees over the total number of interviewees.)
- 4. Let pupils volunteer to answer.
- 5. Ask pupils to calculate the probability in their exercise books.
- 6. Have 1 pupil volunteer to share the answer: $\frac{12}{20} = \frac{3}{5}$
- 7. **Say**: There is a 3 in 5 chance that the first interviewee selected will be female.
- 8. **Ask**: How do you find the answer to (b)? (Answer: Find the fraction of male interviewees over the total number of interviewees.)
- 9. Ask pupils to calculate the probability in their exercise books.
- 10. Have a pupil volunteer to share the answer: $\frac{8}{20} = \frac{2}{5}$
- 11. **Say**: There is a 2 in 5 chance that the first interviewee selected will be male. Now, we know the first interviewee selected was female.
- 12. Ask: Is the second selection an independent or dependent event? (Answer: dependent)
- 13. **Say**: We know the second selection is dependent because the probabilities of being selected second are affected by the outcome of the first selection.
- 14. Ask: What is the probability the second person selected will be female?
- 15. Ask pupils to calculate the probability in their exercise books.

- 16. Have a pupil volunteer to share the answer: $\frac{11}{19}$
- 17. Ask: What is the probability the second person selected will be male?
- 18. Ask pupils to calculate the probability in their exercise books.
- 19. Have a pupil volunteer to share the answer: $\frac{8}{19}$

Guided Practice (7 minutes)

1. Point to the following question on the board:

The school is having a competition. 1 pupil each will be randomly selected from JSS 1, JSS 2, and JSS 3. There are 150 pupils in each grade. 1 winner will be randomly selected from the 3 finalists. What is the probability of the following?

- a. A pupil from JSS 3 being selected as 1 of the final 3?
- b. A pupil from JSS 3 being the winner?
- 2. Ask pupils to work with their partners to find the answers in their exercise books.
- 3. Remind pupils to simplify their fractions.
- 4. Move around the room to check pupils' work and clear any misconceptions.
- 5. Have 2 pairs volunteer to share 1 answer each. (Answers: (a) $\frac{1}{150}$; (b) $\frac{1}{150} \times \frac{1}{3} = \frac{1}{450}$)

Independent Practice (10 minutes)

- 1. Ask pupils to work independently.
- 2. Point to the following question on the board:

Joe has 5 potatoes, 8 mangos, and 7 oranges in a bag. If he randomly selects 1 from the bag, what is the probability of selecting the following?

- a. A mango
- b. A piece of fruit
- c. A potato
- d. Anything but an orange.
- 3. Ask pupils to do the work in their exercise books.
- 4. Move around the room to check for understanding and clear any misconceptions.
- 5. Ask 4 pupils to volunteer to stand and each give 1 of the 4 answers. (Answers: (a) $\frac{8}{20} = \frac{2}{5}$; (b) $\frac{8}{20} + \frac{7}{20} = \frac{15}{20} = \frac{3}{4}$; (c) $\frac{5}{20} = \frac{1}{4}$; (d) $\frac{8}{20} + \frac{5}{20} = \frac{13}{20}$)
- 6. Write the correct answers and steps on the board. Ask pupils to check their work.


Closing (3 minutes)

- 1. Ask the following questions to check for understanding of the question above.
 - a. Is it more likely that Joe will select a mango or potato?
 - b. Is it more likely that Joe will select a potato or an orange?
 - c. If Joe wants to eat a mango, what are his chances of getting 1 on the first selection?
- 2. Have pupils volunteer to share their answers. (Answers: (a) a mango; (b) $\frac{8}{20} = \frac{2}{5}$; (c) an orange)

Lesson Title: Perimeter of Triangles and	Theme: Measurement and Estimation		
Quadrilaterals			
Lesson Number: M-09-141	Class/Level: JSS 3	Time: 35 minutes	

Learning Outcomes:	Teaching Aids	Preparation
By the end of the	None None	1. Draw the shapes from the
lesson, pupils will be able	None	Opening, New Material, Guided
to find the perimeter of a		Practice and Independent Practice on
triangle and quadrilateral.		the board.
		2. Draw the tables from Independent
		Practice on the board.


1. Ask pupils to identify the following plane shapes:




- 2. Have 5 pupils volunteer to answer the questions. (Answers: (i) square; (ii) parallelogram; (iii) triangle; (iv) rectangle; (v) trapezium)
- 3. Remind pupils that the small lines show the sides of the shape are equal lengths.
- 4. **Say:** Today, we will be practising finding the perimeter of triangles and quadrilaterals.


Introduction to the New Material (15 minutes)

- 1. **Ask**: How do calculate the perimeter of any plane shape? I will show you today. (Answer: Add up the length of the outside edges of the shape.)
- 2. Point to the rectangle LMNO on the board:
- Ask: What characteristics do we know about this shape?
 (Answer: It is a quadrilateral, parallelogram. That means it has 4 sides and both sets of sides are parallel and equal in length.)
- 4. Have any 1 pupil volunteer to answer.
- 5. **Say**: This rectangle is also a parallelogram.



- 6. **Ask**: What is the formula for perimeter of a parallelogram? (Answer: Perimeter = 2l + 2w)
- Remind pupils that this is the same formula as for a rectangle, and for a square or a rhombus it is *Perimeter* = 4l, which is the same but simplified.







- 9. **Say**: The perimeter of the rectangle is 22 cm.
- 10. Point to the triangle XYZ on the board:
- 11. **Ask**: What is the formula for perimeter of a triangle? (Answer: Perimeter = a + b + c, where a and c are sides of the triangle and b is the base)
- 12. **Write** the formula for perimeter of a triangle on the board: Perimeter = a + b + c, where a and c are sides of the triangle and b is the base.
- 13. Say: To calculate the perimeter of a triangle, you add up the 3 sides.
- 14. Ask pupils to calculate the perimeter of the triangle, as you do so on the board, using the formula. (Answer: P = a + b + c = 12 cm. +20 cm. +16 cm. =48 cm.)
- 15. Say: The perimeter of the triangle is 48 cm.

Guided Practice (5 minutes)

1. Point to the following plane shapes on the board:






- 2. Ask pupils to work with their partners to find the perimeter.
- 3. Move around to check for understanding and clear misconceptions.
- 4. Remind pupils that to calculate the perimeter of any plane shape, add up the length of the outside edges of the shape.
- 5. Ask 2 pairs to volunteer to share their solutions on the board, while the rest of the class checks their work in their exercise books. (Answers: (i) P = a + b + c = 12 cm. +12 cm. +10 cm. = 34 cm. (ii) P = a + b + c + d = 6 m. +8 m. +18 m. +8 m. = 40 m.)
- 6. Check the work on the board for any errors. Ask pupils to check their own work.

Independent Practice (10 minutes)

1. Point to the following plane shapes on the board. Ask pupils to find the perimeter of each of the shapes.



- 2. Ask pupils to work independently to find the answers.
- 3. Walk around to check for understanding and clear misconceptions.
- 4. Ask them to exchange exercise books with a partner to check their answers. Have 2 pupils volunteer to share their answers.

Answers: (a)
$$P = 2l + 2w = 2 \times 100 \text{ cm.} + 2 \times 72 \text{ cm.} = 200 \text{cm.} + 144 \text{ cm.} = 344 \text{ cm.}$$
; (b) $P = 2l + 2w = 2 \times 12 \text{ m.} + 2 \times 8 \text{ m.} = 24 \text{ m.} + 16 \text{ m.} = 40 \text{ m.}$

Closing (2 minutes)

1. Point to the following chart on the board. Ask pupils to copy the chart into their exercise books with enough space to add to it and fill in the boxes and formula for each of the plane shapes:

Plane Shape	Quadrilateral	Parallelogram	Equal Sides	Equal Angles	Perimeter Formula
Square					
Rectangle					
Rhombus					
Trapezium					
Triangle					

2. **Say**: Please keep this chart for reference. We will add more columns to it for area as well. (Answers: below)

Plane Shape	Quadrilateral	Parallelogram	Equal Sides	Equal Angles	Perimeter Formula
Square	Yes	Yes	Yes	Yes	P = 4I
Rectangle	Yes	Yes	No	Yes	P = 2l + 2w
Rhombus	Yes	Yes	Yes	No	P = 4I
Trapezium	Yes	No	No	No	P = a + b + c + d

Triangle	No	No	No	No	P = a + b + c

Lesson Title: Area of Triangles	Theme: Measurement and Estimation	
Lesson Number: M-09-142	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes:

By the end of the lesson, pupils will be able to calculate the area of a triangle.



Teaching Aids

None




Preparation

Draw the triangles from throughout the lesson

plan on the board.

Opening (3 minutes)


1. Point to the triangle on the board with the measurements below:




- 2. Ask pupils to calculate the perimeter of the triangle. (Answer: P = a + b + c =5 m. + 5 m. + 6 m. = 16 m.
- 3. Have any 1 pupil volunteer to share the answer.
- 4. **Say:** Today, we will practise calculating the area of a triangle using a formula.


Introduction to the New Material (15 minutes)

- 1. Add labels to the triangle from the opening to make it triangle
- 2. **Write** the formula on the board: Area of a triangle = $\frac{1}{2}$ base \times height $=\frac{1}{2}$ bh
- 3. Say: To calculate the area of a triangle, you multiply 1 half times the base and the height.
- 4. **Ask:** What is the base of this triangle? (Answer: Side NM, which is 6 m. in length)
- 5. Ask: What is the height of the triangle? (Answer: 4 m.)
- 6. Let pupils volunteer to answer.
- 7. Say: These are the 2 numbers we need to find the area of the triangle. We will substitute them in the formula. Base and height are always perpendicular to each other. You can take any side of the triangle as its base. Then you find the height of the triangle from that base. The height is a perpendicular line drawn from the base to the opposite D angle of the triangle.




- 9. Solve for A by multiplying: $A = \frac{1}{2} \times 6 \text{ m.} \times 4 \text{ m.} =$ $3 \text{ m.} \times 4 \text{ m.} = 12 \text{ m.}^2$
- 10. Point to triangle DEF on the board:
- 11. Say: Now we will calculate the area.






- 12. Ask: How long is the base? (Answer: 24 mm.)
- 13. Ask: How long is the height? (Answer: 18 mm.)
- 14. Allow pupils to raise their hands to answer.
- 15. **Say**: Notice that the height is perpendicular to the base. It reaches from the base to the opposite angle.
- 16. Have a pupil volunteer to come to the board and substitute the values for base and height in the formula: $A = \frac{1}{2}bh = \frac{1}{2} \times 24$ mm.× 18 mm.
- 17. Have another pupil volunteer to do the multiplication while the rest of the class works in their exercise books: (Answer: $A = \frac{1}{2} \times 24 \text{ mm.} \times 18 \text{ mm.} = 12 \text{ mm.} \times 18 \text{ mm.} = 216 \text{ mm.}^2$)
- 18. Discuss with pupils that the area of a triangle with known height and base is half of the area of the rectangle.
- 19. Remind pupils about the formula for area of rectangle: (Length x Width).
- 20. Make triangle DEF into a rectangle DEFG by drawing 2 lines:



- 21. Have a pupil volunteer to find the area of rectangle DEFG on the board while the rest of the class calculates it in their exercise books. (Answer: $A = 24 \text{ mm.} \times 18 \text{ mm.} = 432 \text{ mm.}^2$)
- 22. **Say**: Notice that triangle DEF takes up half the space in rectangle DEFG. We have seen that the area of DEFG is 432 mm.², and the area of DEF is 216 mm.². This is where the $\frac{1}{2}$ in the formula for area of a triangle comes from.



Guided Practice (5 minutes)

- 1. Point to the following triangle on the board:
- 2. Ask pupils to work with their partners to find the area.
- 3. Move around to check for understanding and clear misconceptions.
- 4. Have 1 pair volunteer to share their solution on the board, while the rest of the class checks their work.


(Answer: A =
$$\frac{1}{2}$$
 × 16 m.× 14 m. = 8 m. × 14 m. = 112 m.²)

5. Correct any errors in calculations on the board. Ask pupils to check their own work as well.

Independent Practice (10 minutes)

- 1. Point to the following questions on the board:
 - (i) If the base of a triangle is 12 m. and the height is 7 m., what is the area of the triangle?

- (ii) Find the area of the triangle below:
- 2. Ask pupils to work independently to find the answers.
- 3. Walk around to check for understanding and clear misconceptions.
- Ask them to exchange exercise books with a partner to check their answers. Have 2 pupils volunteer to share their answers.




(Answers: (i)
$$A = \frac{1}{2}bh = \frac{1}{2} \times 12 \text{ m.} \times 7 \text{ m.} = 6 \text{ m.} \times 7 \text{ m.} = 42 \text{ m.}^2$$
; (ii) $A = \frac{1}{2} \times 10 \text{ cm.} \times 15 \text{ cm.} = 5 \text{ cm.} \times 15 \text{ cm.} = 75 \text{ cm.}^2$)

5. **Write** the correct answers and steps on the board. Ask pupils to check their work.

Closing (2 minutes)

- 1. Draw the following triangle on the board and ask pupils to calculate the area.
- 2. Ask pupils to show you the answer and their work in their exercise books as they leave class.


(Answer:
$$A = \frac{1}{2}bh = \frac{1}{2} \times 20 \text{ cm.} \times 11 \text{ cm.} = 10 \text{ cm.} \times 11 \text{ cm.} = 110 \text{ cm}^2$$
)



Lesson Title: Area of Quadrilaterals	Theme: Measurement and Estimation	
Lesson Number: M-09-143	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the	None	Draw the shapes from
lesson, pupils will be able	World	Introduction to New
to calculate the area of a		Material, Guided Practice and
square, rectangle,		Independent Practice on the
parallelogram, and trapezium.		board.

- 1. Ask pupils to draw the following 5 shapes in their exercise books: Rectangle, Square, Parallelogram, Rhombus, and Trapezium
- 2. Give pupils 1 minute to work, and then have 5 pupils volunteer to come to the board and draw each of the shapes.
- 3. Make sure their drawing are accurate and include markings to show equal side lengths, as the example answers below:




4. **Say**: Today we will practise calculating the area of squares, rectangles, parallelograms, and trapeziums.

Introduction to the New Material (12 minutes)

- 1. **Ask**: What is area? (Answer: The size inside of a shape.)
- 2. Have 1-2 pupils volunteer to answer. Remind pupils that area is always written in units squared.
- 3. **Say**: All of the shapes you have drawn are quadrilaterals, meaning they have 4 sides. We can also call the first 4 shapes parallelograms. A parallelogram is a 4-sided plane figure with opposite sides parallel. Rectangle, square, and rhombus are special kinds of parallelograms.
- 4. **Say**: The small lines show sides that are equal in length. If the sides in a shape have 1 small line on them, they are equal. If they have 2 small lines, those are equal to each other too.
- 5. Ask: How do we find the area of squares or rectangles? (Answer: multiply length times width)
- 6. **Say**: To find the area of a square or rectangle, multiply the lengths of the 2 sides.
- 7. **Write** the formulae for area of a square and rectangle on the board:


Square:
$$A = length \times length = l \times l = l^2$$
 Rectangle: $A = length \times width = l \times w$

- 8. Label the rectangle on the board with measurements.
- 9. Calculate the area of the rectangle on the board and explain each step: Area = $1 \times w = 8 \text{ cm.} \times 4 \text{ cm.} = 32 \text{ cm.}^2$




- 10. **Say**: For parallelograms and rhombuses, we use different, special formulae to find their area. We need to know measurements that are inside of them.
- 11. Draw the height into the parallelogram, and the 2 diagonals of the rhombus:

12. **Say**: For the parallelogram, we use its height to find the area. We use a similar formula to the 1 we used for area of a rectangle.




- 13. Write on the board: $A = base \times height = b \times h$
- 14. Ask pupils to volunteer to identify base and height of the parallelogram. (Answer: base = 8 m.; height = 7 m.)
- 15. Calculate the area on the board and explain each step. (Answer: $A = b \times h = 8 \text{ m.} \times 7 \text{ m.} = 56 \text{ m.}^2$).



- 16. **Say**: For the rhombus, we use the length of its 2 diagonals to find the area.
- 17. Write on the board: $A=\frac{1}{2}\times diagonal\ 1\times diagonal\ 2=\frac{1}{2}d_1\times d_2$
- 18. Ask pupils to identify the 2 diagonals. (Answer: $d_1=8~\mathrm{m.}$; $d_2=10~\mathrm{m.}$)
- 19. Calculate the area on the board and explain each step. (Answer: $A = \frac{1}{2}d_1 \times d_2 = \frac{1}{2} \times 8 \text{ m.} \times 10 \text{m.} = 40 \text{m.}^2$)
- 20. **Say**: A trapezium is a quadrilateral, meaning it has 4 sides. However only 1 set of sides is parallel, so it is not a parallelogram like the other shapes we have been studying.
- 21. Label the measurements on the trapezium
- 22. **Write** the formula for area of a trapezium on the board:

$$Area = \frac{1}{2}(a+b)h$$



- 23. Say: To calculate the area of a trapezium you add the 2 parallel 8 cm.

 bases together (a + b) and divide the sum by 2. Then you
 multiply by the height (h) of the trapezium. You must be careful to always use the height, not the side of the trapezium. You can see that those may be different numbers.
- 24. Ask pupils to calculate the area of the trapezium in their exercise books using the formula, while you do so, on the board. (Answer: $Area = \frac{1}{2}(a+b)h = \frac{1}{2}(5\text{cm.} + 8\text{cm.})3\text{cm.} = 19.5\text{ cm.}^2$)
- 25. Say: Remember area is always written in units squared.

Guided Practice (8 minutes)


1. Ask pupils to work in pairs.

5 m.

2. Sketch and label a square and a rhombus on the board:








- 3. Ask pupils to calculate the area of the 2 shapes.
- 4. Move around to check for understanding and clear misconceptions. Check that their answers are in m.² and mm.²
- 5. Ask 2 different pairs to give their answers to the 2 questions (Answers: (i) $A=l\times l=5$ m.× 5 m. =25 m. 2 ; $(ii)A=\frac{1}{2}d_1\times d_2=\frac{1}{2}\times 9$ mm.× 11mm. =49.5mm. 2)

Independent Practice (10 minutes)

1. Point to the rectangle, parallelogram, and trapezium on the board.

(i) 10 cm. (iii) h = 9 m.



(ii)

- 2. Ask pupils to work independently to solve the problems.
- 3. Move around to check for understanding and clear misconceptions.
- 4. Ask pupils to turn to their partner and compare answers for 2 minutes.
- 5. Have 3 pairs volunteer to share their answers.
- 6. (Answers: (i) $A = l \times w = 10 \text{ cm.} \times 5 \text{ cm.} = 50 \text{ cm.}^2$; (ii) $A = b \times h = 12 \text{ m.} \times 9 \text{ m.} = 108 \text{ m.}^2$; (iii) $Area = \frac{1}{2}(a+b)h = \frac{1}{2}(12 \text{ cm.} + 15 \text{ cm.})2 \text{ cm.} = 27 \text{ cm.}^2$
- 7. **Write** the correct answers and steps on the board. Ask pupils to check their work.

Closing (2 minutes)

1. Draw the following chart on the board:

Plane Shape	Area Formula
Square	
Rectangle	
Parallelogram	
Rhombus	
Trapezium	

- 2. Ask pupils to fill in the chart with the area formulae.
- 3. **Say**: If you have the chart from the previous lesson with perimeter formulae, you can add a column and all the formulae will be in 1 place. (Answer: The full chart should look like below)

Plane Shape	Quadrilateral	Equal	Equal	Perimeter Formula	Area Formula
		Sides	Angles		
Square	Yes	Yes	Yes	P = 4I	$A = l^2$
Rectangle	Yes	No	Yes	P = 2I + 2w	$A = l \times w$
Parallelogram	Yes	No	No	P = 2I + 2w	$A = b \times h$
Rhombus	Yes	Yes	No	P = 4I	$A = \frac{1}{2}d_1 \times d_2$
Trapezium	Yes	No	No	P = a + b + c + d	$A = \frac{1}{2}(a+b)h$
Triangle	No	No	No	P = a + b + c	

Lesson Title: Area and Circumference of Circles	Theme: Measurement and Estimation	
Lesson Number: M-09-144	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the	None	None
lesson, pupils will be able	Mone	
to calculate the area and		
circumference of a circle.		


- 1. Draw a blank circle on the board.
- Have 3 pupils volunteer to come to the board and draw and label the centre, diameter, and radius of the circle, as in the diagram. →
- 3. Ask 3 different pupils to volunteer to explain the following terms in their own words:
 - a. Centre
 - b. Diameter
 - c. Radius

(Example answers: (a) Centre is the point in the middle of the circle. (b) Diameter is the distance across the circle, passing through the centre. (c) Radius is the distance from the centre to the circumference, half the diameter.)


4. **Say:** A circle is a round plane shape. Today, you will practise calculating the circumference and area of circles.

Introduction to the New Material (13 minutes)


- 1. Ask pupils to volunteer to describe circumference in their own words. (Example answers: The circumference of a circle is the same as the perimeter of the circle; It is the distance around a circle.)
- 2. Remind pupils about the perimeter of plane shapes as the total distance around the edges of the shape.
- 3. Sketch a circle of radius 12 cm. on the board.



- 4. **Ask:** What formula do we use to find the circumference? (Answer: $C = 2\pi r$)
- 5. **Write** on the board: $C = 2\pi r$
- 6. Read the formula out loud and ask pupils to repeat: 'C equals two pie r'
- 7. **Say**: The C in this formula is circumference, and r is radius. These numbers change for each circle. The other symbol in the formula is called 'pi' and it is a constant number that never changes.



- 8. **Say**: If we write pi as a decimal, it will be very long. We won't find the end of it. We have a fraction and a rounded off decimal that we use in this formula to give us an 'approximate' value for pi.
- 9. Write on the board: $pi = \pi \approx \frac{22}{7} \approx 3.14159$
- 10. **Say**: We can use either value of pi, $\frac{22}{7}$ or 3.14. We will use the decimal for this question.
- 11. Say: Now, let's calculate the circumference of the circle on the board.
- 12. Ask: What is the value for r? (Answer: 12 cm.)
- 13. Ask pupils to substitute the values into the formula in their exercise books.
- 14. Do the calculation on the board: $C = 2\pi r = 2 \times 3.14 \times 12$ cm. =
- 15. Have a pupil volunteer to share the answer: 75.36 cm.
- 16. Say: The circumference of the circle is 75.36 cm.
- 17. Say: The area of a circle is the total space inside the circumference.
- 18. **Ask:** What is the formula to calculate the area of a circle? (Answer: $Area = \pi r^2$)
- 19. **Write** the formula for area of a circle on the board: $Area = \pi r^2$
- 20. Read the formula out loud and ask pupils to repeat: 'Area equals pie r squared'
- 21. Say: Now, we will find the area of this circle using the formula.
- 22. Substitute the values of r and π on the board: $A = \pi r^2 = 3.14 \times (12 \text{ cm.})^2$
- 23. Multiply and find the area: $A = 3.14 \times 12 \text{ cm.} \times 12 \text{ cm.} = 452.16 \text{ cm.}^2$
- 24. Remind pupils that area must be written in units squared



Guided Practice (7 minutes)

- 1. Sketch a circle with radius = 4 cm. on the board:
- 2. Ask pupils to work in pairs to find the circumference and area of the circle.
- 3. **Say**: Use 3.14 for the value of π for both questions.
- 4. Walk around to check for understanding and clear misconceptions.
- 5. Have 1 pair volunteer to present their work on the board, making sure that different pupils solve for circumference and area. Ask the rest of the class to check their work in their exercise books.
- 6. Allow pupils to ask questions. (Answer: $C = 2\pi r = 2 \times 3.14 \times 4 \text{ cm.} = 25.12 \text{ cm.}$; $A = \pi r^2 = 3.14 \times (4 \text{ cm.})^2 = 3.14 \times 16 = 50.24 \text{ cm.}^2$)
- 7. Write the correct answers and steps on the board. Ask pupils to check their work.

Independent Practice (10 minutes)

- 1. Ask pupils to work independently to solve the problems.
- 2. Write the following questions on the board:
 - a. Find the circumference and area of a circle of radius 8 km.
 - b. Find the circumference and area of a circle of diameter 18 m.
- 3. **Say**: Use 3.14 for the value of π for both questions.
- 4. Move around to check for understanding and clear misconceptions.

- 5. Have 2 pupils volunteer to draw and label the circles and solve the questions on the board while the rest of the class checks their work. (Answers: (a) $C=2\pi r=2\times3.14\times8$ km. = 50.24 km; $A=3.14\times(8$ km.) $^2=200.96$ km. 2 ; (b) $r=\frac{d}{2}=\frac{18}{2}$ m.; $C=2\pi r=2\times3.14\times9$ m. = 56.52 m.; $C=3.14\times9$ m. = 3.14×9 m. =
- 6. Correct any errors in the calculation on the board. Ask pupils to check their work.

Closing (2 minutes)

- 1. Have pupils complete solve this question in their exercise books. If a circle has a radius of 2 cm., calculate the diameter, circumference and area.
- 2. Ask pupils to show you the answers in their exercise books on their way out of the classroom. (Answers: $d=2r=2\times 2$ cm. = 4 cm.; $C=2\pi r=2\times 3.14\times 2$ cm. = 12.56 cm.; $A=3.14\times (2$ cm.) $^2=12.56$ cm. 2)

Lesson Title: Practical Problems with Area and	Theme: Measurement and Estimation	
Perimeter		
Lesson Number: M-09-145	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	1. Draw the diagrams from
pupils will be able to:	None	Introduction to the New
1. Find the perimeter and area of		Material and Guided practice on the
composite shapes.		board.
2. Solve multi-step word		2. Write the word problem from the
problems on perimeter and area.		Guided Practice on the board.

- 1. Ask pupils to review the formulae for perimeter and area of the following shapes:
 - a. Rectangle
 - b. Triangle
 - c. Trapezium
 - d. Rhombus
- 2. Ask 4 pupils from different parts of the room to come to the board and write the formulae on the board. (Answers: (a) P = 2I + 2w; $A = l \times w$; (b) P = a + b + c; $A = \frac{1}{2}bh$; (c) P = a + b + c + d; $A = \frac{1}{2}(a+b)h$; (d) P = 4I; $A = \frac{1}{2}d_1 \times d_2$)
- 3. **Say:** Today, we will learn how to find the perimeter and area of composite shapes and solve story problems involving perimeter and area.

Introduction to the New Material (12 minutes)


1. Point to the following composite shapes as examples on the board:





- 2. **Say**: Composite plane shapes are shapes that can be divided into 1 or more basic plane shapes.
- 3. **Say**: To find the perimeter and area of composite shapes you use the formulae for basic shapes such as square, rectangles, and circles, which we already know.
- 4. Ask pupils to identify basic shapes within the composite shapes you have drawn. Have pupils riase their hands to answer. (Answers: (a) rectangle + half-circle; (b) rectangle + triangle)
- 5. **Write** the following story problem on the board:
 - Abel's farm is a square with 1 corner cut off. 2 sides measure 15 m., the other 2 sides measure 10 m. The cut-off corner forms a triangle with a base of 8 m. and height 3 m. Calculate the length of fencing Abel needs, and then find the area of his farm.
- 6. Have a pupil volunteer to read the question aloud to the class.
- 7. Discuss the meaning of this question with the pupils. Remind pupils that the distance around a shape is the perimeter.

8. Say: We need to find the perimeter of the farm, which will tell us the amount of fencing. To be able to understand story problems involving perimeter or area of plane shapes, we can be helpful to draw the picture of the shapes first, and then we apply the correct formula to solve the problem.



50 cm.

60 cm.


- 9. Draw and label the farm on the board. →
- 10. **Ask**: How should we calculate the perimeter of the farm? (Answer: add up all the lengths around the shape)
- 11. Calculate the perimeter of the farm as below: P = 10 m. + 8 m. + 10 m. + 15 m. + 15 m. = 58 m.
- 12. **Ask**: How can we calculate the area of Abel's farm? (Calculate the areas of the square and the missing triangle and subtract)
- 13. Allow pupils to raise their hands to answer these questions.
- 14. **Ask**: What is the formula for the area of a square? (Answer: $A = l^2$)
- 15. Ask pupils to calculate the area of the square in their exercise books, while you do so on the board: $A = l^2 = 15 \text{m.}^2 = 225 \text{ m.}^2$
- 16. **Ask**: What is the formula for the area of a triangle? (Answer: $A = \frac{1}{2}bh$)
- 17. Ask pupils to calculate the area of the missing triangle in their exercise books, while you do so on the board: $A = \frac{1}{2}bh = \frac{1}{2} \times 8 \text{ m.} \times 3 \text{ m.} = 4 \text{ m.} \times 3 \text{ m.} = 12 \text{ m.}^2$
- 18. **Ask**: How do you calculate the final area? (Answer: Subtract the area of the triangle from the area of the square.)
- 19. Ask pupils to calculate the final area in their exercise books: $Total\ Area = 225\ m.^2 12\ m.^2 = 213\ m.^2$
- 20. **Say**: Abel's farm is 213 m.²

Guided Practice (8 minutes)

- 1. Ask pupils to work with their partners to solve the following problem.
- Point to on the board:
 Gbessay wants to buy nets for her windows to keep the mosquitos out and prevent malaria. She has 2 rectangular windows that are 60

cm. tall, and 50 cm. wide. She also has 2 rhombus-shaped windows that have diagonals of 50 cm. and 80 cm. How much net will she need to cover the 4 windows?

- 3. Walk around to check for understanding and clear misconceptions.
- 4. Make sure they are drawing the pictures, applying the correct formulae and their answers are in correct units.



6. Correct any errors in the calculation on the board. Ask pupils to check their work.

Independent Practice (10 minutes)

- 1. Choose 1-2 problems from the question bank on the next page (based on your pupils' level of understanding) and write them on the board.
- 2. Ask pupils to work independently to find the answers.
- 3. Walk around to check for understanding and clear misconceptions.
- 4. Have 1-2 pupils volunteer to come solve the problems on the board.
- 5. **Write** the correct answers and steps on the board. Ask pupils to check their work.

Closing (3 minutes)

- 1. Ask pupils to write their own story problem using the lesson as an example.
- 2. Allow pupils to share their story problems with their partners, or the class if time allows.
- 3. Move around the room and assist pupils as necessary.
- 4. Remind pupils to pick 1 of the basic shapes and make sure they give the needed information such as length and width, or radius.

[QUESTION BANK]

Joe wants to build a porch in the shape of a trapezium next to his house. The 2 parallel sides are 5 m. and 7 m.; the diagonals are both 4 m, and the height is 3 m. Each bag of cement can make 2 square metres of porch. How many bags will Joe need?


Answer:

$$A = \frac{1}{2}(a+b)h$$

= A = $\frac{1}{2}$ (5 m. +7 m.)3 m.
= 6 m.× 3 m
= 18 m.²

 $18 \text{ m.}^2 \div 2\text{m.}^2 = 9 \text{ bags of cement}$

Diagram:




Bendu is fencing her triangular farm. The base of the triangle is 8 m. long, the height is 15 m. long and the diagonal is 17 m. long (i) How long is Bendu's fence? (ii) Fencing costs Le 250 per metre. How much will Bendu's fence cost?

Answer:

(i)
$$P = 15 \text{ m.} + 17 \text{ m.} + 8 \text{ m.} = 40 \text{ m.}$$

(ii) $40 \text{ m.} \times \text{le } 250 = \text{Le } 10,000.$

Diagram:



Sam wants to put 2 mats on the floor of his room. His room is shaped like a rectangle with a small square on it. The rectangle is 4 m. long and 3 m. wide. The square part of the room is 1 m. long by 1 m. wide. (i) How many square metres of mat must he buy? (ii) If the mat is Le 200 for 1 square metre how much will it cost?

Answer:


Rectangle: $A = 3 \text{ m.} \times 4 \text{ m.} = 12 \text{ m.}^2$

Square: $A = 1 \text{ m.} \times 1 \text{ m.} = 1 \text{ m.}^2$

Total = $12 \text{ m.}^2 + 1 \text{ m.}^2 = 13 \text{ m.}^2$

 $Cost = 13 \text{ m.}^2 \times \text{Le } 200 = \text{Le } 2,600$

Diagram:



Lesson Title: Volume of Prisms	Theme: Measurement and Esti	mation
Lesson Number: M-09-146	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the	None	Draw the cubes and shapes
lesson, pupils will be able to	None	from the Introduction to the
find the volume of cubes,		New Material, Guided Practice and
rectangular prisms, and		Independent Practice on the board.
triangular prisms.		


- 1. Ask pupils to volunteer to describe the following in their own words. :
 - a. Cube (Example answer: a 3 dimensional shape where all 6 surfaces are equal squares)
 - b. Rectangular prism (Example answer: a 3 dimensional shape where all 6 surfaces are rectangles, also known as a cuboid)
 - c. Triangular prism (Example answer: a solid with 2 parallel surfaces that are triangles)
- 2. **Say:** Today we will practice finding the volume of cubes, rectangular prisms, and triangular prisms.


Introduction to the New Material (13 minutes)

- Point to a cube on the board. Say: A cube is a special type of rectangular prism. In a rectangular prism, each surface is a rectangle. Because this is a cube, we know that each face is a square. Every edge is the same length, labeled as l.
- 2. Ask pupils to volunteer to state the formula of the volume of rectangular solid:

$$V = l \times w \times h = lwh$$

- 3. **Say**: Since all the sides are of the same length, then 1 number will represent all the sides. We can simplify the formula.
- 4. Ask pupils to replace the width and height with length. For a square, they are all the same.
- 5. **Write** on the board: Volume of a cube is $V = l \times l \times l = l^3$.
- 6. Remind pupils that volume is measured in units cubed.
- 7. **Say**: If you know the length of 1 side of the cube then you will be able to calculate its volume.
- 8. Ask pupils to draw and label a diagram of the cube in their exercise books. Draw it on the board to help them.
- 9. Remind them of the formula: $= l \times l \times l = l^3$.
- 10. Write on the board: $V = 3 \text{ m.} \times 3 \text{ m.} \times 3 \text{ m.}$
- 11. Ask pupils to solve the multiplication problem and give the answer. Make sure they have the correct units. (Answer: 27 m^3)
- 12. Say: Now let us look at triangular prisms.
- 13. **Write** the following problem on the board:
 - Calculate the volume of a right triangular prism with base 8 cm., height 15 cm., and length 18 cm.






- 14. Ask pupils to draw the right triangular prism in their exercise books. Do the same on the board as →
- 15. Say: When the triangular surfaces are right triangles, like this, it is called a right triangular prism.
- 16. **Ask**: What is the formula for area of a triangle? $(A = \frac{1}{2}bh)$
- 17. Write the formula on the board:

$$V = \frac{1}{2} \times base \times height \times length = \frac{1}{2}bhl$$

- 18. **Say**: To find the volume of a triangular prism, we multiply the area of 1 side (a triangle cross-section, $A = \frac{1}{2}bh$) by the length (*I*).
 - a. Remind pupils to find volume, it is important that the sides of a solid are all given in the same units
- 19. Ask pupils to call out values to substitute in the formula: $V = \frac{1}{2}bhl = \frac{1}{2} \times 8 \text{ cm.} \times 15 \text{ cm.} \times 18 \text{ cm.}$
- 20. Ask pupils to calculate the volume of the triangular prism using the formula in their exercise books.
- 21. Calculate the volume on the board: $V = \frac{1}{2}bhl = \frac{1}{2} \times 8$ cm. \times 15 cm. \times 18 cm. = 1,080 cm.³
- 22. **Say**: The volume of the triangular prism is $1,080 \text{ cm.}^3$

Guided Practice (7 minutes)

- 1. Write the following problems on the board and point to the solids:
 - a. Calculate the volume of a rectangular prism with length 7 mm., width 4.5 mm., and height 6 mm.
 - b. Calculate the volume of a cube with side 13 m.
- 2. Ask pupils to work in pairs.
- 3. Move around the room and clear any misconceptions.
- 4. Have 2 pairs volunteer to share their answers on the board. Have 1 pupil draw the solid while the other calculates the volume.



7 mm.

- 5. Ask the rest of the pupils to check their work in their exercise books. (Answers: (a) $V = lwh = 7 \text{ mm.} \times 4.5 \text{ mm.} \times 6 \text{ mm.} = 189 \text{ mm.}^3$ (b) $V = 13 \text{ m.} \times 13 \text{ m.} \times 13 \text{ m.} = 2,197 \text{ m.}^3$)
- 6. Write the correct answers and steps on the board. Ask pupils to check their work.

Independent Practice (10 minutes)

- 1. Write 2 problems on the board:
 - a. Calculate the volume of a rectangular prism with length 15 m., width 2 m., and height 8 m.
 - b. Calculate the volume of a triangular prism with base 14 cm., height 10 cm., and length 5 cm.
- 2. Ask pupils to solve the problems independently in their exercise books.
- 3. Go round and check their answers and clear any misconceptions. (For example, make sure pupils write the units for volume correctly: m.³ and cm.³)

- 4. Have2 pupils volunteer to come to the board to share their answers while the rest of the class checks their work in their exercise books. (Answers: (a) $V = lwh = 15 \text{ m.} \times 2 \text{ m.} \times 8 \text{ m.} = 240 \text{ m}^3$; (b) $V = \frac{1}{2}bhl = \frac{1}{2} \times 14 \text{ cm.} \times 10 \text{ cm.} \times 5 \text{ cm.} = 350 \text{ cm.}^3$
- 5. **Write** the correct answers and steps on the board. Ask pupils to check their work.

Closing (2 minutes)

- 1. Ask pupils to volunteer to say the formulae for the volume of the following solids:
 - Cube
 - b. Rectangular prism
 - c. Triangular prism

(Answers: (i) Cube: $V=l^3$; (ii) Rectangular prism: V=lwh; (iii) Triangular prism: $V=\frac{1}{2}bhl$)

Lesson Title: Volume of Cylinders	Theme: Measurement and Esti	mation
Lesson Number: M-09-147	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the	None	Draw the cylinder
lesson, pupils will be able	Wolfe	diagrams from the
to find the volume of a cylinder.		Introduction to the New
		Material and Guided Practice on
		the board.


1. Write the following problem on the board:

Calculate the volume of a triangular prism with base 9 m., height 8 m., length 5 m.

- 2. Ask pupils to solve the problem in their exercise books.
- 3. Have 1 pupil volunteer to share their answer and describe the steps to finding the volume. (Answer: $V = \frac{1}{2}bhl = \frac{1}{2} \times 9 \text{ m.} \times 8 \text{ m.} \times 5 \text{ m.} = 180 \text{ m.}^3$)
- 4. Say: Today we will practice finding the volume of cylinders.

Introduction to the New Material (14 minutes)


- 1. Point to the cylinder on the board. Label the height and radius as -
- 2. **Say**: A cylinder is a solid with 2 parallel faces that are circles. A cylinder have a height and a radius or diameter. Its volume is measured in cubic units



- 4. **Ask:** What is the formula for volume of a cylinder. (Answer: $V = \pi r^2 h$)
- 5. Have pupils raise their hands to answer your questions.
- 6. Write on the board:


$$V = \pi r^2 h$$

- 7. **Say**: To find the volume of a cylinder, we multiply the area of one side (a cross-section, which is a circle with $A = \pi r^2$) by the height (h).
- 8. Remind pupils to find volume, it is important that the sides of a solid given in the same units
- 9. **Write** the following problem on the board: Find the volume of a cylinder with radius 2 cm. and height 8 cm.
- 10. Ask pupils to draw the cylinder in their exercise book. Do the same on the board as →



- 12. **Say**: Use 3.14 as the value for π .
- 13. Ask pupils to calculate the volume of the cylinder using the formula.
- 14. Calculate the volume on the board: $V = \pi r^2 h = 3.14 \times (2 \text{ cm})^2 \times 8 \text{ cm} = 100.48 \text{ cm}^3$
- 15. **Write** another problem on the board:

 What is the volume of a cylinder with radius 6 m. and height 2 m.?



are all


8 cm.

r = 2 cm.

- 16. Ask pupils to call out the steps to calculate the volume of the cylinder using the formula in their exercise books. (Answers: Write the formula; substitute the values for π , radius, and height; multiply.)
- 17. Calculate the volume on the board: $V = \pi r^2 h = 3.14 \times (6 \text{ m.})^2 \times 2 \text{ m.} = 226.08 \text{ m.}^3$

Guided Practice (5 minutes)

- 1. Write the following problem on the board:
 - a. Draw a cylinder with height 6 cm., and a diameter 10 cm.
 - b. What is the volume of the cylinder?
- 2. Ask pupils to work in pairs and to write their answers in the exercise books.
- 3. Move around the room and clear misconceptions.
- 4. Have 1 pair volunteer to draw the cylinder on the board, and answer the question. Answers:



(b)
$$r = \frac{d}{2} = \frac{10}{2} = 5 \text{ cm.}$$
; $V = \pi r^2 h = 3.14 \times (5 \text{ cm.})^2 \times 6 \text{ cm.} = 471 \text{ cm}^3$

5. Correct any errors on the board and ask pupils to check their work.

Independent Practice (10 minutes)

- 1. Write the following problems on the board:
 - a. Calculate the volume of a cylinder with radius 2.5 cm. and height 6 cm.
 - b. Calculate the volume of a cylinder with radius 7 km. and height 6 km.
- 2. Ask pupils to work individually and write their answers in their exercise books.
- 3. Move around the room and clear misconceptions.
- 4. Have 2 pupils volunteer to come to the board and share their answers while the rest of the class checks their work in their exercise books. (Answers: (a) $V = \pi r^2 h = 3.14 \times (2.5 \text{ cm.})^2 \times 6 \text{ cm.} = 117.75 \text{ cm}^3$; (b) $V = \pi r^2 h = 3.14 \times (7 \text{ km.})^2 \times 6 \text{ km.} = 923.16 \text{ km}^3$)
- 5. Write the correct steps and answers on the board. Ask pupils to check their work.

Closing (3 minutes)

- 1. Ask pupils to answer the following questions by raising their hands.:
 - a. Define 'cylinder'.
 - b. What is the formula for the volume of a cylinder?
- 2. Have 2 pupils volunteer to share their ideas with the class. (Answer: (i) A cylinder is a solid with 2 parallel faces that are circles; (ii) $V = \pi r^2 h$)

Lesson Title: Surface Area of Prisms	Theme: Measurement and Esti	mation
Lesson Number: M-09-148	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the	None	Draw the shapes and
lesson, pupils will be able	Wone	diagrams from
to calculate the surface area of		Introduction to New Material,
cubes, rectangular prisms, and		Guided Practice and
triangular prisms.		Independent Practice on the
		board.


- 1. Write the following questions on the board:
 - a. What is the formula for the area of a square?
 - b. What is the formula for the area of a rectangle?
 - c. What is the formula for the area of a triangle?
- 2. Have 3 pupils volunteer to shares the answers. (Answers: (a) $A=l^2$; (b) $A=l\times w$; (c) $A=\frac{1}{2}bh$)
- 3. **Say**: Today we will learn to calculate the surface area of cubes, rectangular prisms, and triangular prisms.

Introduction to the New Material (14 minutes)

- 1. Point to the rectangular prism on the board:
- 2. **Ask**: What is surface area? (Answer: The outside layer of a solid is called the *surface area*.)
- 3. Remind pupils that using a net can help us. A net is like a paper version of a solid that can be
- Ask pupils to draw a net of the rectangular prism in their exercise books. Do the same on the board to help them.

opened up and laid flat.

 Ask: How can we calculate the surface area of the rectangular prism? (Answer: Add up the areas of each of the rectangles in the net, like a composite shape).



l = length

h = height

w = width

- 6. **Say**: A rectangular prism has 6 sides, just like a cube, but they are not all the same.
- 7. Ask pupils to discuss what rectangles in the prism are the same with their partners. (Answer: The top and bottom are the same, the front and back are the same, and the left and right are the same.)
- 8. Write the formula for the surface area of a rectangular prism on the board:


$$SA = 2lw + 2wh + 2lh$$

- 9. **Say**: To calculate the total surface area of a rectangular prism we find the area of each of the 3 different surfaces and multiply by 2. If this were a cube, the area of each surface would be the same, so we would find the area of 1 surface and multiply it by 6. ($SA = 6l^2$)
- 10. Label the rectangular prism with length 5 m., width 4 m., and height 9 m.
- 11. Ask pupils to calculate the surface area of the rectangular prism.
- 12. Calculate the surface area on the board:


$$SA = 2lw + 2wh + 2lh$$

= 2 × 5 m.× 4 m. +2 × 4 m.× 9 m. +2 × 5 m.× 9 m.
= 40 m.² + 72 m.² + 90 m.² = 202 m.²

13. Point to the triangular prism on the board:



- 14. **Say:** Now we are going to calculate the surface area of a triangular prism.
- 15. Have a pupil volunteer to draw a net of the triangular prism on the board:



- 16. **Ask**: How can we calculate the surface area of the triangular prism? (Answer: Add the areas of each of the shapes in the net, like a composite shape).
- 17. Write the formula for the surface area of a triangular prism on the board:

$$SA = bh + (a + b + c)l$$

- 18. **Say**: To calculate the total surface area of a triangular prism we add the area of the triangle surfaces to the area of the 3 rectangles made by the sides of the triangle.
- 19. **Ask**: Why does the formula only say bh not $\frac{1}{2}bh$? (Answer: There are 2 triangular surfaces and $\frac{1}{2} \times 2$ cancels out.)
- 20. Label the length of the prism 7 cm., the height 3 cm., the base 8 cm., and sides a and c = 5 cm.
- 21. Ask pupils to calculate the surface area of the triangular prism in their exercise books.
- 22. Calculate the surface area on the board:


$$SA = bh + (a + b + c)l = 8 \text{ cm.} \times 3 \text{ cm.} + (5 \text{cm.} + 8 \text{ cm.} + 5 \text{ cm.}) \times 7 \text{ cm.}$$

= $24 \text{ cm.}^2 + (18 \text{ cm.}) \times 7 \text{ cm.}$
= $24 \text{ cm.}^2 + 126 \text{ cm.}^2 = 150 \text{ cm.}^2$

Guided Practice (5 minutes)


- 1. **Write** the following problem on the board: Draw the net of a cube with side length 9 m. Then calculate the surface area.
- 2. Ask pupils to work in pairs and to write their answers in their exercise books.
- 3. **Ask**: What is the formula for the surface area of a cube? (Answer: $SA = 6l^2$)
- 4. Move around the room and clear any doubts.
- 5. Have 1 pair volunteer to draw the solid on the board and answer the question. Correct any error in their calculations and ask other pupils to check their work.

(Answer:
$$SA = 6l^2 = 6 \times (9\text{m.})^2 = 486 \text{ m.}^2$$
)



Independent Practice (10 minutes)

- 1. Write the following problems on the board:
 - a. Calculate the surface area of a right triangular prism with length 12 mm., base 6 mm., height 8 mm., and the remaining side 10 mm.?
 - b. Calculate the surface area of a rectangular prism with length 6 km., width 1.5 km., and height 4 km.
- 2. Ask pupils to work individually and write their answers in their exercise books.
- 3. Move around the room and clear misconceptions.
- 4. Have 2 pupils volunteer to come to the board and share their answers while the rest of the class checks their work in their exercise books.



10 mm.

12 mm.

1.5 km.

8 mm.

Answers:

a.
$$SA = bh + (a + b + c)l$$

= 6 mm.× 8 mm. + (6 mm. +8 mm. +10 mm.) × 12 mm.
= 48 mm.² + (24 mm.) × 12 mm.
= 336 mm²

b.
$$SA = 2lw + 2wh + 2lh$$

= 2 × 6 km.× 1.5 km. +2 × 1.5 km.× 4 km. +2 × 6 km.× 4 km.
= 18 km.² + 12 km.² + 48 km.² = 78 km.²

Closing (3 minutes)

1. Ask pupils to pick a cube, rectangular prism, or triangular prism and sketch both the prism and its matching net.

- 2. Give pupils one minute to work and then ask pupils to compare their answers with their partners.
- 3. Allow 1-2 pupils to volunteer to share their work with the class.

Lesson Title: Surface Area of Cylinders	Theme: Measurement and Esti	mation
Lesson Number: M-09-149	Class/Level: JSS 3	Time: 35 minutes

Learning Outcomes	Teaching Aids	Preparation
By the end of the	None	1. Draw the cylinders and
lesson, pupils will be able	Mone	diagrams from the Introduction
to calculate the surface area of		to New Material, Guided Practice and
a cylinder.		Independent Practice on the board.
		2. Draw the tables from the Closing
		section on the board.

Opening (2 minutes)


- 1. Write the following questions on the board:
 - a. What is a cylinder?
 - b. What is the formula for the area of a circle?
 - c. What is the formula for the circumference of a circle?
- 2. Ask 2 pupils to volunteer to share the answers. (Answers: (a) A cylinder is a solid with 2 parallel faces that are circles; (b) $A = \pi r^2$; (c) $C = 2\pi r$)
- 3. Say: Today we will practice calculating the surface area of a cylinder.


Introduction to the New Material (13 minutes)

- 1. Point to the cylinder on the board:
- 2. **Ask**: What is surface area? (Answer: The outside layer of a solid is called the *surface area*.)
- 3. Have pupils volunteer to answer.
- 4. Remind pupils that using a net can help us. A net is like a paper version of a solid that can be opened up and laid flat.
- 5. Have a pupil volunteer to come to the board and draw a net of the cylinder:
- 6. **Ask**: How can we calculate the surface area of the cylinder? (Answer: Add the areas of each of the shapes in the net, like a composite shape).
- 7. **Ask**: What is the formula for the surface area of a cylinder? (Answer: $SA = 2\pi r^2 + 2\pi rh$)
- 8. Let pupils volunteer to respond. Then **write** the formula on the board.
- Say: To calculate the total surface area of a cylinder we add the area of the 2 circle surfaces on the ends to the area of the rectangle made by the circumference of the circle and the height.
- 10. Label the height of the cylinder 9 cm., and the radius 3 cm.
- 11. Ask pupils to calculate the surface area of the cylinder in their exercise books.
- 12. Calculate the surface area on the board:

$$SA = 2\pi r^2 + 2\pi rh = 2 \times 3.14 \times (3 \text{ cm.})^2 + 2 \times 3.14 \times 3 \text{ cm.} \times 9 \text{ cm.}$$

= 56.52 cm.² + 169.56 cm.²





$$= 226.08 \text{ cm.}^2$$

13. Remind pupils that surface area is measured in units squared, just like area.


Guided Practice (6 minutes)

- 1. **Write** the following problem on the board: What is the surface area of a cylinder with height 4m., and diameter 10 m.?
- 2. Ask pupils to work in pairs and write their answers in their exercise books.
- 3. Move around the room and clear misconceptions.
- 4. Have one pair of pupils volunteer to come to the board and sketch and label the cylinder, while another pair solves the surface area and the class checks their work in their exercise books. Then correct any errors on the board.

Answers:
$$r = \frac{d}{2} = \frac{10 \text{ m.}}{2} = 5 \text{m.}$$


$$SA = 2\pi r^2 + 2\pi rh$$

= 2 × 3.14 × (5 m.)² + 2 × 3.14 × 5 m.× 4 m.
= 157 m.² + 125.6 m.²
= 282.6 m.²



Independent Practice (10 minutes)

- 1. **Write** the following problem on the board: Find the surface area of a cylinder with height 8 cm., and radius 6 cm.
- 2. Ask pupils to work individually and write their answers in their exercise books.
- 3. Move around the room and clear any doubts pupils have.
- 4. Have a pupil volunteer to come to the board and share their answer while the rest of the class checks their work in their exercise books. (Answer: below)



5. **Write** the correct answer and steps on the board. Ask pupils to check their work.

$$SA = 2\pi r^2 + 2\pi rh = 2 \times 3.14 \times (6 \text{ cm.})^2 + 2 \times 3.14 \times 6 \text{ cm.} \times 8 \text{ cm.}$$

= 226.08 cm.² + 301.44 cm.²
= 527.52 cm.²

Closing (4 minutes)

1. Point to the following chart on the board and ask pupils to copy it into their exercise books and fill it out.

Solid	Surface Area Formula
Cube	
Rectangular Prism	
Triangular Prism	
Cylinder	

2. Have 4 pupils volunteer to share the answers for each of the solids.

Solid	Surface Area Formula
Cube	$SA = 6l^2$
Rectangular Prism	SA = 2lw + 2wh + 2l
Triangular Prism	SA = bh + (a+b+c)
Cylinder	$SA = 2\pi r^2 + 2\pi rh$

Lesson Title: Practical Problems with Volume	Theme: Measurement and Esti	mation
and Surface Area		
Lesson Number: M-09-150	Class/Level: JSS 3	Time: 35 minutes


Learning Outcomes	Teaching Aids	Preparation
By the end of the lesson,	None	1. Write the problems
pupils will be able to:		from Introduction to the
1. Find the volume and surface area		New Material and Guided
of composite shapes.		Practice on the board.
2. Solve multi-step word problems		2. Draw the diagrams from the
on volume and surface area.		lesson plan on the board.

Opening (2 minutes)

- 1. Have pupils volunteer to call out the formulae for volume and surface area of the following solids:
 - a. Cube
 - b. Rectangular prism
 - c. Triangular prism
 - d. Cylinder (Answers: (a) Cube: $V=l^3$; $SA=6l^2$; (b) Rectangular prism: V=lwh; SA=2lw+2wh+2lh; (c) Triangular prism: $V=\frac{1}{2}bhl$; SA=bh+(a+b+c)l; (d) Cylinder: $V=\pi r^2h$; $SA=2\pi r^2+2\pi rh$)
- 2. **Say**: Today, we will learn how to find the volume and surface area of composite shapes and practice solving multi-step word problems on volume and surface area.

Introduction to the New Material (14 minutes)

- 1. Point to the following story problem on the board:
 - Jebbeh is painting her storeroom. It is a rectangular prism with a triangular prism as the roof. The length is 8 m., width is 5 m., and height of the walls is 5 m.; the height of the triangular prism of the roof is 2 m. She wants to paint the outside walls so she needs to calculate how many square metres she has to cover, and find the full volume of the building.
- 2. Have 1 pupil volunteer to read the question aloud to the class.
- 3. Discuss the meaning of this question with pupils.
- 4. Say: To be able to understand story problems involving composite solids it can be helpful to draw the picture of the solids first, and then we apply the correct formulae to solve the problem.
- 5. Draw and label the storeroom on the board. →
- 6. **Say:** First we need to find the surface area of the rectangular prism and then subtract the bottom and the top areas, since Jebbeh will not paint the ceiling or the floor. Then we need to find the volume for the 2 prisms.
- 7. **Ask**: What is the formula for the surface area of a rectangular prism? (Answer: SA = 2lw + 2wh + 2lh)
- 8. Let pupils raise their hands to answer.




- 9. **Say**: Jebbeh will only paint the walls, so we can subtract the top and bottom of the rectangular prism's surface area by leaving them out of the formula to begin with.
- 10. **Ask:** According to our diagram, what part of the solid is the ceiling and floor of the storeroom? (Answer: length x width)
- 11. Invite pupils to raise their hands to answer.
- 12. **Ask:** How can we change the formula to calculate just the parts we need? (Answer: SA = 2wh + 2lh)
- 13. Ask pupils to calculate the surface area of the walls of Jebbeh's house in their exercise books using the formula.
- 14. Calculate the surface area on the board:

$$SA = 2wh + 2lh = 2 \times 5 \text{ m.} \times 5 \text{ m.} + 2 \times 8 \text{ m.} \times 5 \text{ m.} = 50 \text{ m}^2 + 80 \text{ m}^2 = 130 \text{ m.}^2$$

- 15. Say: The surface area of the house to be painted is 130 m.²
- 16. **Say**: Now we must calculate the volume of the storeroom:
- 17. Ask pupils to discuss how do we find the volume of composite solids, guide them to understand that you find the individual volumes and then add them.
- 18. **Ask:** What are the solids that we must calculate the volume of to find the total volume of the storeroom? (Answer: a rectangular prism and a triangular prism)
- 19. Let pupils raise their hands to answer each of these questions.
- 20. **Ask:** What is the formula for the volume of a rectangular prism? (Answer: V = lwh)
- 21. Ask pupils to calculate the volume of the rectangular prism in their exercise books, while you do so on the board: $V = lwh = 8 \text{ m.} \times 5 \text{ m.} \times 5 \text{ m.} = 200 \text{ m.}^3$
- 22. **Ask:** What is the formula for volume of a triangular prism? (Answer: $V = \frac{1}{2}bhl$)
- 23. Ask pupils to calculate the volume of the triangular prism in their exercise books, while you do so on the board: $V = \frac{1}{2}bhl = \frac{1}{2} \times 5 \text{ m.} \times 2 \text{ m.} \times 8 \text{ m.} = 40 \text{ m.}^3$
- 24. Say: Now we must add together the 2 volumes.
- 25. **Ask**: What is the total volume of Jebbeh's storeroom? (Answer: $40 \text{ m.}^3 = 200 \text{ m.}^3 = 240 \text{ m.}^3$)

Guided Practice (5 minutes)

- 1. Point to the following story problem on the board:
 - A water tank with a height of 5 m. is in the shape of a cylinder with radius 2 m. The tank is half full of water. Calculate the volume of the water in the tank. 1 can of paint covers 30 m.²; calculate how many cans of paint would be needed to paint the whole tank.



- 2. Have 1 pupil volunteer to read the question aloud to the class.
- 3. Ask pupils to discuss how to solve the problem with their partners: calculate the volume first and divide in half; and guide them to understand that they need to calculate the surface area of the cylinder and then divide by the number of m² per can.
- 4. Ask pupils to work in pairs to solve the problems in their exercise books. Remind pupils to draw a diagram of the solids.
- 5. Have 2 pairs of pupils volunteer to come to the board and share their answers. Have 1 pair calculate the volume and 1 calculate the surface area. Correct any errors they make on the board and ask all pupils to check their work.

(Answers:
$$V = \pi r^2 h = 3.14 \times (2 \text{ m.})^2 \times 5 \text{ m.} = 62.8 \text{ m.}^3$$

 $62.8 \text{ m.}^3 \div 2 = 31.4 \text{ m.}^3$
 $SA = 2\pi r^2 + 2\pi r h = 2 \times 3.14 \times (2 \text{ m.})^2 + 2 \times 3.14 \times 2 \text{ m.} \times 5 \text{ m.}$
 $= 25.12 \text{ m.}^2 + 62.8 \text{ m.}^2 = 87.92 \text{ m.}^2$

Independent Practice (10 minutes)

1. Choose 1-2 problems from the question bank on the next page (based on your pupils' level of understanding) and write them on the board.

 $= 87.92 \text{ m.}^2 \div 30 \text{ m.}^2 = 2.93 \approx 3 \text{ cans}$

- 2. Ask pupils to work independently to find the answers.
- 3. Walk around to check for understanding and clear any doubts.
- 4. Have 1-2 pupils volunteer to come solve the problems on the board.
- 5. **Write** the correct answers and steps on the board. Ask pupils to check their work.

Closing (4 minutes)

- 1. Ask pupils to write their own story problem using the lesson as an example.
- 2. Allow pupils to share their story problems with partners, or the class, if time allows.
- 3. Move around the room and assist pupils as necessary.
- 4. Remind pupils they can choose basic or composite solids, and to make sure they give the needed information such as length and width, or radius.

[QUESTION BANK]

1. A soda company puts labels on their cylinder-shaped drink bottles. The drink bottles are 14 cm. tall with a diameter of 8 cm. (a) What is the surface area of the label the company needs to print so that it will cover the bottle from top to bottom? (b) What is the volume of the soda cans?

Answer: Diagram: d = 8 cm

(a) $SA=2\pi r^2+2\pi rh$; but since the label will not be on the top or bottom surfaces, we use only $SA=2\pi rh$


$$= 2 \times 3.14 \times 4 \text{ cm.} \times 14 \text{ cm.}$$


$$= 351.68 \text{ cm.}^2$$

(b)
$$V = \pi r^2 h$$

$$= 3.14 \times (4 \text{ cm.})^2 \times 14 \text{ cm.}$$

$$= 703.36 \text{ cm.}^3$$





Answer:

1 m. = 100 cm.3 m. (a) $V = lwh = 500 \text{ cm.} \times 12 \text{ cm.} \times 300 \text{ cm.} = 1,800,000 \text{ cm.}^3$ 12 $1,800,000 \text{ cm.}^3 \div 1,000,000 = 1.8 \text{ m}^3$ 5 m.


Diagram:

$$OR: V = lwh = 5 \text{ m.} \times 0.12 \text{ m.} \times 3 \text{ m.} = 1.8 \text{ m.}^3$$

(b)
$$SA = 2lw + 2wh + 2lh$$

=
$$1 \times 500$$
 cm.× 12 cm. +2 × 12 cm.× 300 cm. +2 × 500 cm.× 300 cm.
= $6,000$ cm² + $7,200$ cm² + $300,000$ cm² = $313,200$ cm.² ÷ $10,000$ = 31.32 m.²
 31.32 m.² ÷ 30 m.² = $1.04 \approx 2$ cans of paint needed

3. Samuel has a water trough in the shape of a half cylinder that is 60 cm. long and has a radius of 22 cm. The trough stands on a block that is a rectangular prism measuring 60 cm. long, 70 cm. wide, and 5 cm. high. (a) What is the volume of the trough? (b) What is the surface area of the rectangular prism above the ground?



Answer:

Diagram

$$a.V = \pi r^2 h = 3.14 \times (22 \text{ cm.})^2 \times 60 \text{ cm.} = 91,185.6 \text{ cm.}^3$$

91,185.6 cm.³ ÷ 2 = 45,592.8 cm.³

$$b.SA = 2lw + 2wh + 2lh$$

 $= 1 \times 60 \text{ cm.} \times 70 \text{ cm.} + 2 \times 70 \text{ cm.} \times 5 \text{ cm.} + 2 \times 60 \text{ cm.} \times 5 \text{ cm.}$

 $= 4,200 \text{ cm}^2 + 700 \text{ cm}^2 + 600 \text{ cm}^2 = 5,500 \text{ cm}^2$

-	o	55	551	»Ęv	EEE.	222	222	a to in	ជ ជ ជ ជ	5 4 4	444	4	សភភ	₹ £ ₹	- 5 6 6	16	9t 11	11	17	8 8 8	100	
-	80	თთ	000	9 -	999	225		-=-	222	222	5 5 5	5	ងដង	444	4 4 4	4	សសស	5 5	15	555	-	l
	~	∞ ∞	0,000		თ თ თ <i></i>	000	- e 5 5	- e	555	555	*FFF	F	222	555	555	13	ឯឯឯ	55	4	444	Ø¥.	ļ
nces	9	~	Lui			00 00 00	- 0000	- 00	თ თ თ —	თთთ	-	5	555	- 555		=	EEE	FF		555		I
Difference	5	99			000	977		- 9	000	666	- 0000	8 9	- 00 00 00	- 0000	000	0	000	96		888	17A	
٥	3 4	4 12	. www	_	A 4 4	244	- 4 4 4 - ro ro co	#	***	400	000	10	101010	10 10 10	101010	10	000	99		999	-	
0	2	22	000	7.	000	000	THE IS		000	888		m	mmm		w44	4	444	44	4	444		
0				0.5	5550	555	0000	0-0	2758	- 22	- 1111	2	000	000	9000	7		~~	2	222		
62	6	3125	3352	3709	3832 3956 4083	4212 4343 4476	4610 4747 4886	5027	5170 5314 5461	5610 5761 5914	6068 6225 6384	6545	6708 6872 7039	7208	7726 7903 8082	8263	8446 8630 8817	9006	390	9584 9781 9980		1
22.3	8	3226 3	3341 3 3457 3		3819 3 3944 3 4070 4	4199 4 4330 4			5155 5300 5446 5446	5595 5 5746 5 5898 5		9 6259	6691 6 6856 6 7022 7	7191 7		8245 8	8427 8 8612 8 8798 8	8987 9 9178 9		9565 9 9761 9 9960 9	900	
156 3	7.03	3102 3 3215 3	3329 3 3446 3		3931 3 4058 4	4186 4 4316 4			5141 5 5285 5 5432 5	5580 5 5730 5 5883 5		6512 6	6675 6 6839 6 7006 7			8226	8409 8 8593 8	8968 9158 9		9545 9 9742 9 9940 9		
122	9	3091 3	3318 3434 3552		3795 3919 3019 4054	4173 4			5127 5271 5417 5	5565 5715 5868 5868		6496	6659 6823 6989 7			8208	8391 8 8575 8 8761 8	9139		9526 9722 9920		
153 3	26 3	3080 3 3192 3	3306 3 3422 3		3782 3 3906 3 4032 4	4160 4 4290 4 4422 4			5112 5 5256 5 5402 5	5550 5 5700 5 5852 5		6480 6	6642 6 6806 6 6972 6	7140 7		8190 8	8372 8 8556 8 8742 8	8930 8 9120 9		9506 9 9702 9 9900 9		-
	4 2 2	3069 3 3181 3	3295 3 3411 3		3770 3 3894 3 4020 4	4147 4 4277 4			5098 5 5242 5 5388 5	5535 5 5685 5 5837 5		6464 6	6626 6790 6956			8172 8	8354 8 8538 8	8 1168 9 1016		9487 9683 9880		
6118	m	3058 3	3283 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	400 11 0	3758 3881 4007 4	4134 4264 4396 4			5084 5 5227 5 5373 5	5520 5 5670 5 5822 5		6448	6610 6773 6939	Series to the	1717-17	8154 8	8336 8519 8705	8892 8		9467 9663 9860 9		
03	2 3 3	3047 3			3745 3 3869 3 3994 4	4251 4 4251 4		0.000	5069 5 5213 5 5358 5	5506 5 5655 5 5806 5		6432 6	6693 6 6757 6			8136 8	8317 8 8501 8	8874 8		9448 9643 9841		
8 675	200	3036 30		C. Carlo	3733 37 3856 38 3982 38	4109 4 4238 4 4369 4			5055 50 5198 53 5344 53	5491 5 5640 5 5791 5		6416 6	6577 6 6740 6 6906 6			8 8118	8299 8 8482 8 8668 8	8855 8 9044 9		9428 9 9624 9 9821 9		
01	62	080000	terrorise and the	150,000,00		4096 4225 4356		NAME OF THE OWNER OWNER OF THE OWNER		5476 5		9 0049	6561 6 6724 6 6889 6			8 0018	8281 8464 8649 8	8836 8 9025 9	ette the	9409 9604 9801		
	0	55 3025 56 3136	57 3249 58 3354 59 3481		61 3721 62 3844 63 3969	565 444 444 444			71 5041 72 5184 73 5329	44 57 54 54 54 54 54 54 54 54 54 54 54 54 54		8	8 67 55 8 67 55			90	92 93 84 93 86	95 88		98 96		•
20	×	40 40	_ u, u, u	03.00		000	, , , ,		ININI	ISIT	- ALVARAGE					•			-			
122	6	6	222	988	8 2 2 2	2 2	884	488	9 5 5	3 8	7000		91 1		~ ~ ~ ~ ~ ~	- 00	∞ ∞ ∞ ∞	o o	6	၈၈ဥ	10	
10	œ	17	282	222			888	824			8000	. 9	9 9			91	rr 00	00 00	00	ထထတ	6	
199	-	15	19 19	ឧឧ	3 482	1 = R	828	888	8 9 5	4	4000	- in	n n n	ம ம ம	0000	9	91-01	~~	7	LL	00	
nces	9	13	4 6 6	12 19 2	222	25 5	22 28 28	888	8 4 %		8444	10 4	44 0	വ വ	- www				9	999	7	
Differences	co	10	± 5 5	4 6 5			222	252			2000		оо с 44 4	44 4	444	7		44	5	444 rororo	5	
ä	4	9	971	9 9 9			13 18 19	282			9222			000			100 PARK TO 100	00	6	m m m	9	
	2	4	01010	990	2 4 4	CX 17	000	200	199 44 10	7 7	8			100 0		~	NN N	22	7	200	7	
	-	7	200	mma	0 0 4 4	4	440		126.44		9	0.0				0.0	FROR		-		-	
10	6	1188	1416	2220	3204	4368	4796 5244 5712	6200	7784	9548	1018	218	362	592	756 840 927	910	2107 . 2200 2294	2490	2591	2694 2798 2905	3014	
90	00	1166 11	404	2496 22			4752 47 5198 55 5664 57	6150 67			1011 1			1584				2480 2	2581 2	2683 2 2788 2 2894 2	2	
		12.3	1369 139 1613 163 1877 190	2465 24			4709 47 5153 51 5617 56	6101 61 6605 66			1005 1069 1136			1576 1					2570 2	2673 2 2777 2 2884 2	2992 300	
6	9	1124 1145	1346 13 1588 16 1850 18	2132 21			4666 47 5108 51 5570 56	6052 61 6554 66			9986 - 10- 1063 10 1129 11			1568 15					2560 28	2663 2767 2873 28	2981 29	
	S.		1323 13 1563 15 1823 18	2403 24			4623 46 5063 51 5523 55	6503 65			9923 99 1056 10			1482 14				2352 22	2550 2	2652 20 2756 27 2862 28	2970 2	
2 10	1	82 1103	1300 13 1538 15 1796 18	2074 21		4	4580 46 5018 50 5476 55	5954 60 6452 65			9860 98 11050 10 1116 111			1652 1				2343 2	2540 28	2642 20 2746 21 2852 20	2959 2	
100	4	1082									9797 98 1043 10			1467				2333 23	2530 25	2632 2735 2735 2841	2948 28	
B 573	3 3 4	40 1061	54 1277 88 1513 42 1769	16 2045			94 4537 28 4973 82 5429	5856 5905 6350 6401			9734 97 1037 10			1459 14				2323 23 2421 24	2520 25	2621 26 2725 27 2830 28	2938 29	
83 2-2	2 2	20 1040	32 1254 64 1488 16 1742	88 2016 80 2310			52 4494 84 4928 36 5382				9672 97. 			1462 14				2314 23 2411 24	2510 25	2611 26 2714 27 2820 28	2927 29	
2 10	0	0 1020	1232 0 1464 0 1716	1988			0 4452 0 4884 0 5336	6300	distance.	1.324.00	Though the	100		The state of the s								
1 2	0	1000	1210 1440 1690	1960			4410 4840 5290	5760 6250 6750			9610 - 1024 1089			1521				2304	2500	2601 2704 2809		
	×	5	122	4 6	5 7 5 5	2 2	222	25 25	282	8 8	88833	8	88 6	888	1 2 3 8	4	88 6	8 4	20	52 53	5	
	_	_	The state of the s	-	Anna Carlotte and the Carlotte	Too alker						-11/11/11	1000	Charles Services	Salar Carlottera							

Appendix II: Sines of Angles

Sines of Angles (x in degrees)

V 0 0 0 0 0 0 0 0 0 0 0 4 4 000 000 x → sin x m m တ 9128 9198 9813 9845 3699 3740 7976 8080 8281 8377 8563 8652 8902 8980 9330 9391 9558 9608 8554 8643 8894 8973 9323 9385 9444 9553 9603 9694 9736 7965 8070 8271 8368 8545 8634 8886 8965 9317 9379 9548 9598 8358 8536 8625 9311 9373 9542 9593 8251 8348 rů 8526 8616 8870 8949 9537 9588 9799 9833 8241 8339 9304 9367 7934 8039 7923 8028 8862 8942 9092 9164 9532 9583 9677 9720 8231 8329 8517 8607 9298 9361 9527 9578 9673 9715 9291 9354 8221 8320 8508 8599 9219 9285 9348 9521 9573 9789 9823 9907 9930 7902 3007 8499 8590 8846 8926 9668 9711 8202 8300 8838 8918 9516 9568 7891 8490 8581 -0.9744 0.9781 0.9816 0.7071 0.7986 o 62 63 65 65 75 75 85 86 48 49 52 53 55 54

- 0	Market L	1	and the same		popular year desired	-	Contract of the Contract of th	or Contract of the	Contract Con									_			_
7	6	16	81 81 81	16 16 16	5 6 5	15	25 25	2 2 2	55 55	15	5 5 4	444	444	14	2 2 2 2	5 5 5 5	222	12	122	11	0
-	00	14	444	444	444	14	444	400	555	13	5 5 5	555	222	12	222	225	===	=	555	2	1
	7	12	222	222	222	12	222	555	222	F	EEE	EEE	FFF	=	555	555	550	0	000	6	L
Differences	9	10	555	555	555	10	999	222	222	10	555	500	000	o	თთთ	000	00 00 00	00	00 00 00	7	1
Here	2	0	666	000	000	6	000	00 00 00	0000	00	0000	0000	00 00 00	80				7	r 9 9	9	
١٥	4	7	111			7				_	999	999	999	9	999	000	രസര	ro	மமம	ın	L
ADD	60	ın	0 0 0	0000	0000	ın	000	000	000	n	000	വവവ	0 0 0	S	444	444	444	4	444	4	
	2	m	000	m m m	000	m	000	6000	000	e	ოოო	m m m	000	3	m m m	ოოო	ოოო	m	m m m	2	l
	-	2	222	222	222	2	200	222	000	7	222	000	222	2				-		-	
No.	6.	0157	0332	0854 1028 1201	1374	1891	2062 2233 2402	2571 2740 2907	3074 3239 3404	3567	3730 3891 4051	4210 4368 4524	4679 4833 4985	5135	5284 5432 5577	5721 5864 6004	6143 6280 6414	6547	6678 6807 6934	7059	
	œ	0140	0314 0488 0663	1011	1357 1530 1702	1874	2045 2215 2385	2554 2723 2890	3057	3551	3714 3875 4035	4195 4352 4509	4664 4818 4970	5120	5270 5417 5563	5707 5850 5990	6129 6266 6401	6534	6665 6794 6921	7046	
	2	0122	0297	0819 0993 1167	1340 1513 1685	1857	2028 2198 2368	2538 2706 2874	3040 3206 3371	3535	3697 3859 4019	4179 4337 4493	4648 4802 4955	5105	5255 5402 5548	5693 5835 5976	6115 6252 6388	6521	6652 6782 6909	7034	
	ó	0105	0279 0454 0628	0802 0976 1149	1323 1495 1668	1840	2011 2181 2351	2521 2689 2857	3024 3190 3355	3518	3681 3843 4003	4163 4321 4478	4633 4787 4939	2090	5240 5388 5534	5678 5821 5962	6101 6239 6374	8059	6639 6769 6896	7022	
	rò	0087	0262 0436 0610	0785 0958 1132	1305 1478 1650	1822	1994 2164 2334	2504 2672 2840	3007 3173 3338	3502	3665 3827 3987	4147 4305 4462	4617 4772 4924	5075	5225 5373 5519	5664 5807 5948	6088 6225 6361	6494	6626 6756 6884	7009	
	4	0000	0244 0419 0593	0767 0941 1115	1288 1461 1633	1805	1977 2147 2317	2487 2656 2823	2990 3156 3322	3486	3649 3811 3971	4131 4289 4446	4502 4756 4909	2060	5210 5358 5505	5650 5793 5934	6211 6347	6481	6613 6743 6871	6997	
7	w	0052	0227 0401 0576	0750 0924 1097	1271 1444 1616	1788	1959 2130 2300	2470 2639 2807	2974 3140 3305	3469	3633 3795 3955	4115 4274 4431	4586 4741 4894	5045	5195 5344 5490	5635 5779 5920	6060 6198 6334	6468	6600 6730 6858	6984	
	.2	0035	0209 0384 0558	0732 0906 1080	1253 1426 1599	1771	1942 2113 2284	2453 2622 2790	2957 3123 3289	3453	3616 3778 3939	4099 4258 4415	4571 4726 4879	5030	5180 5329 5476	5621 5764 5906	6046 6184 6320	6455	6587 6717 6845	6972	
1430	7	7100	0192 0366 0541	0715 0889 1063	1236 1409 1582	1754	1925 2096 2267	2436 2605 2773	2940 3107 3272	3437	3600 3762 3923	4083 4242 4399	4555 4710 4863	5015	5165 5314 5461	5606 5750 5892	6032 6170 6307	6441	6574 6704 6833	6929	
0.740	o,	0.0000	0.0349	0-0698 0-0872 0-1045	0.1219 0.1392 0.1564	0.1736	0.1908 0.2079 0.2250	0.2419 0.2588 0.2756	0.2924 0.3090 0.3256	0.3420	0.3584 0.3746 0.3907	0-4067 0-4226 0-4384	0-4540 0-4695 0-4848	0.5000	0.5150 0.5299 0.5446	0.5592 0.5736 0.5878	0-6018 0-6157 0-6293	0.6428	0-6561 0-6691 0-6820	0-6947	
	×	0	- 26	400	F 80 6	10	122	4 5 1 9 1	118	20	222	25 25 26 26	28 53	30	33	35 36	33	40	43	44	

ı	6	==	222	12	222	555	554	4	444	444	សិសិស	15	សសស	ស ស ស	ត ស ស	15	5 5 5	5 6 6	8 6 6	9
	8	22	225	=	===	222	222	12	222	555	ឯងឯ	13	ងដដ	5 ₹ ₹	544	4	444	444	444	۰
	7	00	000	0	222	222	295	=	222	555	222	2	222	222	222	2	222	222	222	1
T	9	V 80	∞ ∞ ∞	80	ωωω	თთთ	თთთ	6	000	965	555	9	555	555	555	9	222	555	555	1
1	co	99	911	-	111		rr8	00	0000	∞ ∞ ∞	0000	. 00	0000	∞∞∞	თთთ	σ.	000	000	000	1
L	4	9	മവവ	ın	രവവ	ဖဖဖ	စဖစ	9	000	000	ဖဖဖ	-	777	777	DDD.	-		777	777	+
ŀ	60	44	444	4	444	444	4 4 W	D.	വവവ	លលល	លលល	w	ហហហ	ហហហ	លលល	'n	w w w	மமம	n n n	
	7	20	000	m	m m m	ოოო	ოოო	m	ოოო	000	000	n	000	ოოო	000	m		ოოო	ოოო	1
	5		555	-	-55-	555		N	พลผ	200	200	7	000	000	000	, N	444	444	иии	
	o,	6959	6704 6574 6441	6307	6170 6032 5892	5750 5606 5461	5314 5165 5015	4863	4710 4555 4399	4242 4083 3923	3762 3600 3437	-3272	3107 2940 2773	.2605 .2436 .2267	.2096 .1925 .1754	.1582	.1409 .1236 .1063	-0889 -0715 -0541	.0366 .0192	
No.	89	6972 -	6717 - 6587 - 6455 -	-6320	6184 - 6046 - 5906 -	5764 - 5621 - 5476 -	5329 -5180 -5030	-4879	4571	4258 4099 3939	3616	3289	3123 2957 2790	.2622 .2453 .2284	2113 1942 1771	.1599	.1253 .1253	.0906 .0732 .0558	0384	
		6984	6730 6600 6468	6334	6198 6060 5920	5779 5635 5490	5344 5195 5045	4894	4741 4586 4431	4274 4115 3955	3795 3633 3469	3305	3140 2974 2807	2639	2130 1959 1788	1616	1271	.0924 .0750 .0576	0401	
-	ø	6897	6743	6347	6211	5793 5650 5505	5358 5210 5060	4909	4446	4289	3849	3322	3156 2990 2823	2656 2487 2317	1977	1633	1461 1288 1115	-0941 -0767 -0593	0244 0070	
	5	7009 -6884 -6	6756 ·6 6626 ·6 6494 ·6	6361 .6	6225 -6 6088 -6 5948 -8	5807 - 5664 - 5519 -	5373 - 5225 - 5075 -	4924	4517 - 4462 -	4305 -4147 -3387	3827 .3665 .3502 .	3338	3007	2672 -2504 -2334 -	.1994 .1822	.1650	1305	-0958 -0785 -0610	.0436 .0262 .0087	
	4	7022	6769 -	6374	6239 6101 5962	5821 - 5678 - 5534 -	5388 - 5240 - 5090 -	4939	4787 -	4321	3843	3355	3190 3024 2857	.2689 .2521 .2351	.2181 .2011 .1840	1668	.1323 .1323	.0976 .0802 .0628	.0454 .0279 .0105	
	ņ	.7034	6782 - 6652 - 6521 -	6388	6252 6115 5976	55835	5402 5255 5105	4955	4802 4648 4493	4337	3859 3697 3535	.3371	3206 3040 2874	.2706 .2538 .2368	.2198 .2028 .1857	.1685	.1513 .1340 .1167	.0993 -0819 -0645	.0471 .0297 .0122	4
	-2	.7046	6794 .	6401	6266 - 6129 - 5990 -	5850 5707 5563	5417 5270 5120	4970	4818 4664 4509	4352 4195 4035	3875	-3387	3223	.2723 .2554 .2385	.2215 .2045 .1874	.1702	.1530 .1357	-1011 -0837 -0663	.0314 .0140	
		-7059 -6934	6678	6414	6280	5864 5721 5577	5432 5284 5135	4985	4833 4679 4524	4368	3891	3404	3239	.2740 .2571 .2402	-2233 -2062 -1891	1719	-1547 -1374 -1201	.1028 .0854 .0680	.0506 .0332 .0157	
2000	9	0.7071	0.6820 0.6691 0.6561	0.6428	0-6293 0-6157 0-6018	0.5878 0.5736 0.5592	0.5299 0.5299 0.5150	0.5000	0-4848 0-4695 0-4540	0.4384 0.4226 0.4067	0.3907 0.3746 0.3584	0.3420	0.3256 0.3090 0.2924	0.2756 0.2588 0.2419	0.2250 0.2079 0.1908	0.1736	0.1564 0.1392 0.1219	0.1045 0.0872 0.0698	0.0523 0.0349 0.0175	The same of the sa
1	×	45	288	200	222	585	288	8	228	388	69 69	70	222	455	F 88	80	222	288	888	

_		-01		-					and the same of	_								-	and the second		
	6			-00	иию	m	w w 4	444	សសស	9	000		LL 8	00	000	000	555	9	222	=	0
	00				200	m	ოოო	w 4 4	440	S	യവവ	000	911	1	r. 00 00	∞∞∞	ထတတ	0	005	5	٥
8	-			555	444	N	ммм	ოოო	444	4	4 0 0	លលល	တ္တပ	9	977	777	77.8	80	∞ ∞ ∞	6	,
5	9	1 0	0-	555	-44	7	иии	ოოო	ოოო	4	444	4 10 10	மைம்	ď	ကဖဖ	000	997	7	111	-	ľ
5	2		0-	4 T T T.		~	444	444		ო	ოოო	444	444	4	លលល	ហហហ	மம்ம	9	000	9	3
- Annana	4		00	955°		-	-44	นนน	444	~	ოოო	ოოო	6000	4	444	444	444	'n	ខាលព	S.	1
	6	1	00	0		-		o Gran	иии	~~	444	444	888	m	m m m	000	000	e.	644	4	1
5	7	. 0		000	0	m = 1	0000	(9 TO TO T	075T	m-		-44	иии	7	444	иии	иии	7	200	2	9
-	-			000	000		000	000	10 To To T	in-	0000	000	0.6150	10 - 1	555	1557	1000	2		-	
810	o,	6666	9995 9987 9977	9963 9947 9928	9880	9820	9785 9748 9707	9664 9617 9568	9516 9461 9403	9342	9278 9212 9143	9070 8996 8918	8838 8755 8669	-8581	8490 8396 8300	-8202 -8100 -7997	.7891 .7782 .7672	.7559	7443	.7083	
	œρ	6666	9995 -	9965 -	9907 9882 9854	9823	9789	9668 9622 9573	9521 9466 9409	9348	9285 9219 9150	9078	-8846 -8763 -8578	-8590	8499 8406 8310	8211 8111 8007	.7902 .7793 .7683	.7570	.7455 .7337 .7218	.7096	3
	.7	6666	9886	9966 9951 9932	9910 9885 9857	9856	9792 9755 9715	9673 9627 9578	9527 9472 9415	9354	9291 9225 9157	9085 9011 8934	-8854 -8771 -8686	8599	8508 8415 8320	8221 8121 8018	.7912 7804 7694	7581	.7466 .7349 .7230	.7108	
100	Ģ	6666	9666	9968 9952 9934	.9912 .9888 .9860	-3829	9796 9759 9720	9677 9632 9583	9532 9478 9421	9361	9238	.9092 .9018 .8942	-8862 -8780 -8695	-8607	8517 8425 8329	8231 8131 8028	.7923 .7815 .7705	.7593	.7478 .7361 .7242	.7120	
	Ġ,	1-000	.9997 .9990 .9981	9969 9954 9936	.9914 .9863	-9833	.9799 .9763 .9724	9636 9588	.9537 .9483 .9426	-9367	9304	.9100 .9026 .8949	.8870 .8788 .8704	8616	8526 8434 8339	8241 8141 8039	.7934 .7826 .7716	7604	.7490 .7373	.7133	١
010	4	1.000	.9997 .9991	9971	9917 9893 9866	-9836	9803 9767 9728	.9686 .9641 .9593	9542	9373	9311 9245 9178	.9107 .9033 .8957	-8878 -8796 -8712	-8625	8536 8443 8348	8251 8151 8049	7944 7837 7277	7615	.7501 .7385 .7266	.7145	
2000	ņ	1.000	.9997 .9992 .9983	9972	9919 9886 9886	-9839	9806 9770 9732	9690 9646 9598	9548 9494 9438	9379	9317 9252 9184	.9114 .9041 .8965	8886 8805 8721	8634	.8545 .8453 .8358	.8261 .8161 .8059	.7955 .7848 .7738	7627	.7513 .7396 .7278	7157	l
1777	7	1-000	9886	9973 9959 9942	.9821 .9898 .9871	-9842	.9810 .9774 .9736	.9694 .9650	9553	9385	-9323 -9259 -9191	9121 9048 8973	.8894 .8813 .8729	8643	8554 8462 8368	8271 8171 8070	.7965 .7859 .7749	.7638	.7524 .7408 .7290	.7169	
	7	1.000	9998	9974	9923 9900 9874	9845	9813 9778 9740	9699	9558	9391	9330 9265 9198	.9128 .9056 .8980	-8902 -8821 -8738	-8652	8563 8471 8377	8281 8181 8080	.7976 .7869 .7760	-7649	.7536 .7420 .7302	.7181	
1000	Q	1-0000	0.9998 0.9994 0.9986	0.9976 0.9962 0.9945	0.9925 0.9903 0.9877	0.9848	0.9816 0.9781 0.9744	0.9703 0.9659 0.9613	0.9563 0.9511 0.9455	0-9397	0.9336 0.9272 0.9205	0.9135 0.9063 0.8988	0.8910 0.8829 0.8746	0-8660	0.8572 0.8480 0.8387	0-8290 0-8192 0-8090	0.7986 0.7880 0.7771	0992-0	0.7547 0.7431 0.7314	0.7193	
0:	×	0	-26	400	L 80 6	2	-20	4 6 9	L 8 6	20	522	4 22 25	282	30	3333	888	38 33	· 8	£ 2 £	4	

degrees)
x in
ngles
its of ⊿
Tangen

	on	m m	(1) 41 4	4	444	4040	200	9	L L 60	800	12 25	7	57.5	282						0
	w	m m	en en en	4	444	440	6 69 69	9	0 rr	60 00 m	555	13	455	822		×				00
2	7	N 10	60 60 60	63	60 60 FM	444	448	In .	000	r-0	200	Ξ	248	222		-g.				1
Differences	9	22	200	63	m m m	(200)	444	4	ne no no	200	P 80 00	60	525	575		nre!				9
ATTE:	5	44	กลน	2	222	12 12 12	~~~	4	বৰ্ষ	មាមា	977	00	955	545		88				8
3	4		200	7	กกก	กกก	NMW.	60	2004	444	www.	Φ	V 80 80	515	_	- ĕ -	-			4
4	60			-		200	nnn	14	en en en	999	444	0	000	r 80		differ				1 "
1	2			-				-	222	200	NME	6	624	000						1
		0	000	0	000			7				N	เลยเ	~ ~ ~	100	-	1.0	-1.		-
	9	1-032	1.107	1-230	1322	25	1.594	1-787	1.873	2-135 2-236 2-344	2.592	2-888	3-251	3-706	4-666 5-097 5-614	6-243	7-026 8-028 9-357	13.95	27.27 52.08 573.0	
	œ	1.028	1.163	1.226	1271	1473	1.588	1.789	1-946	2.125	2.578	2-872	3-042	3.952	4-625 5-050 5-558	6-174	6.940 7.916 9.205	17.89	26-03 47:74 286-5	9
	7	1.025	1.099 1.138 1.179	1.222	1313	1412 1466 1522	1582	1.782	1-857 1-937 2-023	2-116 2-215 2-322	2-428 2-565 2-703	2-856	3.024	3.665 3.923 4.230	4-586 5-005 5-503	6-107	6.855 7.806 9.068	13.30 13.30	24.90 44.07 191.0	7
	ф	1-021	25 25 25 25 25 25 25 25 25 25 25 25 25 2	1.217	1,262 1,386 1,356	1460	1-576	1.775	1.949 1.929 2.014	2.704 2.704 2.311	2.426 2.552 2.689	2.840	3.006	3-630 3-895 4-198	4.548 4.959 5.449	6041	6-772 7-700 8-915	10.68 13.00 16.83	23-86 40-92 143-2	4
	φ	1.054	1.130	1.213	1303	1455	1-570	1.767	1.921	2.097 2.194 2.300	2-539 2-539 2-676	2.824	2.989 3.172 3.376	3.606	4511 4915 5.396	5.976	6-691 7-596 8-777-8	10.39 12.71	22-90 38-19, 114-6	"
	4	1.014	1-126	1.209	1.253 1.299 1.347	1397	1-554 1-525 1-691	1-760	1834 1913 1997	2.087 2.184 2.289	2-402 2-526 2-660	2808	3.354	3-582 3-839 4-134	4474 4872 5343	5.912	6-612 7-495 8-643	10.20 12.43 15.89	22-02 35-80 95-46	Ŀ
	77	1-011	1.084	1-205	1248	1392	1558	1-753	1827 1905 1988	2.078 2.174 2.278	2.513 2.513 2.646	2.793	33333	3.558 3.812 4.102	4437	6-850	6-535 7-396 8-513	10.02	21:23 33:33 81:33	1
	7	1.007	1.080	1-200	1.244 1.289 1.337	1.387	1562	1.746	1.897 1.880	2.069 2.164 2.267	2.500	2.778	3.115	3.534	4-402 4-787 5-242	5.789	6-450 7.300 8.386	9-845 11-91 15-06	2045 3182 7162	1
	7	1003	1.075 1.115 1.154	1.196	1-239 1-285 1-332	25.5	1605	1.739	1.811 1.889 1.971	2-059 2-164 2-257	2.367 2.488 2.619	2.762	3.036	3.511	4-366 4-745 5-193	5-730	6.386 7.207 8.264	9-677 11-86 14-67	19.74 30.14 63.66	ŀ
	9	1-000	1.072	1-192	1.285 1.280 1.327	1,376	888	1.732	1.804 1.881 1.963	2.050	2,356 2,475 2,605	2-747	3.078 3.271	3-487	4-331 4-705 5-145	5-671	6-314 7-115 8-144	9.514 11.43 14.30	19-08 28-04 57-23	,
_	×	5 5	48 4	20	222	253	25 88	3	522	322	688	2	222	222	F 85	80	222	4 6 8 8	28 88 88 88	Τ,

	o	16	555	222	5 5 5	9	316	555	11 2	5	2 2 2	222	222	5	222	222	222	22	30 28	31	σ
	00	4	444	222	222	4	ងកក	មិមិស	5 5 6	10	199	222	20 20 20	19	288	222	222	2	288	27	1
	7	12	222	222	はなな	to to	はなな	555	544	4	225	50 50 50	355	2	5 C E	部市市	282	12	222	22	Ŀ
Differences	w	10	552	FFF	FFF	=	FFF	FEE	222	12	222	BBB	544	2	なるも	555	CC8	60	222	17	
1010	w	0	000	on on on	000	o	000	000	222	2	222	FFF	223	12	222	227	446	50	199	11	١
5	4	2	~~~		1111	10	~~~	P 60 60	00 00 00	00	09 00 00	600	000	0	555	955	223	12	54 55 55	7	
3	m	un-	10 10 10	w 10 10	10 10 10	10	60 60 60	w w w	999	0	999	991		~	rr 00	60 60 60	0000	0	950	20	
	~	m	004	444	444		444	444	444	4	444	444	400	un .	-	10 to to		10	900	7	
١	-	2	200	222	200	~	222	11111	222	8	200	222	222	14	.000	m m m	0 0 M	m	en en en	m	
	9	7510	0332	.1033 .1033	1380 1566 1745	1928	22290	2661 2849 3038	3424	3819	4224	4842	5295 5520 5750	5985	6224 5469 5720	5976 7239 7508	3069 8069 8361	8862	8972 9293 9623	988	
	09	0140	4889	1015	15.68	190B	2772	2882	3211	3799	4411	4834	5272	1985	6200	7212	8040	3632	8541 9260 9590	9830	١
	-	-0122	0237	-0822 -0998 -1175	1530	1890	2254	2623	3385	3779	3979	4599 4813 5029	5250 5475 5704	-6938	6420	.7186 .7186	-7729 -8012 -8302	-8801	8910 9228 9666	9886	ı
	ф	-0105	-0273 -0454 -0629	-0805 -0981 -1157	1512	11871	2225 2235 2419	2605 2792 2881	3172	3759	3959	4791	5228 5452 5681	5914	6152 6395 6644	7159	.7701 .7983 8273	8571	-8878 -9195 -9523	-9861	ĺ
	ń	-0087	-0252 -0437 -0612	40787 40963 1139	1517	1883	22217	2862	3346	3739	263 4 4 4 5 4 5 4 5 5	4770	9248	588	6128 6071 6619	.7133 .7133	7673 7954 8243	NA NA	9163 9490	-3827	ı
	4	00.00	0244 0419 0594	-0769 -0945 -1122	1239	1835	.2016 .2199 .2382	2568	3134	3719	3819 4122 4327	4535 4748 4964	5184 5407 5635	5867	6164 6346 -6594	.7107 .7107 .7373	.7646 .7926 .8214	-8511	9131 9457	-9793	
6	ŋ	-0052	-0227 -0402 -0577	-0752 -0928 -1104	1281	1817	-1998 2180 2364	2549 2736 2924	3307	3889	4101	4515	5161 5384 5612	-5844	-5080 -5322 -5389	-6822 -7080 -7346	.7618 .7898 .3185	-8481	8785 8099 9424	9759	١
	ņ	-0035	0209	0910	1262	1739	.1980 .2162 .2345	2530	262	3679	3879	4494	-5139 -5362 -5589	5820	6297 6297 6544	7319	7869	-8451	8754 9067 93391	9725	1
	7	· 100	0367	0717 0892 1089	1246	1781	.1962 .2144 .2327	2512 2698 2886	3269	3659	3859 4061 4265	4684	5117 5340 5566	-5797	.6032 .6273 .6519	.7028 .7282	.7563 7841 8127	8421	8724 9036 9358	9691	
7837	P	0000-0	0-0175 0-0349 0-0524	0-0699 0-0875 0-1051	0.1228 0.1405 0.1584	0-1763	0-1944 0-2126 0-2309	0.2493 0.2679 0.2867	0.3057	0.3640	0-3839 0-4040 0-4245	0.4452	0-50SS 0-5317 0-5543	0-5774	0-5249 0-5249 0-5494	0-6745 0-7002 0-7265	0.7536 0.7813 0.8038	0-8391	0-8693 0-9004 0-9325	0-9667	
7	×	0	-01	4100	r 00 01	10	122	456	D 50 51	20	222	222	282	30	222	288	28.83	40	233	4	ĺ

Appendix V: Square Roots of Numbers, 1-10

^
~
\uparrow
×

gh:	0	NN	444	2	***	เลเล	เลลเ	N	กกก	กกก	กกก	N	244	11111	200	-	eees			0
0		20	กกก	8	กกก	กกก	444	N	eee		eee-	-				-				0
	-			-				-				-		~~~		-				1
2	9			-			eer				(en pr pr)					-				4
E E	ın			-				00 - - 1				-				-	(per per 100 (1
Differences	4			-				-				-				-				
1	6			o 🕳 1				-				-			-	0	000	000	000	1
÷1	~	00	000	0	000	000	000	0	000	000	000	0	000	000	000	0	000	000	000	1
+	-	00	000	0	000	000	000		000	000	000	0	000	000	000	•	000	000	000	
	6	2.364	324	2-488	2.528	2.548 2.567 2.587	2625	2.663	2.700	2.737	2:791 2:809 2:827	2.844	2.862 2.879 2.897	2.914 2.931 2.948	2.965 2.982 2.998	3.015	3.032	3.087	3.129	
2000	00	2.362	2404 2425 2445	2-486	2486 2.506 2.526	2.546 2.565 2.585	2623	2.661	2.680	2.735 2.753 2.775	2.789 2.807 2.825	2.843	2.860 2.877 2.895	2.912 2.929 2.946	2.963 2.997	3.013	3.030 3.046 3.063	3073	3.127	1
	7	2.381	2402 2423 2443	2-464	2484 2:504 2:524	2583 2583	2-602 2-621 2-640	2.659	2.678 2.696 2.715	2.733 2.751 2.769	2.787 2.805 2.823	2.841	2.858 2.876 2.893	2.910 2.927 2.944	2.961 2.978 2.995	3-012	3.028 3.045 3.061	3-077 3-094 3-110	3.126	
9638	9	2.358	2421	2-462	2-482 2-502 2-522	2.542 2.561 2.581	2-600 2-619 2-638	2.657	2.676 2.694 2.713	2.731 2.750 2.768	2.786 2.804 2.821	2.839	2.857 2.874 2.891	2.909 2.926 2.943	2.960 2.977 2.993	3-010	3.027	3-076 3-092 3-108	3.124 3.140 3.156	T
	9	2.356	2.439	2.460	2-500 2-500 2-520	2.540 2.559 2.579	2.598 2.617 2.636	2-655	2.674	2.729	2.382	2-837	2.855 2.872 2.890	2.924 2.924 2.941	2.958 2.975 2.992	3.008	3.025	3.074	3.123	
	4	2.354	2.396 2.417 2.437	2458	2-478 2-498 2-518	2.538	2.596 2.615 2.634	2-653	2.691	2.728 2.748 2.764	2-782 2-800 2-818	2-635	2-853 2-871 2-888	2.905 2.922 2.939	2.956 2.973 2.990	3.007	3023 3040 3056	3.089	3-121	
2,100	3	2,352	2.435	2.456	2.476 2.496 2.516	2.536 2.555 2.575	2.594 2.613 2.632	2-851	2.670 2.689 2.707	2.726 2.744 2.762	2.780 2.798 2.816	2.834	2-851 2-869 2-886	2.903 2.921 2.938	2.955 2.972 2.988	3.005	3-022 3-038 3-055	3-071 3-087 3-103	3.135 3.135 3.151	T
	2	2350	2.412	2.454	2-474 2-494 2-514	2.534 2.553 2.573	2.692 2.612 2.631	2.650	2.668	2.724 2.742 2.760	2.778 2.796 2.814	2.832	2-850 2-867 2-884	2-902 2-919 2-936	2.953 2.970 2.987	3.003	3.036	3-069 3-085 3-102	3.134	1
	1	2347	2410	2.452	2-472 2-492 2-512	2.532 2.551 2.571	2.590 2.610 2.629	2.648	2.667	2.722 2.740 2.759	2.777 2.795 2.812	2.830	2.848 2.865 2.883	2-900 2-917 2-934	2-951 2-968 2-985	3.002	3-018 3-035 3-051	3.068	3-116 3-132 3-148	
200	0	2.345	2.408	2.450	2.470	2.530	2.588	2.646	2.683	2.720	2.775	2.828	2-846 2-864 2-864	2.898 2.915 2.933	2.950 2.966 2.983	3.000	3.033	3.086	3.115	1
3	×	5.6	2.86.5	3	525	488	7 8 6	20.	222	4 6 9	1.86.	9	887	4 6 6	7 8 8 8	9.0	255	45.0	9.00	1

9 2.117 2.119 2.140 2.142 2.163 2.166 2:045 2:047 2:069 2:071 2:093 2:095 2.189 2.211 2.234 1-091 1221 1513 1578 1.700 1.986 1.995 1.995 1.947 1.988 1338 2.020 2.022 555 1.755 1783 1.866 1.892 1.918 946 689 442 575 1687 12.55 \$ 2 00 2.114 2.138 2.161 942 092 ğ 439 539 .752 2889 916 2827 252 28 525 694 888 888 2-177 2-179 2-182 2-200 2-202 2-205 2-223 2-225 2-227 1.691 1.691 1.2057 1.658 1.688 1.718 1.937 1.962 1.988 2.037 2.062 2.086 -025 1432 3888 86.53 5.58 88 88 78 8 E 245 38633 2.035 2 2.059 2 2.083 2 1.934 1.985 1.985 -685 -715 1-855 1-882 1-908 8 24.28 88.83 428 \$ 4 6 G 56.55 -772 -800 -828 131 1-652 1-682 1-712 2-102 2-126 2-149 1.738 848 876 903 2.005 869 1.233 349 22,65 2-030 2-054 2-078 1421 456 1523 587 8.00 E 367-1 2228-1 2-124 2-124 2-147 88 1.187 584 .735 .764 .792 -003 526 84. 87. 86. 86. 878 906 926 2.025 2-168 2-191 2-214 2.098 2.121 2.145 2.258 2.280 2.302 2.324 1.183 .732 1982 926.69 1.000 324 151483 26 B 25 E 2.000 549 2 333 9 588 2 222 222 228 45.4 7280 43.5 244 60 5.3

Square Roots of Numbers, 1-10

																		- 9- N-		
	6	99	999	9	999	മെയ	មាមា	S	200	ດຂອ	മവ	0	വവവ	മവ	വവവ	S	n n n	വവവ	1044	0
1	00	N N	999	2	222	50 50 50	200	2	សសស	9 9 9	444	4	444	444	444	4	444	444	444	1
	7	20	ro ro 4	4	444	य य य	444	4	444	444	444	4	ययय	वचच	444	4	444	444	400	1
Sal	9	44	444	43	444	444	444	4	400	$\omega \omega \omega$	ოოო	m	ოოო	ოოო	ოოო	က	ოოო	ოოო	60 60 60	1
erence	w	ოო	m m m	m	~~~	ოოო	ოოო	e	ოოო	~~~	ოოო	3	ოოო	ოოო	ოოო	m	ოოო	ოოო	200	1
5	4	ოო	ოოო	ന	ოოო	222	ппп	7	иии	444	222	7	200	222	444	2	222	222	222	1
И	3	22	200	2	222	222	กกก	2	200	222	200	~	ппп	ппп	ппп	7	nnn	ппп	5	T
1	7			-			24-6	2				-				-				١
1	-			-				-				-				-			-00	1
3	o	7.477	7-609	7-804	7-968	8-056 8-118 8-179	8-240 8-301 8-361	8-420	8-479 8-538 8-597	8-654 8-712 8-769	8-826 8-883 8-939	8-994	9-050	9-214 9-268 9-322	9-375	9-534	9.586	9.742 9.793 9.844	9.894 9.945 9.896	Ť
	00	7.470	7.603 7.668 7.733	7.797	7-861 7-925 7-987	8-050 8-112 8-173	8-234 8-295 8-355	8414	8-532 8-532 8-591	8.649 8.706 8.764	8-820 8-877 8-933	8-989	9-044 9-099 9-154	9.209	9.370	9.529	9-581 9-533 9-685	9-737	9.990	
	7	7-463	7.596 7.662 7.727	7.791	7.855 7.918 7.981	8.044 8.106 8.167	8.228 8.289 8.349	8-408	8-468 8-526 8-585	8-643 8-701 8-758	8-815 8-871 8-927	8-383	9.039 9.094 9.149	9.203 9.257 9.311	9.365 9.418 9.471	9-524	9.576 9.628 9.680	9.731	9-884 9-935 9-985	
	9	7.457	7.589 7.655 7.720	7.785	7.849 7.912 7.975	8-037 8-099 8-161	8-222 8-283 8-343	8.402	8-462 8-521 8-579	8-637 8-695 8-752	8-809 8-866 8-922	8.978	9-033 9-088 9-143	9-198 9-252 9-306	9-359 9-413 9-466	9-518	9-571 9-623 9-675	9-726 9-778 9-829	9-879 9-930 9-980	T
	9	7:450	7.583 7.649 7.714	7.778	7.842 7.906 7.969	8-031 8-093 8-155	8-216 8-276 8-337	8336	8-456 8-515 8-573	8-631 8-689 8-746	8-803 8-860 8-916	8-972	9.028 9.083 9.138	9.192 9.247 9.301	9.354 9.407 9.460	9-513	9.566 9-618 9-670	9-721 9-772 9-823	9-874 9-925 9-975	
1	4	7-443	7.576	7.772	7-836 7-899 7-962	8-025 8-087 8-149	8-210 8-270 8-331	8-390	8.450 8.509 8.567	8-626 8-683 8-741	8-798 8-854 8-911	8-967	9.022 9.077 9.132	9.187 9.241 9.295	9.349 9.402 9.455	9.508	9-560 9-613 9-664	9-716 9-767 9-818	9-869 9-920 9-870	
	ъ	7-436	7.570	7.765	7.829 7.893 7.956	8-019 8-081 8-142	8-204 8-264 8-325	8.385	8-444 8-503 8-562	8-620 8-678 8-735	8.792 8.849 8.905	8-961	9-017 9-072 9-127	9-182 9-236 9-290	9-343 9-397 9-450	9-503	9.555 9.607 9.669	9.711 9.762 9.813	9.864 9.915 9.965	T
	2	7-430	7.563 7.629 7.694	7.759	7.823 7.887 7.950	8-012 8-075 8-136		8.379	8-438 8-497 8-556	8-614 8-672 8-729	8-843 8-843 8-899	8-955	9-011 9-066 9-121	9-176 9-230 9-284	9338	9-497	9.550 9.602 9.654	9.706 9.757 9.808	9-859 9-910 9-960	
	ŢĒ.	7.423	7.556 7.622 7.688	7.752	7.817 7.880 7.944	8-006 8-068 8-130	8-191 8-252 8-313	8-373	8-432 8-491 8-550	8.608 8.666 8.724	8-837 8-837	8-950	9-006 9-061 9-116	9.171 9.225 9.279	9.333 9.386 9.439	9-492	9-545 9-597 9-649	9.701 9.752 9.803	9-854 9-905 9-955	
	0	7.416	7-550 7-616 7-681	7.746	7-810 7-874 7-937	8-000 8-062 8-124	8.185 8.246 8.307	8-367	8-426 8-485 8-544	8-602 8-660 8-718	8-775 8-832 8-888	8.944	9.000	9-165 9-220 9-274	9-237 9-381 9-434	9-487	9-539 9-592 9-644	9-695 9-747 9-798	9.849	T
	×	55	288	8	222	25.28	69 69	2	222	45.50	282	80	8828	888	888	8	93	98 98	98 88	1

				100	DESCRI	J.	teel	wai	VAE.												
	6	14	2 2 2 2	111	:55	5	500	თთთ	თთდ	œ	0000	887		7	~~~	~~~	6 6 7	9	999	9	T
1	00	12	112	155	200	o	တထထ	00 00 co	80 7 7	1	~~~	222	100	9	999	999	999	9	999	S	ł
1	7	=	555	00	00 00 00	00	877	~~~	~ ~ 6	9	999	999	999	φ	60 60 60	n n n	ខាល	ß	លលល	S	١
ı	9	თ	Ø 00 00	0 B C		7	999	ဖဖဖ	999	ın	ນທູ	N IN IN	n n n	n	വവവ	N 4 4	444	47	444	4	t
	ω	00	~~~	100	999	40	വവവ	വവവ	no no no	4	444	444	444	4	444	444	444	4	400	ო	١
	4	9	995	വവവ	60 00 00	4	444	444	444	4	ოოო	000	ოოო	n	mmm	ოოო	ოოო	3	m m m	m	l
Ì	m	40	444	444	400	m	ოოო	mmm	m m m	m	ოოო	mnn	กกก	2	ппп	222	ппп	7	ุกกก	7	1
1	7	m	mmm	888	222	2	ппп	กกก	222	2	222	222	222	2	222	2		-	201	-	١
١	-	N				/ pr (-		12-1-		4				-		į,	١
	o	3-302	3-450 3-592 3-728	3.988	4.347	4-572	4-680 4-785 4-889	5-089 5-089 5-187	5-282 5-376 5-468	5-559	5-648 5-736 5-822	5.908 5.992 6.075	6-156 6-237 6-317	6.395	6-473 6-550 6-626	6.701	6.921 6.993 7.064	7.134	7.204	7-410	1
		3.286	3-435 3-578 3-715	3.975	4.219 4.336 4.450	4-561	4.775	5.079 5.177	5.273 5.367 5.459	5.550	5-639 5-727 5-814	5-839 5-983 6-066	6.148 6.229 6.309	6-387	6-465 6-542 6-618	6.693 6.768 6.841	6-914 6-986 7-057	7.127	7.197	7.403	
	7	3.271	3-564	3.834 3.962 4.087	4-207 4-324 4-438	4-550	4-658 4-765 4-868	5.070 5.070 5.167	5.263 5.357 5.450	5.541	5-630 5-718 5-805	5-891 5-975 6-058	6-140 6-221 6-301	6.380	6-458 6-535 6-611	6-685 6-760 6-834	6-907 6-979 7-050	7.120	7.190 7.259 7.328	7.396	
7	9	3.256	3.406 3.550 3.688	3.950 4.074	4-195 4-313 4-427	4.539	4-648 4-754 4-858	4-960 5-060 5-158	5.254 5.348 5.441	5.532	5-621 5-710 5-797	5-882 5-967 6-050	6-132 6-213 6-293	6-372	6-450 6-527 6-603	6-678 6-753 6-826	6.899 6.971 7.043	7.113	7.183	7.389	I
	2	3.240	3-391	3-808 3-937 4-062	4.183 4.301 4.416	4.528	4-637	4-950 5-050 5-148	5.244 5.339 5.431	5-523	5.612 5.701 5.788	5.874 5.958 6.042	6-124 6-205 6-285	6.364	6-442 6-519 6-595	6.71 6.745 6.819	6.892 6.964 7.036	7.106	7.176 7.246 7.314	7.382	
2	4	3.225	3.376 3.521 3.661	3.795 3.924 4.050	4.290 4.405	4-517	4-626 4-733 4-837	5-040 5-040 5-138	5-235 5-329 5-422	5.514	5-604 5-692 5-779	5.855 5.950 6-033	6-116 6-197 6-277	6-356	6-434 6-512 6-588	6-663 6-738 6-812	6-885 6-957 7-029	7-099	7.169 7.239 7.308	7.376	
	е	3-209	3.362	3-782 3-912 4-037	4-159 4-278 4-393	4.506	4-615 4-722 4-827	5-030 5-128	5.225 5.320 5.413	5.505	5-596 5-683 5-771	5.857 5.941 6.025	6.269	6.348	6-427 6-504 6-580	6-656 6-731 6-804	6-878 6-950 7-021	7.092	7.162 7.232 7.301	7.369	
	2	3.194	3-347 3-493 3-633	3.768 3.899 4.025	4.147 4.266 4.382	4.494	4-604 4-712 4-817	4-919 5-020 5-119	5.215 5.310 5.404	5.495	5-586 5-675 5-762	5-848 5-933 6-017	6-099 6-181 6-261	6-340	6-419 6-496 6-573	6.648 6.723 6.797	6-870 6-943 7-014	7.085	7.155	7.362	
100	1	3.178	3-332 3-479 3-619	3.755 3.886 4.012	4-135 4-254 4-370	4-483	4.594	5-010 5-109	5.206 5.301 5.394	5.486	5.577 5.666 5.753	5.840 5.925 6.008	6-091 6-173 6-253	6-332	6-488 6-555	6.641 6.716 6.790	6.863 6.935 7.007	7.078	7.148 7.218 7.287	7.355	
	0	3.162	3.317 3.464 3.606	3-742 3-873 4-000	4-123 4-243 4-359	4-472	4-583 4-690 4-796	5-000 5-099	5-196 5-292 5-385	5477	5-568 5-657 5-745	5-831 5-916 6-000	6-083 6-164 6-245	6-325	6-403 6-481 6-557	6-633 6-708 6-782	6-856 6-928 7-000	7.071	7-141 7-211 7-280	7.349	
,	×	10	122	4 5 5	C 8 5	8	222	25 25	282	8	33 33	38 38	3833	9	2 2 2	444	484	8	222	2	1

Ų	2
q	J
2	2
Nimbore	
=	3
Z	
7	
C)
pleado	2
α	Ū
۷	2
Ç)
7	5
Rocing	
۷	,
2	į
Ш	

0 1 2	1818 1815 1786 1783	1754 . 1751 1724 1721 1695 1692	1667 1664	1639 1637 1613 1610 1587 1585	1562 1560 1538 1536 1515 1513	0.1493 1490 1471 1468 1449 1447	1429 14	1408 14 1389 13 1370 13	1351 1333 1316 1316	1289 1282 1286 17	1250 1	1235 1220 1205	1190 1176 1163	1149 1136 1124	1111	1099 1087 1075	1064 1053 1042	1020	-
38		1751 1721 1692	1664	1637 1610 1585	156 153 151	146 144 144	4	466	555	222	-					4- 4- 4-		555	
2					000	280	427	387	332	280	248	1233	1189	1148	1110	1098 1086 1074	1063 1052 1041	1030	
50	1812	1748 1718 1689	1661	1634 1608 1582	1558 1534 1511	1488 1466 1445	1425	1404 1385 1366	1348 1330 1312	1295 1279 1263	1247	1232 1217 1202	1188 1174 1160	1134	1109	1096 1085 1073	1062 1050 1039	1029 1018 1008	1
e	1808	1745 1715 1686	1658	1605 1606 1580	1555 1531 1508	1486 1464 1443	1422	1403 1383 1364	1346 1328 1311	1294 1277 1261	1245	1230 1215 1200	1186 1172 1159	1145 1133 1120	1107	1095 1083 1072	1060 1049 1038	1028 1017 1007	
4	1805	1742 1712 1684	1656	1629 1603 1577	1553 1529 1506	1484 1462 1441	1420	1401 1381 1362	1344 1326 1309	1292 1276 1259	1244	1229 1214 1199	1185 1171 1157	1144 1131 1119	1106	1094 1082 1071	1059 1048 1037	1027 1016 1006	
w	1802	1739 1709 1681	1653	1626 1600 1575	1550 1527 1504	1481 1460 1439	1418	1399 1379 1361	1342 1325 1307	1290 1274 1258	1242	1227 1212 1198	1183 1170 1156	1143	1105	1083 1081 1070	1058 1047 1036	1028 1015 1005	
9	1799	1736 1706 1678	1650	1623 1597 1572	1548 1524 1502	1479 1458 1437	1416	1397 1377 1359	1340 1323 1305	1289 1272 1256	1241	1225 1211 1196	1182 1168 1155	1142 1129 1116	1104	1080 1080	1057 1046 1035	1025 1014 1004	Contraction of the Contraction o
7	1795	1733 1704 1675	1647	1621 1595 1570	1546 1522 1499	1477 1456 1435	1414	1395 1376 1357	1339 1321 1304	1287 1271 1255	1239	1224 1209 1195	1181 1167 1153	1140	1103	1090 1079 1067	1056 1045 1034	1024 1013 1003	Company
80	1792	1730	1645	1618 1592 1567	1543 1520 1497	1475 1453 1433	1412	1393 1374 1355	1337 1319 1302	1285 1269 1253	1238	1222 1208 1193	1179 1166 1152	1139	1101	1089 1078 1066	1055 1044 1033	1022 1012 1002	
on	1789	1727 1696 1669	1642	1616 1590 1565	1541 1517 1495	1473 1451 1431	1410	1391 1372 1353	1335 1318 1300	1284 1267 1252	1236	1221 1206 1192	1178 1164 1151	1138 1125 1112	1100	1088 1076 1065	1054 1043 1032	1021	11
-	00	000	0	000	000	000	0	000	000	000	0	000	000	000	0	000	000	000	
2			-	0	000	000	0	000	000	000	0	000	000	000	0	000	000	000	0
m			-				-		eee	000	0	000	000	000	0	000	000	000	
t)	77		-				-				-				1	000	000	000	
9	44	ппп	2	444			-				-				-				
7	22	ппп	2	ппп	กทก	ппп	-				-				-				
00	ოო	ппп	2	ппп	222	222	2	222			-				-				-
7 8	1 1 5		77	10 0	,, , ,,,				10 0 000 000 000 0 000	40 0 000 000 000 0 000	44 4 444 444 444 444 444 444	44 4 444 444 444 444 444 444	44 4 444 444 444 444 444 444	44 4 444 444 444 444 444 444 444	44 4 444 444 444 4 444 4 444 4 444 4 444 4	44 4 444 444 444 4 444 4 444 4 444 4 444 4	44 4 444 444 444 444 444 444 444 444	44 4 444 444 444 4 444 4 444 4 444 4 444 4	44 4 444 444 444 444 444 444 444 444 444 444

8.8	o	83	20 68	38 88	28 54 54 54	21	8 9 9	± 4 €	12 10	10	000	811	999	s.	മയയ	044	444	4	ოოო	m	0
r p	œ	74	224	33 33 23	23 23 21 21	19	C 9 4	222	100	0	0000	~99	വവയ	ın	044	444	400	6	000	m	
Sec	7	29	53 39	28 33	18 23	17	5 4 5	121	000	œ	110	மைம	ro ro 4	4	444	400	ოოო	m	000	7	
SUBTRACT Differences	9	55	888	222	17 16	4	122	500	877	9	စစဖ	നനന	444	4	ოოო	ოოო	m m N	2	ппп	2	T
5	ın	46	33 33 38	24 21 18	5 5 5 5	12	100	200	100	n	ro ro 4	444	400	m	ოოო	ший	222	2	ппп	7	l
A L	4	37	25 25	874	527	10	0.00	1.00	տտտ	4	444	ოოო	ოოო	2	222	222	222	2	4	-	ı
9	m	28	23	465	500	1	200	ro ro 4	440	m	ოოო	000	222	7	222	2		-		-	t
7	7	60	555	087	200	ın	444	ოოო	888	7	กกก	กกก		-				-		-	١
	-	o	00 N 00	r0 4 4	ოოო	7	222	777		-				-		-00	000	0	000	0	
-8635	6	9174	8403 7752 7194	6711 6289 5917	5291 5025	4785	4566 4367 4184	4016 3861 3717	3584 3460 3344	3236	3135 3040 2950	2865 2786 2710	2639 2571 2506	2445	2387 2331 2278	2227 2179 2132	2088 2045 2004	1965	1927 1890 1855	1821	T
	03	9259	8475 7813 7246	6757 6329 5952	5618 5319 5051	4808	4587 4386 4202	4032 3876 3731	3597 3472 3356	3247	3145 3049 2959	2874 2793 2717	2646 2577 2513	2451	2392 2336 2283	2232 2183 2137	2092 2049 2008	1969	1931 1894 1859	1825	l
1997	7	9346	8547 7874 7299	6803 6369 5988	5650 5348 5076	4831	4608 4405 4219	4049 3891 3745	3610 3484 3367	3257	3155 3058 2967	2882 2801 2725	2653 2584 2519	2457	2398 2342 2288	2237 2188 2141	2096 2053 2012	1972	1934 1898 1862	1828	l
	9	9434	8621 7937 7353	6849 6410 6024	5682 5376 5102	4854	4630 4425 4237	4065 3906 3759	3623 3497 3378	3268	3165 3067 2976	2890 2809 2732	2660 2591 2525	2463	2404 2347 2294	2242 2193 2146	2101 2058 2016	1976	1938 1901 1866	1832	Ī
	2	9524	8696 8000 7407	6897 6452 6061	5714 5405 5128	4878	4444 4255	4082 3922 3774	3636	3279	3175 3077 2985	2899 2817 2740	2667 2597 2532	2469	2410 2353 2299	2247 2198 2151	2002	1980	1941 1905 1869	1835	١
-8816	4	9615	8772 8065 7463	6944 6494 6098	5747 5435 5155	4902	4673 4464 4274	4098 3937 3788	3650 3521 3401	3289	3185 3086 2994	2907 2825 2747	2674 2604 2538	2475	2415 2358 2304	2252 2203 2155	2110 2066 2024	1984	1946 1908 1873	1838	
	т	9709	8850 8130 7519	6993 6536 6135	5780 5464 5181	4926	4695 4484 4292	4115 3953 3802	3663 3534 3413	3300	3195 3096 3003	2915 2833 2755	2681 2611 2545	2481	2421 2364 2309	2257 2208 2160	2070 2028	1988	1949 1912 1876	1842	İ
	2	9804	8929 8197 7576	7042 6579 6173	5814 5495 5208	4950	4717 4505 4310	4132 3968 3817	3676 3546 3425	3311	3205 3106 3012	2924 2841 2762	2688 2618 2551	2488	2427 2370 2315	2262 2212 2165	2119 2075 2033	1992	1953 1916 1880	1845	
	-	1066	9009 8264 7634	7092 6623 6211	5848 5525 5236	4975	4739 4525 4329	4149 3981 3831	3690 3559 3436	3322	3215 3115 3021	2933 2849 2770	2695 2625 2558	2494	2433 2375 2320	2268 2217 2169	2123 2079 2037	1996	1957 1919 1883	1848	
10.80m	0	1000	9091 8333 7692	7143 6667 6250	5882 · 5556 5263	2000	4762 4545 4348	4167 4000 3846	3704 3571 3448	3333	3226 3125 3030	2941 2857 2778	2703 2632 2564	2500	2439 2381 2326	2273	2128 2083 2041	2000	1961 1923 1887	1852	1
100	×	10	122	4 5 6	T 8 6	20	23 23	25 25 26 26	2882	30	883	3833	3883	8	248	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	484	20	52 52	54	1

FUNDED BY



IN PARTNERSHIP WITH



